

UK PRODUCT CATALOGUE INTERACTIVE EDITION

MAD

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section



LINKS Click the contents to move around the catalogue

TOOLS[®]

ABOUT US:

Mac Tools is the number one choice for professional mechanics all over the country. Mac Tools use only the most innovative manufacturing to create the highest quality tools.

Mac Tools provide premium quality hand tools and storage solutions to professional automotive workshops which are designed to make everyday tasks easier and safer.



The company recognised the need for a socket division and with it the Clinton Tool Company was born, operating within the same building as an associate company to produce sockets into the production line.

Launched into the modern era and officially. became Mac Tools.

MACTOOLS.CO.UK 0114 291 7266

To find out more about Mac Tools, head to www.mactools.co.uk

 \odot

f]

TOOLS

990

[in]

Click to find us as @MacToolsUK at the following socials:

Russ Darrah, a 20-year veteran of the hand tool industry, presented Mechanics Tool and Forge Company with a program designed to purchase an allied line of tools. This resulted in the formation of Mac Allied Tools. Even though there were three companies functioning as one at this point, their collective product was always referred to as Mac Tools.

> The very first Mac Tools franchise launched in the UK and since then the brand has quickly become the number one choice for professionals all over the country.

TOOLS[®]

Our Values:

Mac Tools is committed to this shared set of values that drive our organisation, define our culture, and aim to empower every team member and technician

Drive:

You are dedicated to the daily grind and so are we. Our tools and relationships are designed to set you up for success.

Trust

We deliver on our promises and work hard to solve problems through our best-in-class products and our people.

Quality:

We are built to last. We focus on providing world-class products and service to professional technicians everywhere.

Part of the world's largest tool manufacturer

StanleyBlack&Decker



Are you interested in starting your own business with **Mac Tools**? Click here for more information.

CONTENTS:

O1 06 ROLLER CABINETS -TOOLBOXES - CASES -CHESTS

02

TOOLS SETS

FIXED - VARIABLE OPENING WRENCHES

04 88

RACHETS & SOCKETS

05

162

TORQUE CONTROL

06

16

SCREWDRIVERS -KEYS - BITS

07

20

PLIERS - CIRCLIP -LOCK-GRIP

08

224

TAPS & DIES -RETHREADERS -EXTRACTORS

MACTOOLS.CO.UK 0114 291 7266

09 240 HAMMERS - PRY BARS -PUNCHES - CHISELS

10

CUTTING - SCRAPING -SAWS

11

AUTOMOTIVE SPECIALITY

12

WORKSHOP

13

PERSONNEL EQUIPMENT

14

LIGHTING

15

POWER TOOLS



ROLLER CABINETS -TOOLBOXES -CASES -CHESTS

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

Macsimizer

LINKS Click the contents to move around the catalogue

MACTOOLS.CO.UK 0114 291 7266

CONTENTS:

PRODUCT IDENTIFICATION

PART NUMBERS AND **COLOUR CODES**

MACSIMIZER®

SERIES OVERVIEW

27" DEEP WORKSTATIONS

25" DEEP WORKSTATION

TECH™

SERIES OVERVIEW

25" DEEP WORKSTATION

EDGE"

COLOUR SERIES OVERVIEW

BLACK SERIES OVERVIEW

22" DEEP WORKSTATIONS

20" DEEP WORKSTATION

SERIES OVERVIEW

PRO

06

	UTILITY CARTS	
10	20" DEEP UTILITY CARTS	42
	20" DEEP CART ADD-ONS	44
12	22" DEEP UTILITY CARTS	45
4	19" AND 16" DEEP CARTS	46
18	ACCESSORIES	
	COVERS AND TOPS	48
20	UTILITY CART ADD-ONS AND ACCESSORIES	49
22	ADD-ONS AND ACCESSORIES	50
	MOBILE STORAGE	
26	TOOLS BAGS	53
28		
80		





2

Finding the right balance of features regardless of where you are in your professional career has never been easier.

We offer a variety of configurations within the MACSIMIZER®, TECH™, EDGE™ and PRO series of tool storage to enable you to find the right toolbox that meets your needs.

Macsimizer

USA .

TOOLS

TOOLS

PROFESSIONAL

Highest level of technology and features for the most experienced technicians

SEASONED

TOOLS

SPECIALISI
Balanced set of technolog
and features for

SKILLED

Tech

•

UNIBODY CONSTRUCTION	14 Gauge Steel	16 Gauge Steel	18 Gauge Steel	19 Gauge Steel	
CABINET WIDTH	66", 88"	34", 50", 67"	27", 41", 54"	46"	
CABINET DEPTH	27" and 25"	25"	22"	19-3/4"	
SLIDE LOAD CAPACITY	200 / 400 Lbs.	125 / 250 Lbs.	125 / 200 Lbs. Soft-Close	100 / 200 Lbs.	
WIDE TOP DRAWER	5" or 6" Deep	5" or 6" Deep	4" Deep	5" Deep	
DRAWER PULLS	Aluminium	Aluminium	Aluminium	Aluminium	
BADGES	Black / Silver Standard	Black / Silver Standard	5-Standard Colour Options	Black Standard	
FRONT FACING POWER	Standard	Standard	None	None	
DRAWER DETENT	Adjustable - 12 - 24 lbs.	Adjustable - 12 - 24 lbs.	Fixed – Soft Close	Fixed	
DRAWER LOCKING SYSTEM	Tubular	Tubular	Tubular	Tubular	
CASTER SIZE	6" Spring-Loaded RollX™	6" RollX™	6" x 2" Poly	5" x 2" Poly	
CASTER LOCK	iLock® Brakes	iLock [®] Brakes	Side Lock Brakes	Side Lock Brakes	
AVAILABLE WORK SURFACES	Stainless Steel, Line-X®, Butcher Block	Stainless Steel, Line-X [®] , Butcher Block	Line-X [®]	None	
NUMBER OF COLOURS	12 Colours	12 Colours	Black cab - 5 trim Colours / 3 cab colours - Black trim	6 Colours	
WARRANTY	Lifetime	Lífetime	Lifetime	5 Years	

11





-

\$\$7 **\$\$**7


JUNIOR JOURNEYMAN

AAL S

Select set of technology and features for the entry-level technicians







SERIES MACSIMIZER[®] SERIES Μ TECH[™] SERIES EDGE[™] SERIES UTILITY CARTS E UC

SERIES

VARIANT

BOX WIDTH " BOX DEPTH " VARIANT

FRONT FACING POWER TOP CHEST TOP HUTCH SIDE BOX SIDE CABINET BOOK CASE P TC TH SB SC BOOK


BBTOP SSTOP LNXTOP Topmat Drwliner

COLOUR

BUTCHER BLOCK WORK SURFACE Stainless Steel Work Surface Line-X® Work Surface Vinyl Top Mat Drawer Liner Kit


ONLY WITH POWER*

ALL EDGE[™] TOOLBOXES BOXES ARE SUPPLIED IN EITHER FLAT BLACK WITH CONTRAST ANODISED DRAWER PULLS OR COLOURED CABINET WITH BLACK DRAWER PULLS



EDGE[™] BOX NAMING

STANDARD BOX NAMING



VARIANT		COLOU
(BLANK) TC LNXTOP Cover	ROLLER CABINET Top Chest Line-X® Work Surface Toolbox Cover	-FBRD -FBBL -FBGY -FBLG -FBOR -RDBK -BLBK -LGBK

_ ^ ^		пе
ես	LOU	K ()

FLAT BLACK WITH RED DETAILING
FLAT BLACK WITH BLUE DETAILING
FLAT BLACK WITH GREY DETAILING
FLAT BLACK WITH GREEN DETAILING
FLAT BLACK WITH ORANGE DETAILIN
RED WITH BLACK DETAILING
BLUE WITH BLACK DETAILING
GREEN WITH BLACK DETAILING



















M8827TH 88" WIDE TOP HUTCH



BEST





CABINET								
27" Depth for Enhanced Storage Sp	ace	Chemical Resistant Axalta® Powder Coating in 12 Standard Colours						
88" Widths Available		Fr	ont Facing Power: Three 240V Outlets					
46" Overall Height (Including Caste	ers)		Heavy-Duty Vinyl Top Mat					
14ga Steel Construction for Maximum D	urability							
	DRA	WERS						
5" Over 3" Extra-Wide Top Drawers Comes	Standard	Non-Skid Drawer Liners included for Every Drawer						
Full-Length Aluminium Drawer Pu	lls							
CASTERS	SECI	JRITY	DRAWER SLIDES					
6" RollX [™] Spring Loaded Casters	UniKey® Tubular Lock can	be Keyed-alike for Add-Ons	200 Lbs. Weight Capacity Ball-Bearing Slides					
iLock® Top Brake System			400 lbs. Weight Capacity on Deep 5"+ Drawers					
2,000 Lbs. Weight Capacity Per Caster			Adjustable Detent from 12-24 lbs.					
	88" Widths Available 46" Overall Height (Including Caste 14ga Steel Construction for Maximum D 5" Over 3" Extra-Wide Top Drawers Comes Full-Length Aluminium Drawer Pu CASTERS 6" RollX" Spring Loaded Casters iLock® Top Brake System	27" Depth for Enhanced Storage Space 88" Widths Available 46" Overall Height (Including Casters) 14ga Steel Construction for Maximum Durability DRA 5" Over 3" Extra-Wide Top Drawers Comes Standard Full-Length Aluminium Drawer Pulls CASTERS SEC 6" RollX [™] Spring Loaded Casters UniKey® Tubular Lock can iLock® Top Brake System	27" Depth for Enhanced Storage Space Chemical Resist 88" Widths Available Fr 46" Overall Height (Including Casters) Fr 14ga Steel Construction for Maximum Durability DRAWERS 5" Over 3" Extra-Wide Top Drawers Comes Standard Non-Sk Full-Length Aluminium Drawer Pulls ECURITY 6" RollX [™] Spring Loaded Casters UniKey® Tubular Lock can be Keyed-alike for Add-Ons iLock® Top Brake System ECURITY					

TOOLS

TOOLS M8827XP-XX-UK **13-DRAWER** WORKSTATION



01

M8827TC 15-DRAWER TOP CHEST



(-WT) (-YE)	(-OR) (-LG) (-FB)	(-OG) (-DT)
VERALL DIMENSIONS W X H X D (IN.)	VOLUME CU IN.	POWER Strip
1/4" x 46-3/8" x 27"	48,140	٠
1/4" x 46-3/8" x 27"	48,517	•
1/4" x 46-3/8" x 27"	32,756	
8" x 25-3/4" x 24-1/2"	39,826	





MSC27SHRT SHORT SIDE CABINET

Two interchangeable bins with ball-bearing slides
Perfect for storing larger tools

- · Vinyl mat and drawer liners included



MSB27 SHORT SIDE BOX



CABINET							
27" Depth for Enhanced Storage S	bace	Chemical Resistant Axalta® Powder Coating in 12 Standard Colours					
66" Widths Available		F	ront Facing Power: Three 240V Outlets				
46" Overall Height (Including Cast	ers)		Heavy-Duty Vinyl Top Mat				
14ga Steel Construction for Maximum [Jurability						
DRAWERS							
5" Over 3" Extra-Wide Top Drawers Come	s Standard	Non-Skid Drawer Liners included for Every Drawer					
Full-Length Aluminium Drawer Pu	IIs						
CASTERS	SECU	IRITY	DRAWER SLIDES				
6" RollX™ Spring Loaded Casters	UniKey® Tubular Lock can I	be Keyed-alike for Add-Ons	200 Lbs. Weight Capacity Ball-Bearing Slides				
iLock [®] Top Brake System			400 lbs. Weight Capacity on Deep 5"+ Drawers				
2,000 Lbs. Weight Capacity Per Caster			Adjustable Detent from 12-24 lbs.				
이 같은 방법에서 이 것이 같은 것 같은 것 같은 것 같이 많이?		1 - 2					





M6627TC **10-DRAWER TOP CHEST**

(-RD)	(-BL)	(-GY)	(-CG)	(-BK)	(-WT)	(-YE)	(-OR)	(-LG)	(-FB)	(-OG)	(-DT)	•

BEST

Macsimizer

M6627TH

66" WIDE TOP HUTCH

PRODUCT #	DESCRIPTION	DRAWERS	OVERALL DIMENSIONS W X H X D (IN.)	VOLUME CU IN.	POWER STRIP
M6627P	Workstation	10	66-5/8" x 46-3/8" x 27"	36,902	•
M6627TC	Top Chest	10	66-7/16" x 25-3/4" x 26-5/8"	32,987	
M6627TH	Top Hutch	-	66-7/16" x 25-3/4" x 26-5/8"	32,987	
MSC27TALL	Side Cabinet	6	26-1/4" x 65-3/16" x 27"	27,545	
MSC27SHRT	Side Cabinet	2	26-1/4" x 38-9/16" x 27"	13,765	
MSB27	Side Cabinet	7	26-1/4" x 38-9/16" x 27"	12,109	







MSC27TALL **FULL-LENGTH SIDE CABINET**

- Door features punched holes on inside wall for "pegboard style" storage space
- Six roll-out metal bins with ball-bearing slides can be positioned as desired for maximum flexibility Note: Should only be used with top chest or hutch







BEST

PRODUCT #	DESCRIPTION	DRAWERS	OVERALL DIMENSIONS W X H X D (IN.)	VOLUME CU IN.
UC4125DTF	Workstation	6	41-1/2" x 47" x 25"	24,722
		and the second		Q

MERICA TH GLOBAL MATERIALS

At Mac Tools®, we're proud of our American heritage, going all the way back to our founding in 1938. We showcase that pride in our premier tool storage products, utility carts, and accessories. Built in the USA with domestic and global materials by American tradesmen.

The home of Mac Tools® Tool Storage solutions are our manufacturing facilities across the USA, where we design and build products for professional technicians.

Our fabricators have dedicated themselves to making superior Tool Storage solutions of exceptional design, quality, and durability. We source the highest quality materials and components from around the globe to provide professional quality at a fair price.



TOOLS









The Mac Tools® TECH[™] series tool boxes are built tough to meet the needs to professional technicians. Available in mid-range sizes from 34" to 67", and a 25" depth, these boxes offer optimized capacity for a growing business and experienced technician. With 125/250 lbs. drawer capacities, 1,200 lbs. casters, and optimized attachments and add-ons like Side Boxes, Side Cabinets, Top Hutches and Top Chests, the Tech series is built for expandability as a tech grows in his or her career.

BETTER

10 10 00

BALL-BEARING TRACK SLIDES





20

TOOLS

FRONT FACING POWER STRIP

HEAVY-DUTY 6" Rollx™ Casters

RECESSED DOUBLE-WALL DRAWER FRONT

VINYL TOP MAT

DRAWER PULLS

FULL-WIDTH

ALUMINIUM EXTRUDED

HEAVY-DUTY Oil-Filled Lift Cylinders

100

-









T6725TC 15-DRAWER TOP CHEST

BETTER





Available in 12 colours:

TOOLS



	CABINET			
	25" Depth for Enhanced Storage Space	e	Chemical Resistant Axalta® Powder Coating in 12 Standard Colours	
	67" Widths Available		Fr	ont Facing Power: Three 240V Outlets
1	41" Overall Height (Including Casters	;)		Heavy-Duty Vinyl Top Mat
2	16ga Steel Construction for Maximum Dur	ability		
		DRAV	VERS	
2	5" Over 3" Extra-Wide Top Drawers Comes S	tandard	Non-Sk	id Drawer Liners included for Every Drawer
	Full-Length Aluminium Drawer Pulls			
	CASTERS	SECL	IRITY	DRAWER SLIDES
	6" RollX™ Casters	UniKey® Tubular Lock can	be Keyed-alike for Add-Ons	125 Lbs. Weight Capacity Ball-Bearing Slides
	iLock® Top Brake System			250 lbs. Weight Capacity on Deep 5"+ Drawers
	1,200 Lbs. Weight Capacity Per Caster			Adjustable Detent from 12-24 lbs.

MAR 1


Available in 12 colours:

PRODUCT #	DESCRIPTION	DRAWERS	OVERALL DIMENSIONS W X H X D (IN.)	VOLUME CU IN.	POWER Strip
T6725P	Workstation	18	66-5/8" x 46-3/8" x 27"	30,441	۰
T6725DT	Drop Top	16	66-5/8" x 46-3/8" x 27"	30,127	٠
T6725TC	Top Chest	15	66-7/8" x 27-5/8" x 25-1/4"	24,346	
T6725TH	Top Hutch	-	66-5/8" x 27" x 24-7/8"	32,713	
TSC25TALL	Side Box	-	19-1/2" x 58" x 25-1/4"	20,119	
TSB25	Side Cabinet	16	19-1/2" x 34" x 25-1/4"	7,373	

INTERNAL POWER STRIP

T6725DT-XXXX-UK **16-DRAWER DROP TOP** WORKSTATION







TSB25

Side Cabinet

7

Adjustable Detent from 12-24 lbs.

24



1,200 Lbs. Weight Capacity Per Caster

TOOLS


W A H A D (IN.)	GU IN.	зікіг
50-1/2" x 41" x 25-1/4""	23,248	٠
50-1/4" x 27" x 24-7/8"	24,200	
50-1/2" x 27-5/8" x 25-1/4"	19,456	
19-1/2" x 58" x 25-1/4"	20,119	
19-1/2" x 34" x 25-1/4"	7,373	



The EDGE[™] series roller cabinet was built from the ground up for beginning techs and young professionals who demand excellent performance out of a toolbox that won't break the bank. The EDGE[™] comes in a standard 12-drawer configuration that was developed in the field with techs to optimize storage.

GOOD

Available in 3 colours all with Black Anodised trims, 125 lbs. soft-close drawers, 1,000 lbs. casters, with an optimized assortment of accessories and add-ons to meet the needs of young professionals that need a storage solution as agile and versatile as they are.



TOOLS







HEAVY-DUTY Vinyl top mat

BADGES AND DRAW PULLS IN BLACK ANODISED FINISH

CHEMICAL RESISTANT AXALTA® POWDER COATING

6" x 2" POLYURETHANE CASTERS



The EDGE[™] series roller cabinet was built from the ground up for beginning techs and young professionals who demand excellent performance out of a toolbox that won't break the bank. The EDGE[™] comes in a standard 12-drawer configuration that was developed in the field with techs to optimize storage.

GOOD

Available in a single colour with 5 different anodized trim options, 125 lbs. soft-close drawers, 1,000 lbs. casters, with an optimized assortment of accessories and add-ons to meet the needs of young professionals that need a storage solution as agile and versatile as they are.







TOOLS



HEAVY-DUTY Vinyl top mat

AVAILABLE WITH BADGES AND DRAWER PULLS IN FIVE ANODIZED FINISHES

CHEMICAL RESISTANT Axalta® Powder Coating

6" x 2" POLYURETHANE CASTERS





GOOD

E5422TC-B-RDBK 6-DRAWER TOP CHEST

<mark>E5422-B-RDBK</mark> 11-DRAWER WORKSTATION

		CAB	INET	
	22" Depth for Greater Storage Space		18ga	Steel Construction for Excellent Durability
	27", 41" and 54" Widths Available		Cher	mical Resistant Axalta® Powder Coating
0	38" Overall Height (Including Casters	;)		Heavy-Duty Vinyl Top Mat
		DRA	NERS	
	4" Extra-Wide Top Drawer (on 54" and 22" Workstations only)		11-Drawer Configuration for Optimal Storage and Efficiency (on 54" and 22" Workstations only)	
	Full-Length Aluminium Drawer Pulls		Non-Sk	id Drawer Liners included for Every Drawer
	CASTERS	SECU	JRITY	DRAWER SLIDES
	6"x 2" Two Fixed and Two Swivel Locking Casters	Keyed Lock	ing System	125 Lbs. Weight Capacity Ball-Bearing Slides
	Top Brake System			200 lbs. Weight Capacity on Deep 6"+ Drawers
	1,000 Lbs. Weight Capacity Per Caster			Soft-Close for optimal Detent and Better Security



USA

USA



TOOLS





E5422TC-B 6-DRAWER TOP CHEST

<mark>E5422-B</mark> 11-DRAWER WORKSTATION

18ga Steel Construction for Excellent Durability
Chemical Resistant Axalta® Powder Coating
Heavy-Duty Vinyl Top Mat

$11\mathchar`-Drawer Configuration for Optimal Storage and Efficiency (on 54" and 22" Workstations only)$			
Non-Skid Drawer Liners included for Every Drawer			
γ	DRAWER SLIDES		
System	125 Lbs. Weight Capacity Ball-Bearing Slides		
	200 lbs. Weight Capacity on Deep 6"+ Drawers		





DESCRIPTION	DRAWERS	W X H X D (IN.)
Workstation	7	27" x 38" x 22"
Workstation	11	41" x 38" x 22"
Workstation	11	54" x 38" x 22"
Top Chest	4	27" x 28" x 22"
Top Chest	4	41" x 28" x 22"
Top Chest	6	54" x 28" x 22"
	Workstation Workstation Workstation Top Chest Top Chest	Workstation7Workstation11Workstation11Top Chest4Top Chest4

PRODUCT #	DESCRIPTION	
Е2722-В	Workstation	
E4122-B	Workstation	
Е5422-В	Workstation	
E2722TC-B	Top Chest	
E4122TC-B	Top Chest	
E5422TC-B	Top Chest	

TOOLS



ESC22TALL-BLBKL TALL LOCKER -

LEFT



GOOD

34



ESC22TALL-FBLGL


TALL LOCKER -

LEFT





ESC22TALL-FBLGR TALL LOCKER -RIGHT






The PRO series roller cabinet was built specifically to meet the needs of entry-level techs needing plenty of storage space for their tool kit to grow into. Every element and dimension was built out of feedback from customers who use their boxes day in and day out. Features such as the extra deep 135mm top compartment for easy access to commonly used tools, and adding double drawer runners to the wide top and bottom drawers for added strength.

GOOD

The PRO sets out to prove that even on a budget, you can afford the storage space you need.

TOOLS



HEAVY DUTY 5" x 2" **CHROME EFFECT** CASTERS







MAL

HEAVY DUTY FLUSH FIT CYLINDER LOCKS FOR EXTRA SECURITY

STICKY DRAWER LINERS

ADJUSTABLE DOOR



TOOLS

The second s

FULL LENGTH ALUMINIUM **DRAWER PULLS**





GOOD

LABINEI		NEI
	20" Depth for Greater Storage Space	Top Chest and Full Height Side Cabinet Available
	46" Width with 11 Drawers	Heavy-Duty Vinyl Top Mat
	41" Overall Height (Including Casters)	Heavy-Duty Gas Struts on Lid
DRJ		IERS
	Extra-Wide Top Drawer	Non-Skid Drawer Liners included for Every Drawer
1	Full-Length Aluminium Drawer Pulls	
	CASTERS	SECURITY
	5"x 2" Two Fixed and Two Swivel Locking Casters	Keyed Locking System
	Top Brake System	Heavy Duty Flush Fit Cylinder Locks for Extra Security

 PRODUCT #
 DESCRIPTION

 MB7500UKB
 Workstation

 MB7510UKB
 Top Chest

 MB7700UK
 Side Cabinet





TOOLS









UC3720SLH 3-drawer slide Lid Utility cart

UCSB20 UC3720SLF **5-DRAWER SLIDE LID** UTILITY CART SIDE BOX UTILITY CART Adjustable shelf USA UCSC20 **5-DRAWER UTILITY CART SIDE CABINET** Available in 12 colours:

BEST

Soft-Close for optimal Detent and Better Security

(-RD) (-BL) (-GY) (-CG) (-BK) (-WT) (-YE) (-OR) (-LG) (-FB) (-OG) (-DT) CABINET 16ga Steel Construction for Excellent Durability 20" Depth for Greater Storage Space 37" Widths Available Chemical Resistant Axalta® Powder Coating 43" Overall Height (Including Casters) DRAWFRS 3" Deep Top Drawer Non-Skid Drawer Liners included for Every Drawer Full-Length Aluminium Drawer Pulls CASTERS SECURITY DRAWER SLIDES 5"x 1-1/4" Swivel Casters Tubular Lock can be Keyed-alike for Add-Ons 100 Lbs. Weight Capacity Ball-Bearing Slides

PRODUCT # DESCRIPTION UC3720SLF Slide Top Utility Cart UC3720SLH Slide Top Utility Cart UC3720DTF Drop top Utility cart UC3720DTH Drop top Utility cart UC3720ADD Drawer Add-on UCSC20 Side Cabinet UCSB20 Side Box

TOOLS

UC3720DTF

UTILITY CART

5-DRAWER DROP TOP

42







UC3720DTH 3-drawer drop top Utility cart

DRAWERS	OVERALL DIMENSIONS W X H X D (IN.)
5	37" x 43" x 20"
3	37" x 43" x 20"
5	37" x 43" x 20"
3	37" x 43" x 20"
2	Fits UC3720SLH & UC3720DTH
5	Fits entire UC3720 range
-	Fits entire UC3720 range









MBUC-CW CORD WRAP Store extension cords when not in use



MBUC-SDPBH SCREWDRIVER PARTS BIN HOLDER Three bins and 12 holes

MBUC-SDH **SCREWDRIVER** HOLDER

· Store 12 screwdrivers or extensions




MBUC-PTH **POWER TOOL HOLDER**

 Holds three power tools (impacts, hammers, and drills) for quick access

MBUC-ACH **AEROSOL CAN HOLDER** MBUC-FCH

BEST

• Holds one-gallon containers (washer fluid, antifreeze, etc.)





UC4122DTH-RD **3-DRAWER UTILITY CART**

- Mounting points for side accesories
- · Soft close drawers
- · Chemical resistant AXALTA powder coating

			a starter a
CABINET	г		
16GA steel Con	struction		
Reinforced lid (250	Lbs Capacity)		
		CAST	TERS
Two Fixed and Two Locki	ng Swivel Casters		
		-2	1.1.1

PRODUCT #	DESCRIPTION
UC4122DTF	Utility Cart
UC4122DTH	Utility Cart

44

TOOLS



FLUID CONTAINER HOLDER

for easy access



01

UC4122DTF-LG **FULL-DRAWER UTILITY CART**

BEST

- Mounting points for side accesories
- Soft close drawers
- Chemical resistant AXALTA powder coating







UC3919-3DRW UTILITY CART

GOOD

- · Rugged tubular frame provides strength and unique appearance
- · Push handles on both sides of cart for easy maneuvering
- 4" Deep top compartment for easy storage of deep sockets, air tools, etc.
- · Easy grab powder coated drawer pulls
- Lid utilizes gas-filled lift supports • 100 lb. capacity ball bearing slides
- with 100% full extension · Non-slip PVC drawer liners included in drawers,
- top compartment, and bottom tray • Bottom tray design allows easy access
- to bulk items from front or back



PRODUCT #	DESCRIPTION	DRAWERS	OVERALL DIMENSIONS W X H X D (IN.)
UC3919-3DRW	Cart	3	38-1/2" x 18-1/2" x 39-1/2"

TOOLS

UC3016-1DRW

DELUXE UTILITY CART WITH DRAWER AND LID

- 3" Deep locking storage top with full piano hinge and 3" Bottom shelf
- · Ball-bearing track slide drawer
- Drawer and top are keyed alike
- 4" Casters; two locking and two standard
- Baked-on powder coat finish
- 18-Gauge steel construction
- 350 lbs. Capacity

Available in 5 colours: (-RD) (-BL) (-BK) (-OR) (-LG)

2	PRODUCT #	DESCRIPTION	DRA
1	UC3016-1DRW	Cart	



PRODUCT #	DESCRIPTION	DRAW	
UC3016	Cart	-	




30" x 35-1/2" x 16"

UC3016 **UTILITY CART**

- Two 3" deep storage shelves
- 18-Gauge steel construction
- · 350 lbs. Capacity
- 4" Casters; two locking and two standard
- · Available in red, black, blue, and yellow





ACCESSORIES **COVERS AND TOPS**

WORKSTATION COVERS

· Individually cut and sewn together using a heavy duty thread

• High quality 200 Denier nylon



MACSIMIZER® SERIES COVERS

PRODUCT #	DESIGNED FOR
M5930COVER	MB5930 or M5930
M5930COVERSET*	MB5930 or M5930
M6627COVER	MB1350 Series, M6627
M6627COVERSET*	MB1350 Series or M6627
M7530COVER	MB7530 or M7530
M7530COVERSET*	MB7530 or M7530
M8827COVER	MB1900 Series or M8827
M8827COVERSET*	MB1900 Series or M8827
MSB27COVER	MB1967 or MSB27
MSB30COVER	MB7567 or MSB30
MSC27COVER	MB1970 or MSC27TALL
MSC30COVER	MB7570 or MSC30TALL
UC4125FDCOVER	UC4125FD

TECH[™] SERIES COVERS

PRODUCT #	DESIGNED FOR		
T5025COVER	MB1000 Series or T5025		
T5025COVERSET*	MB1000 Series or T5025		
T6725COVER	MB1080 Series or T6725		
T6725COVERSET*	MB1080 Series or T6725		
TSB25COVER	MB1067, TSB25		
TSC25COVER	MB1070, TSC25		
T3425COVER	T3425		
T3425COVERSET*	T3425		

EDGE[™] SERIES COVERS

PRODUCT #	DESIGNED FOR
E2722COVER	E2722-B
E2722COVERSET	E2722-B
E4122COVER	E4122-B
E4122COVERSET	E4122-B
E5422COVER	E5422-B
E5422COVERSET	E5422-B

PRO SERIES COVERS

PRODUCT #	DESIGNED FOR
MBC7500UKSC	MB7500 Series

^{*} Indicates a Cover Set to be used with the Roller Cabinet and Associated Top Chest or Top Hutch



BUTCHER BLOCK WORK SURFACES

- 1-1/2" Thick laminate edged hardwood work surface
- · Clear lacquer top with radius edges
- Protection against wood drying, apply non-toxic mineral oil every 4-6 weeks

PRODUCT #	DESIGNED FOR
TSB25BBTOP	MB1067, TSB25
T5025BBT0P	MB1000 Series or T5025
T6725BBTOP	MB1080 Series or T6725
M6627BBTOP	MB1350 Series, M6627
MSB27BBTOP	MB1967 or MSB27
M5930BBTOP	MB5930 or M5930
M7530BBT0P	MB7530 or M7530
MSB27BBTOP	MB1967 or MSB27
M8827BBTOP	MB1900 Series or M8827
MSB30BBT0P	MB1967 or MSB27

1' STORAGE TRAY/SHELF HS24X6 **2' STORAGE TRAY/SHELF** • Mounts to pegboard as a tray or flip over and use as a shelf

· Extra-rugged steel construction Powder-coat finish resists fading and corrosion

HS12X6



SD8 SCREWDRIVER HOLDER Holds up to eight screwdrivers **SD12 DOUBLE-TIER** SCREWDRIVER HOLDER · Holds up to twelve screwdrivers · Extra-rugged steel construction Powder-coat finish resists fading and corrosion

SKT12X3


1' SOCKET TRAY/SHELF

SKT24X3

2' SOCKET TRAY/SHELF

- Mounts to pegboard as a tray or flip over and use as a shelf
- · Extra-rugged steel construction
- Powder-coat finish resists fading and corrosion





LINE-X[®] WORK SURFACES

abrasion, and impact-resistant

LINE-X[®] Protective Coated worksurface is corrosion.

High-grade galvennealed steel base wrapped




STAINLESS STEEL WORK SURFACES

- High-grade 1/16" thick 304 stainless steel wrapped around wood core.
- · Raised front lip prevents parts from rolling
- off work surface

PRODUCT #	DESIGNED FOR		
T5025SSTOP	MB1000 Series or T5025		
TSB25SSTOP	MB1067, TSB25		
T6725SSTOP	MB1080 Series or T6725		
M6627SSTOP	MB1350 Series, M6627		
M5930SSTOP	MB5930 or M5930		
M7530SSTOP	MB7530 or M7530		
MSB27SSTOP	MB1967 or MSB27		
M8827SSTOP	MB1900 Series or M8827		
MSB30SSTOP	MB7567 or MSB30		





(-GM)

(-OR)

(-LG)

STANDARD (-BL)

ACCESSORIES



PLR30 Wire RACK For Pliers

- Ingenious design keeps up to 32 pliers organized
- Heavy gauge (3mm) vinyl-coated steel wire frame offers long life and protection for your pliers
- Place rack at the back of tool box drawer so the weight of the pliers keeps the rack in place
- Ten extra-wide slots offer extra space for pliers with insulated handles
- Will fit in a tool box with a 2-1/2" high drawer

	HEIGHT	HEIGHT (MM)	LENGTH Length (MM)		WIDTH	WIDTH [MM]	
ſ	2-1/2"	63.5	30"	762	5-1/4"	133.4	



MAGRAIL12


12" MAGNETIC RAIL Magrail24

24" MAGNETIC RAIL • High-powered magnetic rail holds



tools and parts firmly in place

Can also be attached to non-magnetic surfaces by using screws



MAGNETIC PARTS TRAYS



50





MBPT27

01

DRAWER ORGANIZER TRAYS

PRODUCT #	FITS	SIZE
MBPT13	T5025P, TSB25	13" x 22-1/2"
MBPT27	M6627P, T5025P	22-1/2" x 27-1/2"

MAGTRAY-5A Magnetic Rubber Coated Parts Tray

- ABS rubber coated bowl
- 150mm diameter
- 130mm height
- Strong ceramic 210g magnet
- 800-1000 gauss
- Perfect for storage of nuts, bolts and various fasteners



PRODUCT #	HEIGHT	HEIGHT [MM]	LENGTH	LENGTH (MM)	WIDTH	WIDTH [MM]
MAGTRAY	1-1/2"	38.1	5-3/4"	146.1	5-3/4"	146.1
MAGTRAY-2	1-3/8"	34.9	8"	203.2	4"	101.6
MAGTRAY-3	1"	25.4	6-1/2"	165.1	14"	355.6
MAGTRAY-4	1-1/4"	31.7	12-1/2"	317.5	10-1/4"	260.4
MAGTRAY-5A	4-1/2"	114.3	6"	152.4	6"	152.4

ADD-ONS AND ACCESSORIES

MBSS-TY

2 PIECE SILICONE TRAY SET

- Pliable 100% Silicone construction prevents scratches and damages to delicate surfaces
- Silicone construction resists many common automotive chemicals and is easy to watch
 Removable magnetic stainless steel parts tray nests
- Small tray nests into large tray for convienient storage
- Outside of large tray has a ruler moulded into the side for convenient measuring
- Anti-slip tray bottom helps prevent trays from sliding off many sloped or uneven surfaces



MBTSBRACKET-PK MAC TOUGH SYSTE

MAC TOUGH SYSTEM BRACKETS - 4 PACK



MRH2

2 PIECE MAGNETIC TOOL STORAGE Accessory hanger set

- For use in hanging available accessories inside tool box hutches, lockers, and other steel tool storage solutions with insulated handles
- Will fit in a tool box with a 2-1/2" high drawer

LEDDRWLIGHT-3PK LED DRAWER LIGHT - 3 PACK

- Eight (8) SMD LEDs (per light) provide up to 250 lumens of tool box drawer illumination
- Proximity sensor turns light on when the drawer opens, turns light off when the drawer closes
- Built-in magnets for easy positioning
- 4 x AAA alkaline batteries included







MULTI-USE TOOL BAG

TB506

MULTI-USE TOOL ROLLER BAG WITH TELESCOPIC HANDLE

- Special screwdriver and saw compartment
- Flap-top storage pouch
- Durable 1,200 x 1,200D fabric
- Rigid and waterproof plastic bottom



PRODUCT #	DESCRIPTION	OVERALL DIMENSIONS W X H X D (IN.)	OPEN Pockets	ZIPPERED Pockets	VELCRO® Pockets	TOTAL Pockets	
MTB001	Tool Bag	13-1/2" x 9" x 8-1/2"	8	-	-	8	
MTB002	Tool Bag	18-1/2" x 11" x 12"	4	2	4	10	
MTB003	Tool Bag	24" x 13" x 13"	4	2	4	10	
TB505	Tool Bag	19" x 13-1/2" x 9"	9	1	3	13	
TB506	Tool Bag	19" x 13-1/2" x 9"	9	1	3	13	





01

MTBOO1 SMALL TOOL BAG MTBOO2 MEDIUM TOOL BAG MTBOO3 LARGE TOOL BAG


- Industrial-strength materials
- Ergonomic handle design



MACTOOLS.CO.UK 0114 291 7266







MMOD-WR1KIT

MAC PRECISION TORQUE **COMBINATION WRENCH FOAM MODULE KIT**

• Module size: 568 x 418 x 45mm

INCLUDES:

- SCLM14PT 14 Piece Precision Torque 12 Point Long Metric Combination Wrench Set 6 19mm
- MMOD-WR1 MacPrecision Torque
- **Combination Wrench Foam Module**

PRODUC	CT #	SIZE	: (MM)	OVERALL LENGTH In. / Mm	SET
SCLM14F	PT		Aetric Precisi on Wrench So		
	M6CL440		6	5" / 127	•
(12)	M7CL	440	7	5-1/2" / 139.7	•
MM	M8CL	440	8	6" / 152.4	•
	M9CL	440	9	6-1/2" / 165.1	•
	M10C	L440	10	7" / 177.8	•
	M11C	L440	11	7-1/2" / 190.5	•
	M12C	L440	12	7-3/4" / 196.9	•
	M13C	L440	13	8-1/4" / 209.6	•
	M14C	L440	14	8-3/4" / 222.3	•
	M15C	L440	15	9-1/4" / 241.3	•
	M16C	L440	16	9-3/4" / 247.7	•
	M17C	L440	17	10-1/4" / 260.4	•
	M18C	L440	18	10-3/4" / 273.1	•
	M19C	L440	19	11-1/4" / 285.8	•
)-WR1	-	-	

MMOD-WR2KIT

MAC PRECISION TORQUE COMBINATION WRENCH FOAM MODULE KIT

• Module size: 188 x 418 x 45mm

INCLUDES:

- SCLM5PT 5 Piece Precision Torque 12 Point Long Metric Combination Wrench Set 20 24mm MMOD-WR2 - Mac Precision Torque
- Combination Wrench Foam Module

PRODUC	SCI M5PT 5 Piece Met		OVERALL LENGTH ODUCT # SIZE (MM) IN. / MM		SET
SCLM5P			tric Precision n Wrench Se		
	M20CL440 M21CL440 M22CL440		20	11-1/2" / 292.1	•
(12)			21	12-1/4" / 311.2	•
мм			22	12-3/4" / 323.8	•
	M23	CL440	23	13-1/4" / 336.6	•
	M24	CL440	24	13-3/4" / 349.3	•
	MMO	D-WR2	-	-	

PRODUC	T#	SIZ	?E (MM)	OVERALL LENGTH In. / Mm		SET	
SCLM14	т		e Metric Prec ation Wrench				
SCLM5P	r		Metric Precis ation Wrench				
SCLM5XI	.PT		Metric Precis ation Wrench				
	M6C	L440	6	5" / 127			•
(12)	M7C	L440	7	5-1/2" / 139.7			•
MM	M8C	L440	8	6" / 152.4			•
	M9C	L440	9	6-1/2" / 165.1			•
	M10	CL440	10	7" / 177.8			•
	M11	CL440	11	7-1/2" / 190.5			•
	M12	CL440	12	7-3/4" / 196.9			•
	M13	CL440	13	8-1/4" / 209.6			•
	M14	CL440	14	8-3/4" / 222.3			•
	M15	CL440	15	9-1/4" / 241.3			•
	M16	CL440	16	9-3/4" / 247.7			•
	M17	CL440	17	10-1/4" / 260.4			•
	M18	CL440	18	10-3/4" / 273.1			•
	M19	CL440	19	11-1/4" / 285.8			•
	M20	CL440	20	11-1/2" / 292.1		•	
	M21	CL440	21	12-1/4" / 311.2		•	
	M22	CL440	22	12-3/4" / 323.8		•	
	M23	CL440	23	13-1/4" / 336.6		•	
	M24	CL440	24	13-3/4" / 349.3		•	
	M26	CL440	26	14" / 355.6	•		
	M27	CL440	27	14-3/4" / 374.7	•		
	M28	CL440	28	15-3/4" / 400.1	•		
	M30	CL440	30	16-1/2" / 419.1	•		
	M32	CL440	32	17" / 431.8	•		
	MMO	D-WR3	-	-			







MMOD-SD2KIT

MAC TORX SCREWDRIVER Foam module kit

• Module size: 188 x 418 x 45mm

INCLUDES:

- SD9TDR-S 9 Piece Torx Screwdriver Set Mac Grip
- MMOD-SD2 Mac Torx Screwdriver Foam Module

MMOD-SD1KIT MAC SCREWDRIVER FOAM MODULE KIT

• Module size: 568 x 418 x 45mm

INCLUDES:

- SDB12DR-S 12 Piece Combination Screwdriver Set Mac Grip
- SDP4DR 4 Piece Mini Combination Screwdriver Set Mac Grip
- SDL7TPR-S 7 Piece Long Tamper Proof Torx Screwdriver Set Mac Grip
- MMOD-SD1 Mac Screwdriver Foam Module

PRODUCT #	TIP TYPE	TIP Size	SHANK Shape	BAR LENGTH IN. / MM	OVERALL LENGTH In. / MM		SET	
SDB12DR-S	12 Piece Mac-Grip™ Co	ombination	Screwdriv	rer Set				
SDP4DR	4 Piece Mini Combinati	on Screwd	river Set					
SDL7TPR-S	7 Piece Mac-Grip [™] Tan	nper Proof	Torx® Scre	ewdriver Set				
PPG3DR	Cabinet	1/8"	Round	3"/ 76.2	6-1/4" / 133.35		•	
PPH3DR	Cabinet	3/16"	Round	3"/ 76.2	6-1/4" / 133.35		•	
PHRB3DR-S	Keystone	3/16"	Round	3"/ 76.2	7-1/4" / 184.15			•
PNR1DR	Keystone	1/4"	Round	1-1/2" / 38.1	3-1/2" / 82.55			•
PNRB4DR-S	Keystone	1/4"	Round	4" / 101.6	8-1/2" / 215.9			•
PJRB6DR-S	Keystone	5/16"	Round	6"/152.4	10-3/4" / 273.05			•
PKRB8DR-S	Keystone	3/8"	Round	8" / 203.2	13" / 330.2			•
PKRB12DR-S	Keystone	3/8"	Round	12" / 304.8	17" / 431.8			•
PP3030DR	Phillips®	#0	Round	3"/ 76.2	6-1/4" / 133.35		•	
PP2031DR	Phillips®	#1	Round	3"/ 76.2	6-1/4" / 133.35		•	
PB2031DR-S	Phillips®	#1	Round	3"/ 76.2	7-1/4" / 184.15			•
P3012DR	Phillips®	#2	Round	1-1/2" / 38.1	3-1/2" / 82.55			•
PB2042DR-S	Phillips®	#2	Round	4" / 101.6	8-1/2" / 215.9			•
PB2063DR-S	Phillips®	#3	Round	6"/152.4	10-3/4" / 273.05			•
PB2082DR-S	Phillips®	#2	Round	8" / 203.2	12-1/2" / 317.5			•
PB2084DR-S	Phillips®	#4	Round	8" / 203.2	13" / 330.2			•
PLTP8CR-S	Tamper Proof Torx®	TP8	Round	8" / 203.2	12-1/4" / 311.5	•		
PLTP10CR-S	Tamper Proof Torx®	TP10	Round	8" / 203.2	12-1/4" / 311.5	•		
PLTP15CR-S	Tamper Proof Torx®	TP15	Round	8" / 203.2	12-1/4" / 311.5	•		
PLTP20CR-S	Tamper Proof Torx®	TP20	Round	8" / 203.2	12-1/4" / 311.5	•		
PLTP25CR-S	Tamper Proof Torx®	TP25	Round	8" / 203.2	12-1/4" / 311.5	•		
PLTP27CR-S	Tamper Proof Torx®	TP27	Round	8" / 203.2	12-1/2" / 317.5	•		
PLTP30CR-S	Tamper Proof Torx®	TP30	Round	8" / 203.2	12-1/2" / 317.5	•		
MMOD-SD1	-	-	-	-	-			





PRODUCT #	TIP TYPE	TIP SIZE	SHANK Shape	BAR LENGTH IN. / MM	OVERALL LENGTH In. / Mm	SET
SD9TDR-S	9 Piece Ma	ic-Grip™ Tor	® Screwdriv	er Set		
PT8CR-S	Torx®	Т8	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT10CR-S	Torx®	T10	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT15CR-S	Torx®	T15	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT20CR-S	Torx®	T20	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT25CR-S	Torx®	T25	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT27CR-S	Torx®	T27	Round	4" / 101.6	8-1/2" / 215.9	•
PT30CR-S	Torx®	T30	Round	4" / 101.6	8-1/2" / 215.9	•
PT40CR-S	Torx®	T40	Round	6" / 152.4	10-3/4" / 273.1	•
PT45CR-S	Torx®	T45	Round	6" / 152.4	10-3/4" / 273.1	•
MMOD-SD2	-	-	-	-	-	



MMOD-ST1KIT

MAC HAMMER AND CHISEL Foam module kit

• Module size: 188 x 418 x 45mm

INCLUDES:

- BH32AV 32 Oz. (0.9kg) Anti-Vibe One Piece Ball Pein Hammer
- C50PDPT 5 Piece Power Drive Cold Chisel Set
- MMOD-ST1 Mac Hammer and Chisel Foam Module

PRODUCT #	HEAD Weight Oz.	OVER	ALL WEIGHT LBS.	HEAD HEAD Diameter length		OVER. Leng		
BH32AV	32		3.25	1-25/4	1"	4-21/25"	14-3	/4"
PRODUCT #	TYPI		POINT Size	EDGE Width	OV	ERALL LENGTH In. / Mm	STOCK SIZE	SET
C50PDPT	5 Piece Cl	nisel Se	t with Gauge	in Kit Bag				
C12PD	Flat T	īp	-	3/8"		6" / 165.1	-	•
C16PD	Flat T	ĩp	-	1/2"	6-1	.3/16" / 214.3	5/8"	•
C20PD	Flat T	īp	-	5/8"	7-	-5/8" / 177.8	-	•
C24PD	Flat T	ĩp	-	3/4"	8-	7/16" / 234.9	-	•
C28PD	Flat T	īp	-	7/8"	9.	-1/4" / 203.2	-	•
MMOD-ST1	-		-	-		-	-	







MTK0001

MAC 115 PIECE TOOL KIT In tool bag

INCLUDES:

- PS4SA 4 Piece Pick Set
- with Comfort-Grip[™] Handles
- LP4SET 4 Piece Locking Pliers Set
- PS58A 5 Piece 8" Pliers with 12" Tongue and Groove
- MTB001 Small Tool Bag
- WID001 Siliali 1001 Dag

SBDR8 - Mac Grip™ Ratcheting 1/4" Hex Bit Screwdriver

- 8" Screwdriver with end cap bit holder
- 1 x 3/16" Slotted bit
- 1 x 1/4" Slotted bit
- 1 x 1/4" Socket square drive adapter
- 1 x #1 Phillips® bit
- 1 x #2 Phillips® bit
- 1 x T20 Torx® bit
- 1 x T25 Torx® bit

MAC100BIT - 100 Piece Mac Bit Set

- All bits made from S2 quality steel
- 9 x Flat (3, 4, 4.5, 5, 5.5, 6, 6.5 ,7 ,8mm)
- 8 x Pozi (PZ 0, 1, 5x PZ2, 3)
- 8 x Phillips (PH 0, 1, 5x PH2, PH3)
- 10 x Metric Hex (1.5, 2, 2.5, 3x 2mm, 4, 5, 5.5, 6, 8mm)
- 10 x SAE Hex (1/16, 3/16, 3/32, 5/32, 7/32, 5/64, 7/64, 8/64, 1/8, 1/4)
- 6 x Metric Tamper Proof Hex (2, 2.5, 3, 4, 5, 6)
- 9 x Tamper Proof Torx[®] (T8, 10, 15, 20, 25, 27, 30, 35, 40)
- 8 x Torx[®] (T8, 9, 15, 25, 27, 30, 40, 45)
- 6 x SAE Tamper Proof Hex (3/32, 5/32, 5/64, 7/64, 9/64, 1/8)
- 4 x Spanner (4, 6, 8, 10)
- 3 x Spline (M5, M6, M8)
- 3 x Torque Set (6, 8, 10)
- 3 x Butterfly (1, 2, 3)
- 4 x Tri wing (1, 2, 3, 4)
- 4 x Square (S0, 1, 2, 3)
- 2 x 1.4" Drive socket adaptors
- 1 x Special hook bit
- 1 x Magnet extension bit holder
- 1 x 1/4" Drive extension

PRODUCT # LP4SET LP6LN LP7CJ LP9LN LP10CJ

PRODUCT #

PS4SA

PS21A

PS22A

PS23A

PS24A

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / MM	JAW LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm	ADJUSTMENT Positions	CUTTING CAPABILITY / Capacity	SET
PS58A	5 Piece 8" Pliers with 12" Tongue and Groo	ove					
P12TGA	Tongue and Groove Pliers	12" / 304.80	1-1/2" / 38.10	2" / 50.80	6	-	•
P8LMA	Linesman Pliers	8" / 203.20	5/16" / 7.94	1-1/2" / 38.10	-	Yes	•
P8LNA	Long Nose Pliers	8" / 203.20	5/32" / 3.99	2-1/4" / 57.15	-	Yes	•
P8SGA	Slip-Joint Pliers	8-1/4" / 209.55	3/8" / 9.53	3-1/2" / 88.90	2	Yes	•
P75CDCA	Bent Nose Cutter	7-3/4" / 196.85	1" / 25.40	1-1/2 " / 28.58	-	Yes	•





DESCRIPTION	BAR LENGTH In. / Mm	OVERALL LENGTH In. / Mm	
4 Piece Pick Set with Comfort-Grip™ Han	idles in Plastic Tray		
Straight Pick	2-13/16" / 71.4	5-7/8" / 149.2	•
90° Pick	2-13/16" / 71.4	5-7/8" / 149.2	•
Offset Pick	2-13/16" / 71.4	5-7/8" / 149.2	•
Hook Pick	2-13/16" / 71.4	5-7/8" / 149.2	•
DESCRIPTION	OVERALL LENGTH In. / Mm	CUTTING CAPABILITY / Capacity	SET
A Piece Locking Pliers Set			

4 Piece Locking Pliers Set			
Locking Pliers Long Nose with Cutter	6" / 152.4	Yes	•
Locking Pliers Curved Jaw with Cutter	7" / 177.8	Yes	•
Locking Pliers Long Nose with Cutter	9" / 228.6	Yes	•
Locking Pliers Curved Jaw with Cutter	10" / 254.0	Yes	•





SXM990FPA37

37 PIECE 3/8" DRIVE RATCHET AND SOCKET BOX SET

INCLUDES:

- A128 3/8" Female / 1/4" Male Adapter
- A1216 3/8" Female / 1/2" Male Adapter
- X3U 3/8" Drive Universal Joint
- XR990AFPA 3/8" Drive Axis[™] Comfort Handle Flex Ratchet 9"
- SXDM146BRPT 14 Piece Precison Torque Metric Deep Socket Set
- SXM146BRPT 14 Piece Precison Torque Metric Socket Set
- SXEW5PT 5 Piece 3/8" Drive Wobble Extension Set
 MMOD-SX1 Mac Ratchet and Socket Foam Module
- MACMDOX1 Mac Ratchel and Socket Fualli Module

٠	MACMBOX1 -	Blow-Moulded	Case	

			SIZE	OVERALL LENGTH		
	RODUCT #		MM	IN. / MM		ET
SXDM14	6BRPT	14 Pi	ece 3/8" Dri	ive Metric Deep Socket Se	t	
SXEW5P	T	5 Pie	ce 3/8" Driv	e Wobble Extension Set		
	XD66MMI	PT	6	2-1/2" / 63		•
(6)	XD67MMI	PT	7	2-1/2" / 63		•
MM	XD68MMI	PT	8	2-1/2" / 63		•
₹Ţ	XD69MMI	τ	9	2-1/2" / 63		•
	XD610MN	IPT	10	2-1/2" / 63		•
	XD611MM	IPT	11	2-1/2" / 63		•
	XD612MM	IPT	12	2-1/2" / 63		•
	XD613MN	IPT	13	2-1/2" / 63		•
	XD614MN	IPT	14	2-1/2" / 63		•
	XD615MM	IPT	15	2-1/2" / 63		•
	XD616MM	IPT	16	2-1/2" / 63		•
	XD617MN	IPT	17	2-1/2" / 63		•
	XD618MN	IPT	18	2-1/2" / 63		•
	XD619MN	IPT	19	2-1/2" / 63		•
	X1EW		-	1-1/4" / 31.8	•	
	X3EW		-	3" / 76.2	•	
	X6EW		-	6" / 152.4	•	
	X8EW		-	8" / 203.2	•	
	X12EW		-	12" / 304.8	•	
	SRXS14M	MPT		Socket Rail		•

GEAR Teeth

90

PRODUCT #

RATCHET SWING

4°

PRODUCT #		SIZE MM	OVERALL LENGTH In. / MM	SET	
SXM146	BRPT	14 Pi	ece 3/8" Dri	ve Metric PT Socket Set	
	X66MMP1	ſ	6	1-1/8" / 30	•
(6)	X67MMP1	ſ	7	1-1/8" / 30	•
ММ	X68MMP1	Г	8	1-1/8" / 30	•
7-	X69MMP1	ſ	9	1-1/8" / 30	•
32/	X610MMF	т	10	1-1/8" / 30	•
	X611MMF	r	11	1-1/8" / 30	•
	X612MMF	т	12	1-1/8" / 30	•
	X613MMF	т	13	1-1/8" / 30	•
	X614MMF	т	14	1-1/8" / 30	•
	X615MMF	т	15	1-1/8" / 30	•
	X616MMF	т	16	1-1/8" / 30	•
	X617MMF	r	17	1-1/8" / 30	•
	X618MMF	т	18	1-1/8" / 30	•
	X619MMF	т	19	1-1/8" / 30	•
	SRXS14M	MPT		Socket Rail	•

TOOLS 715 RATCHET AND SOCKET BOX SETS

SMM990FPA33

33 PIECE 1/4" DRIVE RATCHET AND SOCKET BOX SET

INCLUDES:

- A812 1/4" Female / 3/8" Male Square Adapter
- M3U 1/4" Drive Universal Adapter
- MR4C 1/4" Drive Mini Ratchet
- MR990FPA 1/4" Drive Axis[™] Comfort Handle Flex Ratchet 9"
- SMDM126BRPT 12 Piece Precison Torque Metric Deep Socket Set
- SMM126BRPT 12 Piece Precison Torque Metric Socket Set
- * SMEW5PT 5 Piece 1/4" Drive Wobble Extension Set
- MMOD-SM1 Mac Ratchet and Socket Foam Module
 MACMBOX1 Blow-Moulded Case
- OVERALL LENGTH IN. / MM SIZE SFT PRO IICT # SMDM126BRPT 12 Piece 1/4" Drive Metric PT Deep Socket Set SMM126BRPT 12 Piece 1/4" Drive Metric PT Socket Set SMEW5PT 5 Piece 1/4" Drive Wobble Extension Set 2" / 50 MD5MMP 5 (6) MD5.5MMPT 5.5 2" / 50 ММ MD6MMPT 6 2" / 50 7 MD7MMPT 7 2" / 50 8 MD8MMPT 2" / 50 2"/50 мояммрт 9 MD10MMPT 10 2" / 50 MD11MMPT 11 2" / 50 12 2" / 50 MD12MMPT MD13MMPT 13 2" / 50 MD14MMPT 14 2" / 50 MD15MMPT 15 2" / 50 5 1"/25 M65MMRP1 5.5 • M65.5MMRP1 1"/25 6 **M66MMRPT** 1"/25 . 7 M67MMRPT 1"/25 . M68MMRPT 8 1"/25 . M69MMRPT 9 1"/25 • M610MMRPT 10 . 1"/25 11 . M611MMRPT 1"/25 M612MMRPT 12 1" / 25 . M613MMRPT 13 1"/25 . 14 1"/25 M614MMRP1 . M615MMRPT 15 1"/25 . M2EW 2" / 50.8 M4EW -2" / 50.8 M6EW 6" / 152.4 . M10EW 10" / 254 M10EW 10" / 254 SRMS12MMPT Socket Rail . .

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm
MR4C	72	5°	Metal	3-1/2" / 88.9
MR990FPA	90	4°	Comfort handle	9" / 228.6



HANDLE

Comfort handle

OVERALL LENGTH IN. / MM

9" / 228.6



SVM1190K24

24 PIECE 1/2" DRIVE RATCHET AND SOCKET BOX SET

INCLUDES:

- A1612 1/2" Female / 3/8" Male Adapter
- V3U 1/2" Drive Universal Joint Adapter
- VR1190K 1/2" Drive Axis™ Metal Handle Ratchet 11"
- SVDM106BRPT 10 Piece Precison Torque Metric Deep Socket Set
- SVM106BRPT 12 Piece Precison Torque Metric Socket Set
- V5EW 1/2" Drive Wobble Extension
- MMOD-SV1 Mac Ratchet and Socket Foam Module
- MACMBOX1 Blow-Moulded Case

					_		
Р	RODUCT #		SIZE MM	OVERALL LENGTH In. / Mm			
SVDM10	6BRPT	10 Pi	ece 1/2" Dri	ve Metric PT Deep Socket	Set		
SVM106	BRPT	10 Pi	ece 1/2" Dri	ve Metric PT Socket Set			
	VD610MN	IPT	10	3" / 76.5		٠	
(6)	VD611MN	IPT	11	3" / 76.5		٠	
ММ	VD612MM	IPT	12	3" / 76.5		•	
Z	VD613MN	IPT	13	3" / 76.5		٠	
	VD614MN	IPT	14	3" / 76.5		•	
	VD615MN	IPT	15	3" / 76.5		•	
	VD616MN	IPT	16	3" / 76.5		•	
	VD617MN	IPT	17	3" / 76.5		•	
	VD618MN	NPT	18	3" / 76.5		٠	
	VD619MN	IPT	19	3" / 76.5		•	
	V610MM	PT	10	1-1/2" / 38	•		-
	V611MM	PT	11	1-1/2" / 38	•		
	V612MM	PT	12	1-1/2" / 38	•		
	V613MM	PT	13	1-1/2" / 38	•		-
	V614MM	PT	14	1-1/2" / 38	•		-
	V615MM	PT	15	1-1/2" / 38	•		-
	V616MM	т	16	1-1/2" / 38	•		
	V617MM	PT	17	1-1/2" / 38	•		
	V618MM	т	18	1-1/2" / 38	•		
	V619MM	PT	19	1-1/2" / 38	•		
	V5EW		-	5" / 127			Ì
	SRVS10M	MPT		Socket Rail	•	•	Î

PRODUCT #	GEAR Teeth	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm
VR1190K	90	4°	Metal	11" / 279



WRENGHES ADJUSTABLE WRENCHES

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section



CONTENTS:

WRENCHES

R.B.R.T.[™] COMBINATION WRENCHES AND SETS

PRECISION TORQUE[™] WRENCHES AND SETS

KNUCKLE SAVER WRENCHES AND SETS

ANGLED WRENCHES

OPEN-END WRENCHES AND SETS

OFFSET BOX-END WRENCHES AND SETS

FLARE NUT WRENCHES AND SETS

CROWFOOT WRENCHES AND SETS

LOCKING FLEXIBLE RATCHETING WRENCHES

RATCHETING WRENCHES AND SETS

ADJUSTABLE

PIPE WRENCHES


ADJUSTABLE WRENCHES

SPECIALITY WRENCHES

ORGANISERS

HOLDERS AND RACKS

MACTOOLS.CO.UK 0114 291 7266



MRENCHES R.B.R.T.™ COMBINATION WRENCHES AND SETS



ROUNDED BOLT REMOVAL TECH

- Designed to grip and turn an 80% rounded bolt with the box end and turn a 60% rounded bolt with the open end
- Designed to be used on new and damaged bolts
 Designed to grip and turn an 80% rounded bolt with the box end and turn a 60% rounded bolt
 Up to 2x more torque than Precision Torque combination wrenches when removing 60% and 80% rounded bolt





SCL14RBRT / SCL5RBRT 14 PIECE / 5 PIECE R.B.R.T.[™] SAE **COMBINATION WRENCH SETS - 6-PT**

6	PRODUCT #	SIZE (IN)	OVERALL LENGTH In. / Mm	SET	
GAE	SCL14RBRT	14 Piece R.B Wrench Set	B.R.T.™ SAE Combination		
	SCL5RBRT	5 Piece R.B. Wrench Set	R.T.™ SAE Combination		
	CL82RBRT	1/4"	5" / 127		•
	CL92RBRT	9/32"	5-1/2" / 139.7		•
	CL102RBRT	5/16"	6" / 152.4		•
	CL112RBRT	11/32"	6-1/2" / 165.1		•
	CL122RBRT	3/8"	7" / 177.8		•
	CL142RBRT	7/16"	7-1/2" / 190.5		•
	CL162RBRT	1/2"	8-1/4" / 209.6		•
	CL182RBRT	9/16"	8-3/4" / 222.3		•
	CL202RBRT	5/8"	9-3/4" / 247.7		•
	CL222RBRT	11/16"	10-1/4" / 260.4		•
	CL242RBRT	3/4"	11-1/4" / 285.8		•
	CL262RBRT	13/16"	12" / 304.8		•
	CL282RBRT	7/8"	13" / 330.2		•
	CL302RBRT	15/16"	13-1/2" / 342.9		•
	CL322RBRT	1"	14" / 355.6	•	
	CL342RBRT	1-1/16"	14-1/2" / 368.3	•	
	CL362RBRT	1-1/8"	15-3/4" / 400.1	•	
	CL382RBRT	1-3/16"	16-1/4" / 412.8	•	
	CL402RBRT	1-1/4"	16-1/2" / 419.1	•	





(12) MM



66





SCLM14RBRT / SCLM5RBRT / SCLM5XLRBRT 14 PIECE / 5 PIECE / 5 PIECE R.B.R.T.™ **METRIC COMBINATION WRENCH SETS - 6-PT**

	12							
PRODUCT #	SIZE (MM)	OVERALL LENGTH In. / MM		SET				
SCLM14RBRT	14 Piece R.B Wrench Set	14 Piece R.B.R.T.™ Metric Combination Wrench Set						
SCLM5RBRT	5 Piece R.B. Wrench Set	R.T.™ Metric Combination	I					
SCLM5XLRBRT	5 Piece R.B. Wrench Set	R.T.™ Metric Combination	l					
MGCLRBRT	6	5" / 127			•			
M7CLRBRT	7	5-1/2" / 139.7			•			
M8CLRBRT	8	6" / 152.4			•			
M9CLRBRT	9	6-1/2" / 165.1			•			
M10CLRBRT	10	7" / 177.8			•			
M11CLRBRT	11	7-1/2" / 190.5			•			
M12CLRBRT	12	7-3/4" / 196.9			•			
M13CLRBRT	13	8-1/4" / 209.6			•			
M14CLRBRT	14	8-3/4" / 222.3			٠			
M15CLRBRT	15	9-1/4" / 241.3			•			
M16CLRBRT	16	9-3/4" / 247.7			•			
M17CLRBRT	17	10-1/4" / 260.4			٠			
M18CLRBRT	18	10-3/4" / 273.1			•			
M19CLRBRT	19	11-1/4" / 285.8			•			
M20CLRBRT	20	11-1/2" / 292.1		•				
M21CLRBRT	21	12-1/4" / 311.2		•				
M22CLRBRT	22	12-3/4" / 323.8		•				
M23CLRBRT	23	13-1/4" / 336.6		•				
M24CLRBRT	24	13-3/4" / 349.3		•				
M26CLRBRT	26	14" / 355.6	•					
M27CLRBRT	27	14-3/4" / 374.7	•					
M28CLRBRT	28	15-3/4" / 400.1	•					
M3OCLRBRT	30	16-1/2" / 419.1	•					
M32CLRBRT	32	17" / 431.8	•					
-								



PRECISION TORQUE[™] WRENCHES AND SETS

Revolutionary I-beam design provides better comfort with less hand stress and higher strength for increased safety.

Offsets improve accessibility and ease of use and increase efficiency.

The curvature of the wrench face creates greater contact area against fastener. Non-slip helps prevent open end of wrench from slipping off fasteners.





SCL14PT / SCL5PT **14 PIECE / 5 PIECE** SAE PRECISION TORQUE **COMBINATION WRENCH SETS**

PRODUCT #

SCL14PT

SIZE (IN)

14 Piece SAE Precision Torque

nhination Wrench Set

OVERALL LENGTH

SET

		GUIIDIIIduuii Wiencii Set			
SCL5PT			e SAE Precision Torque nation Wrench Set		
	CL82	2440	1/4"	5" / 127	
(12)	CL92	2440	9/32"	5-1/2" / 139.7	
SAE	CL10)2440	5/16"	6" / 152.4	
7.	CL1	2440	11/32"	6-1/2" / 165.1	
) , 2 0	CL12	22440	3/8"	7" / 177.8	
	CL14	12440	7/16"	7-1/2" / 190.5	
	CL10	62440	1/2"	8-1/4" / 209.6	
	CL18	32440	9/16"	8-3/4" / 222.3	
	CL20	02440	5/8"	9-3/4" / 247.7	
	CL22	22440	11/16"	10-1/4" / 260.4	
	CL24	12440	3/4"	11-1/4" / 285.8	
	CL20	62440	13/16"	12" / 304.8	
	CL28	32440	7/8"	13" / 330.2	
	CL3)2440	15/16"	13-1/2" / 342.9	
	CL32	22440	1"	14" / 355.6	
	CL34	12440	1-1/16"	14-1/2" / 368.3	
	CL3	62440	1-1/8"	15-3/4" / 400.1	
	CL38	32440	1-3/16"	16-1/4" / 412.8	
	CL4)2440	1-1/4"	16-1/2" / 419.1	

MMOD-WR1KIT MAC PRECISION TORQUE **COMBINATION WRENCH** FOAM MODULE KIT

• Module size: 568 x 418 x 45mm

INCLUDES:

- SCLM14PT 14 Piece Precision Torque 12 Point Long Metric Combination Wrench Set 6 - 19mm
- MMOD-WR1 Mac Precision Torque **Combination Wrench Foam Module**

MMOD-WR2KIT

MAC PRECISION TORQUE **COMBINATION WRENCH FOAM MODULE KIT**

• Module size: 188 x 418 x 45mm

INCLUDES:

• SCLM5PT - 5 Piece Precision Torque 12 Point Long Metric Combination Wrench Set 20 - 24mm MMOD-WR2 - Mac Precision Torque **Combination Wrench Foam Module**



MAC PRECISION TORQUE **COMBINATION WRENCH FOAM MODULE KIT**

• Module size: 568 x 418 x 45mm

INCLUDES:

- SCLM14PT 14 Piece Precision Torque 12 Point Long Metric Combination Wrench Set 6 - 19mm • SCLM5PT - 5 Piece Precision Torque 12 Point
- Long Metric Combination Wrench Set 20 24mm
- SCLM5XLPT 5 Piece Precision Torque 12 Point Extra Large Metric Combination Wrench Set 26 - 32mm MMOD-WR3 - Mac Precision Torque
- **Combination Wrench Foam Module**







SCLM14PT / SCLM5PT / SCLM5XLPT 14 PIECE / 5 PIECE / 5 PIECE METRIC PRECISION TORQUE **COMBINATION WRENCH SETS**

PRODUC	:T #	SIZ	E (MM)	OVERALL LENGTH In. / Mm		SET			
SCLM14	PT		14 Piece Metric Precision Torque Combination Wrench Set						
SCLM5P	r		Metric Precis ation Wrench						
SCIM5XIPT 5P			Metric Precis ation Wrench						
		L440	6	5" / 127			٠		
(12)	M7C	L440	7	5-1/2" / 139.7			٠		
ММ	M8C	L440	8	6" / 152.4			•		
द्ध	M9C	L440	9	6-1/2" / 165.1			•		
	M10	CL440	10	7" / 177.8			•		
	M11	CL440	11	7-1/2" / 190.5			•		
	M12	CL440	12	7-3/4" / 196.9			•		
	M13	CL440	13	8-1/4" / 209.6			•		
		CL440	14	8-3/4" / 222.3			•		
		CL440	15	9-1/4" / 241.3			•		
	M16	CL440	16	9-3/4" / 247.7			٠		
	M17	CL440	17	10-1/4" / 260.4			•		
	M18	CL440	18	10-3/4" / 273.1			•		
	M19	CL440	19	11-1/4" / 285.8			•		
	M20	CL440	20	11-1/2" / 292.1		•			
	M21	CL440	21	12-1/4" / 311.2		•			
	M22	CL440	22	12-3/4" / 323.8		•			
	M23	CL440	23	13-1/4" / 336.6		•			
	M24	CL440	24	13-3/4" / 349.3		•			
	M26	CL440	26	14" / 355.6	•				
	M27	CL440	27	14-3/4" / 374.7	•				
	M28	CL440	28	15-3/4" / 400.1	•				
	M30	CL440	30	16-1/2" / 419.1	•				
	M32	CL440	32	17" / 431.8	•				

WRENCHES KNUCKLE SAVER WRENCHES AND SETS

KNUCKLE

KNUCKLE SAVER FEATURES:

- Longer standard length increases leverage
- Wide shank for strength and comfort
- Durable and corrosion-resistant thick Chrome Plating
- Professional grade box end strength
- Unique patented Knuckle Saver design increases contact area over a typical wrench

DISTINCT ENGINEERING

Each Knuckle Saver Wrench is specifically engineered to grip the fastener better, apply torque to the flat sides, and resist rounding

AVAILABLE IN VARIOUS CONFIGURATIONS



SMB10KKS **10 PIECE METRIC COMBINATION** WRENCH SET (12) Includes: 10-19mm



SCB76PTKS **7 PIECE SAE COMBINATION** WRENCH SET - 6-PT. Includes: (6) 3/8"-3/4"



SCB15K2KS **15 PIECE SAE COMBINATION** WRENCH SET (12) Includes: 1/4"-1"



12 SAE

12

SCB182KS **18 PIECE SAE COMBINATION** WRENCH SET Includes: 1/4"-1-1/4"



SMHB10KS **10 PIECE METRIC COMBINATION** WRENCH SET - 6-PT. 6 Includes: 10-19mm

TOOLS

SMB19KS **19 PIECE METRIC COMBINATION** WRENCH SET Includes: 6-24mm

FEATURES

- Professional-grade box end strength
- Thick chrome plating for a hard and durable, corrosion-resistant finish that's easy to clean
- Wide shank for strength and comfort
- Knuckle Saver design provides more contact area over a typical wrench



SXS112PTR

11 PIECE SAE KNUCKLE SAVER[™] SHORT COMBINATION WRENCH SET

PRODUCT #		SIZE (IN)		OVERALL LENGTH In. / MM
SXS112F	PTR	11 Piec Wrench		ckle Saver Short
	CXS	B2KS	1/4"	3-1/4" / 82.5
(12)	CXS	92KS	9/32"	3-3/8" / 85.8
SAE	CXS	102KS	5/16"	3-1/2" / 88.9
	CXS	112KS	11/32"	3-5/8" / 92.2
	CXS	122KS	3/8"	3-3/4" / 95.2
	CXS	142KS	7/16"	3-15/16" / 100
	CXS	162KS	1/2"	4-5/16" / 109.4
	CXS	182KS	9/16"	4-1/2" / 114.3
	CXS	202KS	5/8"	4-7/8" / 123.9
	CXS	222KS	11/16"	5-1/16" / 128.5
	CXS	242KS	3/4"	5-7/16" / 138.1

SXSM102PTR **10 PIECE METRIC KNUCKLE** SAVER[™] SHORT COMBINATION WRENCH SET

PRODUC	CT #	SIZE (MM)
SXSM10	2PTR		e Metric ombinati
	MXS1	O2KS	10
(12)	MXS1	12KS	11
ММ	MXS1	22KS	12
	MXS1	32KS	13
	MXS1	42KS	14
	MXS1	52KS	15
	MXS1	62KS	16
	MXS1	72KS	17
	MXS1	82KS	18
	MXS1	92KS	19



70



KNUCKLE SAVER

OVERALL LENGTH IN. / MM Knuckle Saver™ on Wrench Set 3-3/4" / 95.2 3-15/16" / 100 4-5/16" / 109.4 4-1/2" / 114.3 4-7/8" / 123.9 4-11/16" / 119.1 4-7/8" / 123.9 5-1/16" / 128.5 5-1/4" / 133.3 5-7/16" / 138.1

SCB182KS / SCB15K2KS 18 PIECE / 15 PIECE SAE KNUCKLE SAVER[™] COMBINATION WRENCH SETS

PRODUC	T #	SI	ZE (IN)	OVERALL LENGTH In. / Mm		
CB182	(S	18 Piec	e SAE Knuckle	e Saver Wrench Set		
CB15K2	2KS	15 Piec	e SAE Knuckle	e Saver Wrench Set		
	CB8	2KS	1/4"	4-7/8" / 123.8	•	•
12)	CB9	2KS	9/32"	5-5/32" / 131	•	•
SAE	CB1	O2KS	5/16"	5-3/8" / 136.5	•	•
	CB1	12KS	11/32"	5-5/8" / 142.9	•	•
	CB1	22KS	3/8"	6" / 152.4	•	•
	CB14	42KS	7/16"	7" / 177.8	•	•
	CB1	62KS	1/2"	8" / 203.2	•	•
	CB1	82KS	9/16"	8-7/8" / 225.4	•	•
	CB2	O2KS	5/8"	9-1/2" / 241.3	•	•
	CB2	22KS	11/16"	10-1/4" / 260.4	•	•
	CB2	42KS	3/4"	11" / 279.4	•	•
	CB2	62KS	13/16"	11-7/8" / 301.6	•	•
	CB2	82KS	7/8"	12-1/2" / 317.5	•	•
	CB3	O2KS	15/16"	13-1/4" / 336.6	•	•
	CB3	22KS	1"	14" / 355.6	•	•
	CB3	42KS	1-1/16"	14-7/8" / 377.83		•
	CB3	62KS	1-1/8"	15-7/8" / 403.2		•
	CB4	O2KS	1-1/4"	16-7/8" / 428.6		•





SMB19KS / SMB10KKS 19 PIECE / 10 PIECE METRIC KNUCKLE SAVER™ COMBINATION WRENCH SETS

PRODUCT #		SIZE	(MM)	OVERALL LENGTH In. / Mm		
SMB19K		19 Piece Metric Knuckle Saver Wrench Set - 12-PT.				
SMB10K	KS	10 Piece	Metric Knu	ckle Saver Wrench Set - 12-	·PT.	
	MB	62KS	6	4-29/32" / 124.6		•
(12)	MB	72KS	7	5-5/32" / 131		•
ММ	MB	82KS	8	5-13/32" / 137.3		•
	MB	92KS	9	5-21/32" / 143.7		•
	MB	102KS	10	5-7/8" / 150	•	•
	MB	112KS	11	6-7/8" / 175.4	•	•
	MB	122KS	12	7-11/16" / 195.7	•	•
	MB	132KS	13	7-7/8" / 200.8	•	•
	MB	142KS	14	8-13/16" / 223.8	•	•
	MB	152KS	15	9-1/8" / 232.6	•	•
	MB	162KS	16	9-9/16" / 242.5	•	•
	MB	172KS	17	10-1/4" / 261.1	•	•
	MB	182KS	18	10-5/8" / 271.5	•	•
	MB	192KS	19	11" / 279.4	•	•
	MB	202KS	20	11-27/64" / 290.1		•
	MB	212KS	21	11-13/16" / 300		•
	MB	222KS	22	12-17/32" / 318.3		•
	MB	232KS	23	12-59/64" / 328.2		•
	MB	242KS	24	13-5/16" / 338.1		•



SCB76PTKS 7 PIECE SAE KNUCKLE SAVER™ COMBINATION WRENCH SET

PRODUCT #		SIZE (IN)		OVERALL LENGTH In. / Mm
SCB76P	TKS	7 Piece	SAE Knuckle	Saver Wrench Set
	CB1	26KS	3/8"	6" / 152.4
(6)	CB1	46KS	7/16"	7" / 177.8
SAE	CB1	66KS	1/2"	8" / 203.2
	CB1	86KS	9/16"	8-7/8" / 225.4
	CB2	OGKS	5/8"	9-1/2" / 241.3
	CB2	26KS	11/16"	10-1/4" / 260.4
	CB2	46KS	3/4"	11" / 279.4



10 PIECE METRIC KNUCKLE SAVER™ COMBINATION WRENCH SET

PRODUCT #		SIZE (MM)		OVERALL LENGTH In. / Mm		
SMHB10	KS	10 Piece Metric Knuckle Saver Wrench Set				
	MB1	OGKS	10	5-7/8" / 150		
(6)	MB1	16KS	11	6-7/8" / 175.4		
ММ	MB1	26KS	12	7-11/16" / 195.7		
	MB1	36KS	13	7-7/8" / 200.8		
	MB1	46KS	14	8-13/16" / 223.8		
	MB1	56KS	15	9-1/8" / 232.6		
	MB1	66KS	16	9-9/16" / 242.5		
	MB1	76KS	17	10-1/4" / 261.1		
	MB1	86KS	18	10-5/8" / 271.5		
	MB1	96KS	19	11" / 279.4		

FEATURES

- Professional-grade box end strength
- Thick chrome plating for a hard and durable, corrosion-resistant finish that's easy to clean
- Wide shank for strength and comfort
- Knuckle Saver design provides more contact area over a typical wrench



SCL11LKS / SCL7LPTKS

11 PIECE / 7 PIECE SAE KNUCKLE SAVER™ Long Combination Wrench Sets


PRODUCT #		SIZE (IN)		OVERALL LENGTH In. / MM	SET			
SCL11LK	S	11 Pie	11 Piece SAE Knuckle Saver Long Wrench Set					
SCL7LPT	KS	7 Piec	e SAE Knuck	le Saver Long Wrench	Set			
	CL1	2LKS	3/8"	7" / 177.8	•	•		
	CL1	4LKS	7/16"	8" / 203.2	•	٠		
(12)	CL1	6LKS	1/2"	9" / 228.6	•	٠		
U	CL1	8LKS	9/16"	10" / 254	•	٠		
SAE	CL2	OLKS	5/8"	11" / 279.4	•	•		
	CL2	2LKS	11/16"	12" / 304.8	•	•		
	CL2	4LKS	3/4"	13" / 330.2	•	•		
	CL2	6LKS	13/16"	14" / 355.6		•		
	CL2	8LKS	7/8"	15" / 381		٠		
	CL3	OLKS	15/16"	16" / 406.4		•		
	CL3	2LKS	1"	17" / 431.8		•		





SCLLM102KS 10 PIECE METRIC KNUCKLE SAVER™ LONG COMBINATION WRENCH SET

PRODUC	CT #	SIZE (MM)		OVERALL LENGTH In. / Mm			
SCLLM1	D2KS	10 Piece Met	10 Piece Metric Knuckle Saver Long Wrench Set				
	CLL2	10MMKS	10	7-13/16" / 198.4			
(12)	CLL2	11MMKS	11	8-1/4" / 209.6			
ММ	CLL2	12MMKS	12	8-5/8" / 219.1			
	CLL2	13MMKS	13	9-1/16" / 230.2			
	CLL2	14MMKS	14	9-1/2" / 241.3			
	CLL2	15MMKS	15	10-1/16" / 255.6			
		16MMKS	16	10-9/16" / 268.3			
		17MMKS	17	11-1/8" / 282.6			
	CLL218MMKS		18	11-3/4" / 298.5			
	CLL2	19MMKS	19	12-3/8" / 314.3			





FEATURES

- Professional-grade box end strength
- Thick chrome plating for a hard and durable, corrosion-resistant finish that's easy to clean
- Wide shank for strength and comfort
- Knuckle Saver design provides more contact area over a typical wrench

KNUCKLE SAVER METRIC COMBINATION WRENCHES

	PRODUCT #	SIZE (MM)	OVERALL LENGTH In. / MM
_	MB172KS	17	10-1/4" / 261.1
(12) MM	MB262KS	26	14-41/64" / 371.9
	MB272KS	27	14-7/8" / 377.83
	MB302KS	30	15-55/64" / 402.8
	MB322KS	32	16-59/64" / 429.8

MB172KS MB262KS

MXS72KS

MB272KS

MB302KS

MB322KS

KNUCKLE

KNUCKLE SAVER METRIC COMBINATION WRENCHES

	PRODUCT #	SIZE (MM)	OVERALL LENGTH In. / Mm
	MXS62KS	6	3-1/4" / 82.5
(12)	MXS72KS	7	3-3/8" / 85.8
ММ	MXS82KS	8	3-1/2" / 88.9
	MXS92KS	9	3-5/8" / 92.2

MXS62KS

MXS82KS MXS92KS



FEATURES

- Open end set at 60°, the other at 15°
- Both ends are the same size; therefore one wrench can be used in different directions for better leverage and has four different turning angles per wrench
- Excellent on jam nuts, aircraft, and close clearance applications

ANGLED WRENCHES - 12-PT

	PRODUCT #	SIZE (IN)	OVERALL LENGTH In. / MM
	DA24	3/4"	7" / 177.8
SAE	DA30	15/16"	8-3/4" / 222.3
	DA36	1-1/8"	11" / 279.4
	DA38	1-3/16"	11-3/4" / 298.5

DA24

DA36




THIN OPEN-END WRENCHES

- Allows for easy access in tight work areas
- Polished, chrome-plated finish for easy clean-up and corrosion protection
- Tappett-style wrenches are great for use with jam nuts
- Head thickness of 0.155" and 10" length

SDTM5PT **5 PIECE METRIC THIN OPEN-END WRENCH SET**

PRODUCT # SIZE (MM SDTM5PT 5 Piece Metric Th DTM1011 10 x DTM1213 12 x мм DTM1415 14 x DTM1618 16 x 17 x DTM1719

MRENCHES **OFFSET BOX-END WRENCHES AND SETS**





SBHFM62KPA / SBHFM52PA

6 PIECE / 5 PIECE METRIC LONG 0° **OFFSET DOUBLE BOX-END WRENCH SETS**

SBOM62PTR **6 PIECE METRIC 10° MODIFIED OFFSET DOUBLE BOX-END** WRENCH SET

PRODUCT #		SIZE (MM)		OVERALL LENGTH In. / Mm	SET		
BHFM62	KPA	6 Piece N	Netric Long Double Box Wrench Set - 12-PT.				
BHFM52	PA	5 Piece M	etric Long Dout	ole Box Wrench Set - 12-PT.			
~	BHFI	M89PA	8 x 9	9-3/16" / 233.4		•	
12)	BHFI	M810PA	8 x 10	9-5/8" / 244.5	•		
MM	BHFN	11011PA	10 x 11	10-3/32" / 256.4		•	
	BHFN	11012PA	10 x 12	10-39/64" / 269.5	•		
	BHFN	11213PA	12 x 13	11-11/64" / 283.8		٠	
	BHFN	11214PA	12 x 14	11-25/32" / 299.2	•		
	BHFN	11415PA	14 x 15	12-7/16" / 315.9		•	
	BHFN	11417PA	14 x 17	13-59/64" / 353.6	•		
	BHFN	11618PA	16 x 18	14-29/64" / 367.1		•	
	BHFN	11719PA	17 x 19	14-19/32" / 370.7	•	•	



	SBHFM62KPA SBHFM52PA BHFM		6 Piece I	Aetric Long D	ouble Box Wrench Set			
			5 Piece Metric Long Double Box Wrench Set - 12-PT					
			M89PA	8 x 9	9-3/16" / 233.4			
	(12)	BHFM810PA		8 x 10	9-5/8" / 244.5			
мм		BHFM1011PA		10 x 11	10-3/32" / 256.4			
		BHFN		10 x 12	10-39/64" / 269.5			
		BHFN	11213PA	12 x 13	11-11/64" / 283.8			
		BHFN	11214PA	12 x 14	11-25/32" / 299.2			
		BHFN	11415PA	14 x 15	12-7/16" / 315.9			
		BHFN	11417PA	14 x 17	13-59/64" / 353.6			
		BHFN	11618PA	16 x 18	14-29/64" / 367.1			
		RHEN	11719PA	17 x 19	14-19/32" / 370 7			







DA30



DA38





	OVERALL LENGTH In. / Mm
hin Oper	i-end Wrench Set
11	10" / 254
13	10" / 254
15	10" / 254
18	10" / 254
19	10" / 254





MM)	OVERALL LENGTH In. / Mm
	lodified Offset ench Set - 12-PT.
10 x 11	7-15/16" / 201.6
12 x 14	9" / 228.6
13 x 15	9-1/2" / 241.3
16 x 18	10-5/8" / 269.9
17 x 19	11-3/8" / 288.9
21 x 24	13-3/8" / 339.7
-1 / 2 1	10 0/0 / 000./

SBODM52PTR

5 PIECE METRIC 60° DEEP OFFSET DOUBLE BOX-END WRENCH SET

PRODU	PRODUCT #		IZE (MM)	OVERALL LENGTH In. / Mm	
SBODM52PTR 5 Piece Double		5 Piece N Double B	e Metric 60º Deep Offset e Box-End Wrench Set - 12-PT.		
	BODM21011R BODM21214R		10 x 11	7-3/4" / 196.9	
(12)			12 x 14	8-1/4" / 209.6	
	BODM21315R		13 x 15	9" / 228.6	
	MM BODM21618		16 x 18	9-5/8" / 244.5	
	BODM2	1719R	17 x 19	10-1/3" / 262.5	

WRENCHES **OFFSET BOX-END WRENCHES AND SETS**

O

SBE5B **5 PIECE INVERTED TORX® BOX-END WRENCH SET**

- For use on external Torx® fasteners
- Includes ten most popular sizes
- High polish chrome-plated finish for easy clean-up and long lasting corrosion protection

		/	Ą		
		Ĭ	1		
	Ĩ			10	
1				19	
			[]		
es 1	4		1		

)UCT #	SIZE	IN. / MM
SBE5B		5 Piece Inverted To	orx® Box Wrench Set
	BE68	E6 x E8	4-25/64" / 111.5
	BE1012	E10 x E12	5-1/2" / 139.7
	BE1418	E14 x E18	7-3/32" / 180.2
мм	BE1622	E16 x E22	7-57/64" / 200.4
	BE2024	E20 x E24	8-51/64" / 223.5

METRIC LONG 0° OFFSET DOUBLE **BOX-END WRENCHES**

	PRODUCT #	SIZE (MM)	OVERALL LENGTH In. / Mm
	BHFM810PA	8 x 10	9-5/8" / 244.5
	BHFM2224PA	22 x 24	17-25/64" / 441.7



METRIC 10° MODIFIED OFFSET DOUBLE BOX-END WRENCHES

	PRODUCT #	SIZE (MM)	OVERALL LENGTH In. / Mm
	BOM2810R	8 x 10	7-7/16" / 188.9
ММ	BOM21417R	14 x 17	10" / 254
	B0M22224R	22 x 24	13-3/8" / 339.7

SAE 15° OFFSET DOUBLE **BOX-END WRENCHES**

	PRODUCT #	SIZE (IN)	OVERALL LENGTH In. / MM
(12)	B1012R	5/16" x 3/8"	7-1/8" / 181
	B1416R	7/16" x 1/2"	8-1/4" / 209.6
SAE	B1820R	9/16" x 5/8"	9-21/32" / 245.3
	B2224R	11/16" x 3/4"	11-11/32" / 288.1







FLARE NUT OPEN-END WRENCHES

- Open-end set at 15°
- Designed for soft metal flare nut • 270° Wraparound on box end allows torque to be transmitted on five sides to prevent fastener distortion

MRENCHES

• Crowned handle edges for more comfortable grip


FLARE NUT DOUBLE-END WRENCHES



SFB56PTR **5 PIECE SAE FLARE NUT** DOUBLE-END WRENCH SETS

PRODI	JCT #	SIZE (IN)		OVERALL LENGTH In. / Mm	
SFB56PTR		5 Piece SAE Double End Flare Nut Wrench Set - 6-PT.			
	FB8106	R	1/4" x 5/16"	5-1/2" / 139.7	
(6)	FND387	716	3/8" x 7/16"	6-1/4" / 158.8	
SAE	FND12	916	1/2" x 9/16"	7-1/4" / 184.2	
	FND581	116	5/8" x 11/16"	8" / 203.2	
	FB2426	66R	3/4" x 13/16"	8-3/4" / 222.3	









FLARE NUT WRENCHES AND SETS

• Flare nut end offset 15° • Thin open-end also provides easy access

• Countersink box end for easy fastener engagement

SFBM116KR / SFBM66PTR **11 PIECE / 6 PIECE METRIC FLARE NUT DOUBLE-END WRENCH SETS**

PRODI	PRODUCT #		E (MM)	OVERALL LENGTH In. / Mm	SE	T
SFBM116KR			ce Metric Do h Set - 6-PT.	ouble-End Flare Nut		
SFBM66	SFBM66PTR		e Metric Dou h Set	uble-End Flare Nut		
	FB6810	IMMR	8 x 10	6" / 152.4		٠
(6)	FND09	1M	9 x 11	6-1/4" / 158.8	•	٠
ММ	FND58	116	10 x 12	6-1/2" / 165.1	•	٠
	FB6111	3MMR	11 x 13	6-3/4" / 171.5		•
	FB6121	4MMR	12 x 14	7" / 177.8		٠
	FND13	14M	13 x 14	7-1/4" / 184.2	•	٠
	FB6141	7MMR	14 x 17	7-1/2" / 190.5		٠
	FND15	7M	15 x 17	7-3/4" / 196.9	•	٠
	FND16	18M	16 x 18	8" / 203.2	•	•
	FB6182	OMMR	18 x 20	8-1/4" / 209.6		•
	FND192	21M	19 x 21	8-3/4" / 222.3	•	٠





SFND6MM **6 PIECE METRIC FLARE NUT** WRENCH SET



FND1012M 10 x 12mm FLARE NUT WRENCH





SC011KS 11 PIECE 3/8" DRIVE SAE **CROWFOOT WRENCH SET**

78

		S	SIZE (IN)	OVERALL LENGTH In. / Mm
		ece 3/8" Drive	SAE Crowfoot Wrench Set	
	C012	KS	3/8"	1-1/4" / 31.8
	C014	KS	7/16'	1-9/32" / 32.6
SAE	C016	KS	1/2"	1-35/64" / 35.4
	C018	(S	9/16"	1-9/16" / 39.5
	C020	KS	5/8"	1-41/64" / 41.7
	C022	KS	11/16"	1-55/64" / 47.1
	C024	KS	3/4"	1-57/64" / 48.1
	C026	KS	13/16"	1-61/64" / 49.7
	C028	KS	7/8"	2" / 50.9
	C030	KS	15/16"	2-1/16" / 52.5
	C032	KS	1"	2-1/8" / 53.8

TOOLS



SMCOS10KS **10 PIECE 3/8" DRIVE METRIC CROWFOOT WRENCH SET**

PRODUCT #		S	IZE (MM)	OVERALL LENGTH In. / Mm
SMCOS1	OKS	10 Pie	ece 3/8" Drive	Metric Crowfoot Wrench Set
	MC01	OKS	10	1-5/16" / 33.4
	MC01	1KS	11	1-11/32" / 33.9
ММ	MC01	2KS	12	1-7/16" / 36.6
	MC01	3KS	13	1-15/32" / 37.1
	MC01	4KS	14	1-31/64" / 37.7
	MC01	5KS	15	1-19/32" / 40.3
	MC01	6KS	16	1-5/8" / 41.4
	MC01	7KS	17	1-11/16" / 42.8
	MC01	8KS	18	1-57/64" / 48.1
	MC01	9KS	19	1-59/64" / 48.7





SCOV5K SAE



SCHBM10H FLARE NUT **CROWFOOT WRENCH SET**

SXB92H / SXBM102H **BOX END TORQUE ADAPTER SETS**

• 2" Centre-to-centre

PRODUCT #			SIZE In. / Mm	OVERALL LENGTH In. / Mm
SCHBM10H 10 P			e Metric Flare Nut Vrench Set	
	CHBI	N 9	9	1-11/32" / 34.1
\mathbf{U}	CHBI	/10	10	1-3/8" / 34.9
ММ	CHBI	/ 11	11	1-15/32" / 37.3
	CHBM1		12	1-1/2" / 38.1
	CHBI	M13	13	1-19/32" / 40.5
	CHBI	/ 14	14	1-5/8" / 41.3
	CHBI	M15	15	1-11/16" / 42.9
	CHBN		16	1-3/4" / 44.5
	CHBI	M17	17	1-25/32" / 45.2
	CHBI	M18	18	1-27/32" / 46.8
	KCH4		Crowfoo	t Wrench Holder

PRODUC SXB92H SXBM102H 12 SAE XB1 XB1 XB1 XB1 XB20 XB2 XB24 XB26 XB28 **XB2**1 (12) MM **XB2**1 XB2 **XB2**1




SCOV5KS 5 PIECE 1/2" DRIVE SAE **CROWFOOT WRENCH SET**

#	s	ize (in)	OVERALL LENGTH In. / Mm
	5 Piec	ce 1/2" Drive S	SAE Crowfoot Wrench Set
COV3	4KS	1-1/16"	2-7/8" / 72.8
COV3	6KS	1-1/8"	2-31/32" / 75.3
COV4	OKS	1-1/4"	2-17/64" / 82.9
COV4	4KS	1-3/8"	3-21/64" / 84.7
COV4	8KS	1-1/2"	3-13/32" / 86.5
		1.00	

RODUCT #		SIZE In. / Mm	OVERALL LENGTH IN. / MM	SI	ET
	9 Piece	3/8" Drive \$	SAE Box End Torque Adapter S	et	
2H	10 Piece 3/8" Drive Metric Box End Torque Adapte				
XB122	2A	3/8"	2-11/16" / 68.3		•
XB142	2A	7/16"	2-3/4" / 69.9		•
XB162	2A	1/2"	2-25/32" / 70.6		٠
XB182	2A	9/16"	2-27/32" / 72.2		•
XB202	2A	5/8"	2-7/8" / 73		•
XB222	2A	11/16"	2-29/32" / 73.8		٠
XB242	2A	3/4"	2-31/32" / 75.4		•
XB262	2A	13/16"	3" / 76.2		•
XB282	2A	7/8"	3-1/16" / 77.8		•
XB210	MMR	10	2-5/8" / 66.7	•	
XB211	MMR	11	2-5/8" / 66.7	•	
XB212	MMR	12	2-3/4" / 69.9	•	
XB213	BMMR	13	2-3/4" / 69.9	•	
XB214	IMMR	14	2-3/4" / 69.9	•	
XB215	MMR	15	2-3/4" / 69.9	•	
XB216	SMMR	16	2-3/4" / 69.9	•	
XB217	MMR	17	2-7/8" / 73	•	
XB218	BMMR	18	2-7/8" / 73	•	
XB219	MMR	19	2-7/8" / 73	•	





Unbeatably compact

A reversible ratchet system incorporated within a compact ring head. Ideal for reaching into awkward spaces, the precision torque ratchet combination wrench is easier to use.

Ultra-fast operation

Increment: 5° (6° for sizes 8 and 9).

Small increments for better performance. Perfectly suited to quick pre-tightening and loosening operations, for maximum productivity, even where access is restricted.

Guaranteed safety for all professional applications

Particular care has been taken in the design of the precision torque reversible ratchet combination wrench to avoid the risk of accidental reversal.

The precision torque range incorporates a recessed reversing lever which protects it during use.



RAISE YOUR EXPECTATIONS.



FEATURES

- Complete locking head for stabilized fastening
- 180° head swing for accessibility Revolutionary I-beam design for comfort with low hand stress
- 12-PT. and 72-tooth gear count ratcheting box end with 5° arc and offset head give the user maximum versatility when working in the tightest of spaces
- · Compact head design improves accessibility

RWLF212PTA

12 SAE 1/2" LOCKING FLEXIBLE-HEAD RATCHETING WRENCH

RWLF2716PTA (12)



WRENCHES **RATCHETING WRENCHES AND SETS**



SRWM0126PT **12 PIECE METRIC OFFSET REVERSIBLE RATCHETING WRENCH SET**

SRWMS146PT **14 PIECE METRIC STUBBY OFFSET RATCHETING WRENCH SET**

PROD	PRODUCT # SIZE (MM) OVERALL LENGTH				
SRWMO	126PT	12 Piece Metric Offset Reversible Ratcheting Wrench Set			
	RW067N	IMPT	7	3-1/2" / 88	
6	RW068N	IMPT	8	3-35/64" / 90	
ММ	RW0610	ММРТ	10	3-47/64" / 95	
	RW0611	ММРТ	11	4-1/16" / 103	
	RW0612	MMPT	12	4-11/64" / 106	
	RW0613	MMPT	13	4-1/4" / 108	
	RW0614	MMPT	14	4-17/32" / 115	
	RW0615	MMPT	15	4-11/16" / 119	
	RW0616	MMPT	16	4-27/32" / 123	
	RW0617	ММРТ	17	5" / 127	
	RW0618	MMPT	18	5-5/32" / 131	
	RW0619	ММРТ	19	5-15/32" / 139	

PRODUCT # SIZE (MM) 14 Piece Metric Stubby Offset Ratcheting SRWMS146PT Wrench Set **BMCCCWWD** 6 RWS67MMPT 7 MM RWS68MMPT 8 RWS69MMPT 9 10 RWS610MMPT RWS611MMPT 11 RWS612MMPT 12 RWS613MMPT 13 RWS614MMPT 14 RWS615MMPT 15 RWS616MMPT 16

RWS617MMPT

RWS618MMPT

RWS619MMPT

17

18

19

SRWM026PT

6 PIECE LARGE METRIC REVERSIBLE RATCHETING WRENCH SET

and the second				
PROD	PRODUCT #		E (MM)	OVERALL LENGTH In. / Mm
SRWM026PT		6 Piece Large Metric Reversible Ratchet Wrench Set		
	RW0221	MMPTA	21	11-1/3" / 288
(12)	RW0222	MMPTA	22	11-1/3" / 288
ММ	RW0224	MMPTA	24	12-2/3" / 321
	RW0227	MMPTA	27	14" / 357
	RW0230	MMPTA	30	15-7/9" / 401
	RW0232	MMPTA	32	16-2/3" / 424











OVERALL LENGTH IN. / MM

3-1/3" / 86

3-1/2" / 88

3-35/64" / 90

3-21/32" / 93

3-47/64" / 95

4-1/16" / 103

4-11/64" / 106

4-1/4" / 108

4-17/32" / 115

4-11/16" / 119

4-27/32" / 123

5" / 127

5-5/32" / 131

5-15/32" / 139

9	001	10		
		1	(H	
		~		()
SRV	WMF126P1	1		
10	DIECE M		FIFV	ULAD

12 PIECE METRIC FLEX-HEAD RATCHETING WRENCH SET

PRODUCT #		SIZE	(MM)	OVERALL LENGTH In. / MM
SRWMF12	26PT	12 Piece Wrench S		-Head Ratcheting
	RWF67M	MPT	7	-
6	RWF68M	MPT	8	5-23/64" / 127
ММ	RWF610	MMPT	10	5-35/64" / 136
	RWF6111	MMPT	11	5-13/16" / 141
	RWF612MMPT		12	5-13/16" / 147.5
	RWF613	MMPT	13	6-1/8" / 155.5
	RWF614	MMPT	14	6-23/64" / 161.7
	RWF615	MMPT	15	6-23/32" / 170.8
	RWF616	MMPT	16	7-3/64" / 179
	RWF617I	MMPT	17	7-31/64" / 190
	RWF618	MMPT	18	7-63-64" / 203
	RWF619	MMPT	19	8-15/32" / 215







SRWS210PTA **10 PIECE SAE SHORT REVERSIBLE RATCHETING** WRENCH SET

PRODUCT #		SIZE (IN)		OVERALL LENGTH In. / Mm		
SRWS21	OPTA		10 Piece SAE Short Reversible Ratcheting Wrench Set			
	RWS21	I4PTA	1/4"	3-5/32" / 80		
(12)	RWS2	516PTA	5/16"	3-35/64" / 90		
SAE	RWS21	132PTA	11/32"	3-21/32" / 93		
	RWS238PTA		3/8"	3-47/64" / 95		
	RWS2716PTA		7/16"	4-1/16" / 103		
	RWS21	12PTA	1/2"	4-1/4" / 108		
	RWS29	16PTA	9/16"	4-17/32" / 115		
	RWS2	58PTA	5/8"	4-27/32" / 123		
	RWS21	116PTA	11/16"	5" / 127		
	RWS23	B4PTA	3/4"	5-1/2" / 139		

SRW0212PTB **12 PIECE SAE REVERSIBLE RATCHETING** WRENCH SET

	PRODUCT #		SIZE	(IN)	OVERALI IN. /
	SRW021	2PTB	12 Piece SA Wrench Set	E Reversible	Ratcheting
		RW021	4PTA	1/4"	5-1/4
	(12)	RW025	16PTA	5/16"	5-1/2"
	SAE	RW021	132PTA	11/32"	5-7/8
		RW02	38PTA	3/8"	6-7/32
		RW027	16PTA	7/16"	6-1/2
i.		RW02	12PTA	1/2"	7"/
		RW02	916PTA	9/16"	7-1/2"
5		RW02	58PTA	5/8"	8-3/16
		RW021	116PTA	11/16"	8-7/8
		RW02	34PTA	3/4"	9-3/4
		RW02	78PTA	7/8"	11-5/1
		RW021	516PTA	15/16"	12-1/2

RATCHETING WRENCH FEATURES:

KNUCKLE SAVER

- Proprietary I-beam design provides greater comfort and strength with less hand stress
- 5° Arc swing and a compact head design for maximum access
- Knuckle Saver design on open-end helps prevent slipping off of fastener • 12-PT. Fine tooth ratcheting box end

SRWM0212PTB **12 PIECE METRIC REVERSIBLE RATCHETING** WRENCH SETS

PRODUCT #		SIZE	(MM)	OVERALL LENGTH In. / MM			
SRWMO	212PTB		12 Piece Metric Reversible Ratcheting Wrench Set				
	RW027MM	PTA	7	5-1/2" / 139.7			
	RW028MM	PTA	8	5-7/8" / 150			
ММ	RW0210MI	MPTA	10	6-7/32" / 158			
	RW0211MI	MPTA	11	6-1/2" / 165			
	RW0212MI	MPTA	12	6-3/4" / 171			
	RW0213MI	MPTA	13	7" / 177.8			
	RW0214MI	MPTA	14	7-1/2" / 190.5			
	RW0215MI	MPTA	15	7-13/16" / 199			
	RW0216MI	MPTA	16	8-3/16" / 208			
	RW0217MI	MPTA	17	8-7/8" / 225			
	RW0218MI	MPTA	18	9-5/16" / 236			
	RW0219MI	MPTA	19	9-3/4" / 247			



TOOLS





OVERALL LENGTH In. / MM

5-1/4" / 134

5-1/2" / 139.7

5-7/8" / 150

6-7/32" / 158

6-1/2" / 165

7"/177.8

7-1/2" / 190.5

8-3/16" / 208

8-7/8" / 225

9-3/4" / 247

11-5/16" / 280

12-1/2" / 305



SRWMS214PTA **14 PIECE METRIC SHORT REVERSIBLE RATCHETING** WRENCH SET

OVERALL LENGTH In. / MM PRODUCT # SIZE (MM) 14 Piece Metric Short Reversible Ratcheting Wrench Set SRWMS214PTA 3-1/3" / 86 ATAWW558MS 6 12 3-1/2" / 88 WS27MMPTA 7 ММ WS28MMPTA 8 3-35/64" / 90 3-21/32" / 93 RWS29MMPTA 9 3-47/64" / 95 RWS210MMPTA 10 RWS211MMPTA 11 4-1/16" / 103 4-11/64" / 106 RWS212MMPTA 12 RWS213MMPTA 13 4-1/4" / 108 4-17/32" / 115 RWS214MMPTA 14 RWS215MMPTA 4-11/16" / 119 15 4-27/32" / 123 RWS216MMPTA 16 5" / 127 RWS217MMPTA 17 5-5/32" / 131 RWS218MMPTA 18 19 5-15/32" / 139 WS219MMPTA

83





00000000

SRWF28PTB **8 PIECE SAE FLEX RATCHET WRENCH SET**

PRODUCT #		SIZE (IN)		OVERALL LENGTH In. / Mm
SRWF28	PTB	8 Piece SA	E Flex Ratchet	t Wrench Set
	RWF2516PTA RWF238PTA		5/16"	5" / 127
(12)			3/8"	5-23/64" / 136
SAE	RWF2716PTA		7/16"	5-35/64" / 141
	RWF212PTA		1/2"	6-1/8" / 155.5
	RWF2	916PTA	9/16"	6-23/64" / 161.7
	RWF2	58PTA	5/8"	7-3/64" / 179
	RWF2	1116PTA	11/16"	7-31/64" / 190
	RWF2	34PTA	3/4"	8-15/32" / 215



SRWMF212PTB **12 PIECE METRIC FLEX RATCHET WRENCH SET**

PRODUCT #		SIZE (MM)		OVERALL LENGTH In. / MM		
SRWMF2	12PTB	12 Piece	12 Piece Metric Flex Ratchet Wrench Set			
	RWF8MM	IPTA	8	5" / 127		
	RWF9MM	IPTA	9	5-11/64" / 131.5		
мм	RWF10M	MPTA	10	5-23/64" / 136		
	RWF11M	MPTA	11	5-35/64" / 141		
	RWF12M	MPTA	12	5-13/16" / 147.5		
	RWF13M	MPTA	13	6-1/8" / 155.5		
	RWF14M	MPTA	14	6-23/64" / 161.7		
	RWF15M	MPTA	15	6-23/32" / 170.8		
	RWF16M	MPTA	16	7-3/64" / 179		
	RWF17M	MPTA	17	7-31/64" / 190		
	RWF18M	MPTA	18	7-63-64" / 203		
	RWF19M	MPTA	19	8-15/32" / 215		

SRWMLF212PTA **12 PIECE METRIC LOCKING** FLEX RATCHET WRENCH SET


PRODUCT #		SIZ	2E (MM)	OVERALL LENGTH In. / Mm	
SRWMLF	212PTA		12 Piece Metric Locking Flex Ratchet Wrench Set		
	RWLF7MM	IPTA	8	5" / 127	
(12)	RWLF8MM	IPTA	9	5-11/64" / 131.5	
ММ	MM RWLF10M		10	5-23/64" / 136	
	RWLF11MMPTA		11	5-35/64" / 141	
	RWLF12M	MPTA	12	5-13/16" / 47.5	
	RWLF13M	MPTA	13	6-1/8" / 155.5	
	RWLF14M	MPTA	14	6-23/64" / 161.7	
	RWLF15M	MPTA	15	6-23/32" / 170.8	
	RWLF16M	MPTA	16	7-3/64" / 179	
	RWLF17M	MPTA	17	7-31/64" / 190	
	RWLF18M	MPTA	18	7-63-64" / 203	
	RWLF19M	MPTA	19	8-15/32" / 215	

	A	D-//	US	1/4	BL	E
_	ADJL	ISTAE	BLE V	VREN	ICHE	S

FEATURES

- Small angle 15° head

PRODUCT # CAPACITY		OVERALL LENGTH IN. / MM	
AWP6BA	3/4"	6" / 152.4	
AJ12B	1-5/16"	12" / 304.8	
AJ18B	2-1/16"	18" / 457.2	
AJ24B	2-7/16"	24" / 609.6	





TOOLS







GNW63 **GLAND NUT WRENCH**

- Fully adjustable to fit hydraulic cylinders on vehicles having gland nuts from 1" to 3-3/4" in diameter • Reverses to fit 1/4" or 7/32" pin holes
- Use it with a 1/2" square drive to loosen the toughest gland nuts



ADJUSTABLE GLAND NUT WRENCH

GNW66

- Designed to fit hydraulic cylinders on most farm and construction equipment
- Adjusts to fit gland nuts from 2" to 6" diameter pin to pin
- Reversible to fit 1/4" and 5/16" pin holes
- Heavy-duty wrench features a 3/4" square drive

SSWF3K **3 PIECE ADJUSTABLE FACE** SPANNER WRENCH SET IN KIT BAG

· Services seal and packing nuts on hydraulic cylinders

PRODUCT #	CAPACITY	OVERALL LENGTH In. / Mm	PIN Depth	PIN Thickness
SSWF3K	3 Piece Adji	ustable Face Spanner V	Vrench Se	t in Kit Bag
SWF2	2"	6-3/8" / 161.9	1/4"	3/16"
SWF3	3"	8-1/4" / 209.6	1/4"	1/4"
SWF4	4"	10-3/8" / 263.5	3/8"	5/16"



SSWP4K **4 PIECE ADJUSTABLE PIN SPANNER** WRENCH SET IN KIT BAG

- Services collars, lock nut rings, and bearings
- Single jaw construction

PRODUCT #	CAPACITY Range	JAW Thickness	OVERALL LENGTH In. / Mm	PIN DIAMETER	PIN Length	
SSWP4K	4 Piece Adjustab	le Pin Spanner	Wrench Set in Kit Ba	g		
SWP1	3/4" to 2"	11/32"	6-3/8" / 161.9	1/8"	1/8"	
SWP2	1-1/4" to 3"	13/32"	8-1/8" / 206.4	3/16"	3/16"	
SWP3	2" to 4-3/4"	15/32"	11-3/8" / 288.9	1/4"	1/4"	
SWP4	4-1/2" to 6-1/4"	15/32"	12-1/8" / 308	3/8"	1/4"	



CHAIN WRENCHES

PRODUCT # CAPACITY

WC12

WC24

· Forged from chrome-vanadium steel

4"

6"

· Wraps around and holds irregular shaped objects

OVERALL LENGTH In. / MM

12" / 304.8

24" / 609.6

SSWH4K

4 PIECE ADJUSTABLE HOOK SPANNER WRENCH SET IN KIT BAG

- · Services collars, lock nut rings, and bearings
- Single jaw construction

PRODUCT #	CAPACITY Range	HOOK DEPTH	OVERALL LENGTH In. / Mm	HOOK THICKNESS
SSWH4K	4 Piece Adjustab	le Hook Spann	er Wrench Set in Kit Bag	
SWH1	3/4" to 2"	1/8"	6-3/8" / 161.9	11/32"
SWH2	1-1/4" to 3"	5/32"	8-1/8" / 206.4	13/32"
SWH3	2" to 4-3/4"	3/16"	11-3/8" / 288.9	15/32"
SWH4	4-1/2" to 6-1/4"	1/4"	12-1/8" / 308	15/32"





DW02B

DRAWER WRENCH ORGANIZER

- Two 24" long plastic organizers
- Adhesive, non-slip, foam-backed strips
- · Can be cut to fit any drawer or wrench set size
- · Holds up to thirty-five wrenches in full 24" (609.6mm)
- "V" notches make sizes easily identifiable

MAGRAIL12

12" MAGNETIC RAIL

MAGRAIL24

- 24" MAGNETIC RAIL · High-powered magnetic rail holds
- tools and parts firmly in place
- · Can also be attached to non-magnetic
- surfaces by using screws



5	0-1/4 / 203.0	1/4	1/4			
4"	10-3/8" / 263.5	3/8"	5/16"	200		
140.00	1000	12.2		-		
				-		0
			-160	~	-	1
	10					





WR515B **12 PIECE STEEL WRENCH HOLDER**

- · Cold-rolled steel is black plastic coated
- Holes allow secure mounting

WRS10GY **10 PIECE YELLOW** WRS10GR **10 PIECE RED**





RATCHETS -SOCKETS -ACCESSORIES

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

LINKS Click the contents to move around the catalogue



CONTENTS:

/ 4)	
XIS®	90
EAR AND ROUND HEAD	91
PECIALITY	91
PECIALITY DRIVERS	92
XTENSIONS SETS	93
DAPTERS	93
ITERMEDIATE, DEEP AND NIVERSAL SOCKET SETS	94
NIVERSAL SOCKET SET	96
IPACT SOCKET SETS	96
3/.	

PEAR AND ROUND HEAD	99
BREAKER BAR	100
SPECIALITY	100
EXTENSIONS SETS	101
ADAPTERS	102
SOCKET SETS	102
INTERMEDIATE, DEEP AND UNIVERSAL SOCKET SETS	104
CHROME SOCKET SETS	100
IMPACT SOCKET SETS	108
· <mark>1/2</mark>)	

AXIS®
PEAR AND ROUND HEAD
BREAKER BARS
EXTENSIONS SETS
ADAPTERS
CHROME AND DEEP SOCKET SETS
IMPACT, DEEP IMPACT AND

TORX AND STA DRIVER SETS TORX AND TRI SQUARE DRIVE STAR DRIVER SI HEX DRIVER SI BIT AND DRIVE

RATCHET, EXT AND ADAPTOR

DRIVER SETS

ACCESSORIES EXTENSION SE SPECIALITY TO

SPECIALITY TO SOCKET STORA ECONOMY SO SETS

(3%) PRECISION TO

(1/4)

SOCKET SETS

(1/4) (3/8) (1/2) R.B.R.T.[™] SOCK (1/4) (3/8) (1/2) R.B.R.T.[™] HEX (

110

111

111 112

113

114

(<mark>3%)</mark> R.B.R.T.[™] SP<u>EE</u>

IMPACT, DEEP IMPACT AND UNIVERSAL IMPACT SETS 116 DRIVER SETS

MACTOOLS.CO.UK 0114 291 7266

ENSIONS	118	
R	120	
PLE R SETS	126	
GET	127	
ETS	128	
R SETS	130	
TS	132	
OLS	133	
AGE	134	
CKET		
	136	
	137	
RQUE		
	138	
	141	
	144	
ET SETS		
ŀ	146	
DRIVER SE	TS	
	147	
D HEX		

148

DRIVER SETS	
1 <mark>3/8</mark>)	149
R.B.R.T. [™] TRIPLE SQUARE SETS	
	150
R.B.R.T. [™] EXTRACTOR SETS	5
MULTI DRIVE	153
R.B.R.T. [™] EXTRACTOR SET WITH F.O.R.	5
(1/4)	154
(<mark>3/8</mark>)	155
1/2)	156
R.B.R.T. [™] STAR SETS	
	157
R.B.R.T. [™] IMPACT HEX SET	S
1/2	158
R.B.R.T. [™] STAR DRIVER SE	rs
	159
R.B.R.T. [™] STAR & EXTRACT DRIVER MASTER	OR
	160
R.B.R.T. [™] HEX DRIVER MASTER SET	
· 1/4) · (3/8) · (1/2)	161

R.B.R.T.™ IMPACT HEX DRIVER SETS

04



90 Tooth giving 4° swing arc providing users access in even the tightest working areas

Forward / Reverse with low profile 1 hand switch

Low Profile, perfect for getting into tight areas High polished chrome finish designed to avoid

corrosion and easy to keep clean



The next generation of high quality Mac Tools® Ratchets features a compact pear head design and 4° swing arc provides users access in even the tightest working areas. Ergonomic comfort handle provides excellent grip to reduce hand fatigue during use. Solid and flex versions of the 1/4" Drive provide an unmatched selection.



MR590K 1/4" DRIVE AXIS™ METAL HANDLE RATCHET - 5"

MR690FK
1/4" DRIVE AXIS™
METAL HANDLE FLEX
RATCHET - 6"

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / MM
MR590K	90	4°	Metal	5" / 127
MR690FK	90	4°	Metal	6" / 152

MR690LFK 1/4" DRIVE AXIS™ METAL HANDLE LOCKING **FLEX RATCHET - 6"**

MR990K 1/4" DRIVE AXIS™ METAL HANDLE RATCHET - 9"

PRODUCT #	GEAR Teeth	RATCHET Swing	HANDLE	OVERALL LENGTH IN. / MM
MR690LFK	90	4°	Metal	6" / 152
MR990K	90	4°	Metal	9" / 228.6

(1/4)



OVERALL LENGTH GEAR RATCHET PRODUCT # HANDI F MR990FPA Comfort handle 9" / 228.6 90 4° MR990LFPA 4° 90 Comfort handle 9" / 228.6

MR5K

1/4" DRIVE RATCHET - 5" · Full-polish, chrome-plated finish



1/4" DR/VE

PEAR AND ROUND HEAD

MRR6FPA

1/4" DRIVE ROUND HEAD FLEX RATCHET - 6"

• Full-polish, chrome-plated finish

Comfort-Grip[™] Handle

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / MM
MR5K	30	12°	Knurled	5" / 127
MR100SPA	100	3.6°	Comfort handle	7" / 177.8
MRR6FPA	72	5°	Comfort handle	6" / 152.4
MRR6PA	72	5°	Comfort handle	6" / 152.4





· Aluminium knurled outer ring for secure grip · Reversible ratchet:

1/4 male to 1/4 female hex drive

PRODUCT #	GEAR Teeth	RATCHET Swing	OVERALL LENGTH In. / Mm
MR4C	72	5°	3-1/2" / 88.9
MR4FC	72	5°	3-3/4" / 95.3
FDR108	72	5°	2-1/4" / 57.2
MRRSP	72	5°	2-1/4" / 57.2

Comfort handle 9" / 228.6 TOOLS

6" / 152

Comfort handle

MR690PA

1/4" DRIVE AXIS™

RATCHET - 6"

MR690PA

MR990PA

COMFORT HANDLE

GEAR Teeth

90

90

RATCHET

4°

4°





MRR6PA 1/4" DRIVE ROUND HEAD RATCHET - 6"

- · Full-polish, chrome-plated finish
- Comfort-Grip[™] Handle

MR100SPA 1/4" DRIVE SWIVEL HEAD RATCHET - 7"

- Full-polish, chrome-plated finish
- Comfort-Grip[™] Handle





MR4FC 1/4" DRIVE MINI **FLEX RATCHET**

- Quick-release button locks socket in place and provides quick release when job is completed
- Full-polish, chrome-plated finish
- Ultra-compact 1/4" high tooth-count ratchet ideal for work in tight places

MR4C 1/4" DRIVE MINI RATCHET

- Quick-release button locks socket in place and provides quick release when job is completed
- Full-polish, chrome-plated finish
- Ultra-compact 1/4" high tooth-count ratchet ideal for work in tight places







(1/4)





PRODUCT #	OVERALL LENGTH IN. / MM
SMEK5PT	5 Piece 1/4" Drive Knurled Extension Set
M2EK	2" / 50.8
M4EK	4" / 101.6
M6EK	6" / 152.4
M10EK	10" / 254
M14EK	14" / 355.6

1	
PRODUCT #	OVERALL LENGTH IN. / MM
SMEW5PT	5 Piece 1/4" Drive Wobble Extension Set
M2EW	2" / 50.8
M4EW	4" / 101.6
M6EW	6" / 152.4
M10EW	10" / 254
M14EW	14" / 355.6







SM102TR / SM106TR SAE SOCKET SETS

PRODUCT #		SIZE	OVERALL LENGTH In. / Mm	S	et
SM102T	R		2-PT. 1/4" Drive rd Socket Set		
SM106T	R		PT. 1/4" Drive rd Socket Set		
	M62	3/16"	7/8" / 22.2		•
(12)	M72	7/32"	7/8" / 22.2		•
SAE	M82R	1/4"	7/8" / 22.2		•
	M92R	9/32"	7/8" / 22.2		•
	M102R	5/16"	7/8" / 22.2		•
	M112R	11/32"	7/8" / 22.2		•
	M122R	3/8"	7/8" / 22.2		•
	M142R	7/16"	7/8" / 22.2		•
	M162R	1/2"	7/8" / 22.2		•
	M182R	9/16"	7/8" / 22.2		•
	M66R	3/16"	7/8" / 22.2	•	
	M76R	7/32"	7/8" / 22.2	٠	
SAE	M86R	1/4"	7/8" / 22.2	•	
	M96R	9/32"	7/8" / 22.2	•	
	M106R	5/16"	7/8" / 22.2	•	
	M116R	11/32"	7/8" / 22.2	•	
	M126R	3/8"	7/8" / 22.2	•	
	M146R	7/16"	7/8" / 22.2	•	
	M166R	1/2"	7/8" / 22.2	•	
	M186R	9/16"	7/8" / 22.2	•	
	MT3	М	etal Tray	•	•



SMM102TR / SMM106TR **METRIC SOCKET SETS**

PRODUCT # SMM102TR			IN. / MM ce 12-PT. 1/4" Drive Socket Set		ET
SMM106	TR		ce 6-PT. 1/4" Drive Socket Set		
	M25MM	5	7/8" / 22.2		•
(12)	M26MMR	6	7/8" / 22.2		•
ММ	M27MMR	7	7/8" / 22.2		•
	M28MMR	8	7/8" / 22.2		•
	M29MMR	9	7/8" / 22.2		•
	M210MMR	10	7/8" / 22.2		•
	M211MMR	11	7/8" / 22.2		•
	M212MMR	12	7/8" / 22.2		•
	M213MMR	13	7/8" / 22.2		•
	M214MMR	14	7/8" / 22.2		•
	M65MMR	5	7/8" / 22.2	•	
(6)	M66MMR	6	7/8" / 22.2	•	
ММ	M67MMR	7	7/8" / 22.2	•	
	M68MMR	8	7/8" / 22.2	•	
	M69MMR	9	7/8" / 22.2	•	
	M610MMR	10	7/8" / 22.2	•	
	M611MMR	11	7/8" / 22.2	•	
	M612MMR	12	7/8" / 22.2	•	
	M613MMR	13	7/8" / 22.2	•	
	M614MMR	14	7/8" / 22.2	•	
	MT3Y		Metal Tray	•	•



SMI126TR METRIC INTERMEDIATE SOCKET SET

	PRODUCT #		SIZE	OVERALL LENGTH In. / Mm
	SMI126TR		12 Piece 1/4" Drive Metric Intermediate Socket Set	
		MI65.5MM R	5.5	1-1/4" / 31.4
1	(6)	MI65MMR	5	1-1/4" / 31.4
	ММ	MIGGMMR	6	1-1/4" / 31.4
		MI67MMR	7	1-1/4" / 31.4
		MI68MMR	8	1-1/4" / 31.4
		MI69MMR	9	1-1/4" / 31.4
		MI610MMR	10	1-1/4" / 31.4
		MI611MMR	11	1-1/4" / 31.4
		MI612MMR	12	1-1/4" / 31.4
		MI613MMR	13	1-1/4" / 31.4
		MI614MMR	14	1-1/4" / 31.4
		MI615MMR	15	1-1/4" / 31.4
3		MT17Y	N	letal Tray



SMD86TR SAE DEEP SOCKET SET

6

SAE

SMDN

T	2	8 Piece 1/4" Drive SAE Deep Socket Set			
	MD86R	1/4"	2" / 50.8		
	MD96R	9/32"	2" / 50.8		
	MD106R	5/16"	2" / 50.8		
	MD116R	11/32"	2" / 50.8		
	MD126R	3/8"	2" / 50.8		
	MD146R	7/16"	2" / 50.8		
	MD166R	1/2"	2" / 50.8		
	MD186R	9/16"	2" / 50.8		
	MT1	Metal Tray			

OVERALL LENGTH Size In. / MM



MD

6







SMDM102TR / SMDM106TR METRIC DEEP SOCKET SETS

PI	RODUCT #	SIZE	OVERALL Length In. / Mm	SI	ET	
110	2TR		e 1/4" Drive eep Socket Set			
1106TR		10 Piece Metric D				
	MD25MM	5	2" / 50.8		•	
	MD26MMR	6	2" / 50.8		٠	
	MD27MMR	7	2" / 50.8		٠	
	MD28MMR	8	2" / 50.8		٠	
	MD29MMR	9	2" / 50.8		•	
	MD210MMR	10	2" / 50.8		•	
	MD211MMR	11	2" / 50.8		٠	
	MD212MMR	12	2" / 50.8		٠	
	MD213MMR	13	2" / 50.8		٠	
	MD214MMR	14	2" / 50.8		٠	
	MD65MMR	5	2" / 50.8	•		
	MD66MMR	6	2" / 50.8	•		
	MD67MMR	7	2" / 50.8	•		
	MD68MMR	8	2" / 50.8	•		
	MD69MMR	9	2" / 50.8	•		
	MD610MMR	10	2" / 50.8	•		
	MD611MMR	11	2" / 50.8	•		
	MD612MMR	12	2" / 50.8	•		
	MD613MMR	13	2" / 50.8	•		
	MD614MMR	14	2" / 50.8	•		
	MT4Y	Μ	etal Tray	•	•	






SMMU96TRA UNIVERSAL SOCKET SET



PRODUCT # MMU96TRA ^{9 Piece 1}		SIZE MM	OVERALL LENGTH In. / MM	
		1/4" Drive Metric Universal Socket Set		
	MU66I	MMRA	6	1-3/16" / 30.2
<u>6</u>)	MU671	MMRA	7	1-3/16" / 30.2
MM	MU68	MMRA	8	1-3/16" / 30.2
	MU691	MMRA	9	1-3/16" / 30.2
	MU610	OMMRA	10	1-3/16" / 30.2
	MU611	MMRA	11	1-3/16" / 30.2
	MU612	2MMRA	12	1-3/16" / 30.2
	MU613	BMMRA	13	1-3/16" / 30.2
	MU614	IMMRA	14	1-3/16" / 30.2
	MT3Y			Metal Tray

(1/4)









SMMDMP126PT DEEP MAGNETIC IMPACT SOCKET SET

· Magnetic feature holds nuts and bolts securely in tight work areas

· Spring-loaded magnet allows for use on longer bolts

	PRODUCT #	SIZE	OVERALL LENGTH In. / MM
SMMDMI	SMMDMP126PT		ce 1/4" Drive Metric Magnetic Impact Socket Set
L	MDMP65MM	5	2" / 50.8
7]	MDMP65.5MM	5.5	2" / 50.8
	MDMP66MM	6	2" / 50.8
(6)	MDMP67MM	7	2" / 50.8
мм	MDMP68MM	8	2" / 50.8
	MDMP69MM	9	2" / 50.8
	MDMP610MM	10	2" / 50.8
	MDMP611MM	11	2" / 50.8
	MDMP612MM	12	2" / 50.8
	MDMP613MM	13	2" / 50.8
	MDMP614MM	14	2" / 50.8
6	MDMP615MM	15	2" / 50.8




MAGNETIC IMPACT SOCKET SET

Magnetic feature holds nuts and bolts securely in tight working spaces
Ideal for work in tight places

1/4

I	PRODUCT #	SIZE	OVERALL LENGTH In. / MM		
SMMP186PT			18 Piece Magnetic Impact Socket Set		
L	MMP86	1/4"	29/32" / 23		
1 7	MMP96	9/32"	29/32" / 23		
$\mathbf{\nabla}$	MMP106	5/16"	29/32" / 23		
(6)	MMP116	11/32"	29/32" / 23		
SAE	MMP126	3/8"	29/32" / 23		
Unit.	MMP146	7/16"	29/32" / 23		
	MMP166	1/2"	29/32" / 23		
1.	MMP65MM	5mm	29/32" / 23		
۳ 7	MMP65.5MM	5.5mm	29/32" / 23		
$\mathbf{\nabla}$	MMP66MM	6mm	29/32" / 23		
(6)	MMP67MM	7mm	29/32" / 23		
мм	MMP68MM	8mm	29/32" / 23		
	MMP69MM	9mm	29/32" / 23		
	MMP610MM	10mm	29/32" / 23		
	MMP611MM	11mm	29/32" / 23		
	MMP612MM	12mm	29/32" / 23		
	MMP613MM	13mm	29/32" / 23		
	MMP614MM	14mm	29/32" / 23		







(3/8)

Comfort handle

Comfort handle



XR1390APA 3/8" DRIVE COMFORT H RATCHET -	IANDLE	XR5MK 3/8" DRIVE RATCHET -		····	XR8K 3/8" DRIV RATCHET		PRO XR5MK XR8K
HANDLE	OVERALL LENGTH IN. / MM 9" / 228.6						
Comfort handle	13" / 330						and a
ie.		XRR10PA 3/8" drive Head rato				FPA Drive Round Flex Ratchet	- 11"
		PRODUCT #	GEAR Teeth	RATCHET Swing	HANDLE	OVERALL LENGTH In. / MM	
		XR100SPA	100	3.6°	Comfort handle	11-7/16" / 290.5	2.02
		XRR10PA	72	5°	Comfort handle	10" / 254	

72

5°

Comfort handle

11" / 279.4

XRR11FPA

XR990AFPA 3/8" DRIVE AXIS™ **COMFORT HANDLE FLEX RATCHET - 9"**

XR790AK

XR790AK

XR1390AK

3/8" DRIVE AXIS™

GEAR Teeth

90

90

RATCHET Swing

4°

4°

METAL HANDLE

RATCHET - 7"

XR1390AFPA 3/8" DRIVE AXIS™ **COMFORT HANDLE** FLEX RATCHET - 13"

OVERALL LENGTH In. / MM

7"/1

13" / 330

MADE IN 4° 90 USA ARC TOOTH GEAR

XR1390AK

HANDLE

Metal

Metal

3/8" DRIVE AXIS™

METAL HANDLE

RATCHET - 13"

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm
XR990AFPA	90	4°	Comfort handle	9" / 228.6
XR1390AFPA	90	4°	Comfort handle	13" / 330

XR1890AFPA 3/8" DRIVE AXIS™ **COMFORT HANDLE** FLEX RATCHET - 18"

6 .0

XR990APA

3/8" DRIVE AXIS™

COMFORT HANDLE

GEAR Teeth

90

90

RATCHET SWING

4°

4°

RATCHET - 9"

PRODUCT #

XR990APA

XR1390APA

XR1390AFPAS 3/8" DRIVE AXIS™ **BENT COMFORT HANDLE** FLEX RATCHET - 13"

OVERALL LENGTH IN. / MM

13" / 330

.E	OVERALL LENGTH IN. / MM	PRODUCT #	GEAR Teeth	RATCHET Swing	HANDLE	OVERALL LENGTH IN. / MM
andle	9" / 228.6	XR1890AFPA	90	4°	Comfort handle	18" / 457.2
andle	13" / 330	XR1390AFPAS	90	4°	Bent comfort handle	13" / 330

XR1390LFK

3/8" DRIVE AXIS™

METAL HANDLE

LOCKING FLEX

RATCHET - 13"

XR1390LFPA

3/8" DRIVE AXIS™

LOCKING FLEX RATCHET - 13"

PRODUCT # XR1390LFPA

XR1890LFPA

COMFORT HANDLE

GEAR TEETH

90


90



3/8" DRIVE AXIS **COMFORT HANDLE** LOCKING FLEX RATCHET - 18"

TOOLS

		in the second					
RATCHET Swing	HANDLE	OVERALL LENGTH IN. / MM		PRODUCT #	GEAR Teeth	RATCHET Swing	
4°	Comfort handle	13" / 330	XR	1390LFK	90	4°	
4°	Comfort handle	18" / 457.2			2		









PRODUCT #	GEAR Teeth	RATCHET Swing	HANDLE	OVERALL LENGTH IN. / MM
XR5MK	30	12°	Knurled	4-3/4" / 120.7
XR8K	30	12°	Knurled	8" / 203.2





X12SFPA 3/8" DRIVE MAC-GRIP™ **BREAKER BAR - 12"**

- Full-polish chrome for corrosion resistance
- Ergonomic triangular design contour handle offers improved grip
- Black-oxide tip with 180° flex for improved leverage and greater strength



3/8" DRIVE SPECIALITY

SXEDLA3PT

3 PIECE 3/8" DRIVE LOCKING HAND DRIVE **EXTENSION SET**

- Can be used by hand or with ratchets
- Tri-lobal handle design is sleek and palm
- size, will not interfere with ratchets · Locking feature holds sockets firmly in place

OVERALL LENGTH
IN. / MM
3 Piece 3/8" Drive Locking Hand Drive Extension Set
6" / 152.4
10" / 254
18" / 457.2

DPS100-TBAR 3/8" DRIVE **RATCHETING T-BAR**

XR4C 3/8" DRIVE MINI RATCHET - 4"

• Stubby design gives user access in the tightest of spaces Push-button socket release

3/8

(3/8)

ID67MA 3/8" DRIVE IMPACT DRIVER

- Impact-action drives bit into head of seized and/or rusted slotted and Phillips[®] head fasteners
- · High-impact force helps prevent
- rounding out of fasteners head



3/8" DRIVE

EXTENSION SETS

SXEK5PT 5 PIECE 3/8" DRIVE **KNURLED EXTENSION SET**

SXEW5PT 5 PIECE 3/8" DRIVE **WOBBLE EXTENSION SETS**

20

SXMUEP102B

10 PIECE 3/8" DRIVE METRIC IMPACT DRIVELINE SOCKET SET

PRODUCT #	SIZE	OVERALL LENGTH			
SXMUEP102B	10 Piece 3/8" Drive Metric Extensions Impact Socket Set				
XUEP8MM	8	6"/152.4			
XUEP9MM	9	6"/152.4			
XUEP10MM	10	6"/152.4			
XUEP11MM	11	6"/152.4			
XUEP12MM	12	6"/152.4			
XUEP13MM	13	6"/152.4			
XUEP14MM	14	6" / 152.4			
XUEP15MM	15	6"/152.4			
XUEP16MM	16	6"/152.4			
XUEP17MM	17	6" / 152.4			



100







PRODUCT #	OVERALL LENGTH In. / MM
SXEK5PT	5 Piece Knurled Extension Set
X1E	1" / 25.4
X3EK	3" / 76.2
X6EK	6" / 152.4
X8EK	8" / 203.2
X12EK	12" / 304.8

OVERALL LENGTH In. / MM
5 Piece 3/8" Drive Wobble Extension Set
1-1/4" / 31.8
3" / 76.2
6" / 152.4
8" / 203.2
12" / 304.8



PRODUCT #	OVERALL LENGTH In. / Mm	TYPE
XP3EB	3" / 76.2	Ball
XP3EP	3" / 76.2	Pin
XP6EP	6" / 152.4	Pin
XP12EP	12" / 304.8	Pin
XP24EP	24" / 609.6	Pin





UNIVERSAL JOINT

X3U

- 3/8" Female to 3/8" Male
- Overall length: 1-3/4" / 44.5mm



AP1216 **IMPACT ADAPTER** • 3/8" Female to 1/2" Pin Male

• Overall length: 1-5/16" / 33.3mm

SECTION





• Overall length: 2" / 50.8mm









DRAIN PLUG SOCKET SET

• Hex, square, and triangle designs

Applications include: BMW[®], Ford[®], GM[®], Fiat[®], Mercedes[®], Audi[®], VW[®], Nissan[®], Mazda[®], Toyota[®],

Volvo®, and more

(3/8)

A1216

XUP2BB

ADAPTER

• 3/8" Female to 1/2" Male

• Overall length: 1-5/16" / 33.3mm


UNIVERSAL JOINT ADAPTER

• 3/8" Female to 3/8" Male

3/8

• Overall length: 2" / 50.8mm

PRODUCT #	SHAPE	SIZE	OVERALL LENGTH In. / Mm
SXHS14B	14 Piece 3/8"	Drive Dra	ain Plug Socket Set
XH8MM	Male Hex	8	1-7/16" / 36.5
ХНЭММ	Male Hex	9	1-7/16" / 36.5
XH10MM	Male Hex	10	1-7/16" / 36.5
XH12MM	Male Hex	12	1-7/16" / 36.5
XH14MM	Male Hex	14	1-7/16" / 36.5
XH17MM	Male Hex	17	1-7/16" / 36.5
XS104	Male Square	5/16"	1-7/16" / 36.5
XS124	Male Square	3/8"	1-7/16" / 36.5
XS47MM	Male Square	7	1-7/16" / 36.5
XS48MM	Male Square	8	1-7/16" / 36.5
XS410MM	Female Square	10	1-7/16" / 36.5
XS411MM	Male Square	11	1-7/16" / 36.5
XS413MM	Male Square	13	1-7/16" / 36.5
XT10MM	Male Triangle	10	1-7/16" / 36.5



SX13SBRPT SAE SPLINE SOCKET SET

PRODUCT #		SIZE IN.	OVERALL LENGTH In. / MM		
SX13SBRPT 13 P			Piece 3/8" Drive SAE Spline Socket Set		
~	X8SRP	T	1/4"	1-3/16" / 30	
	X10SR	PT	5/16"	1-3/16" / 30	
PLINE	X12SR	PT	3/8"	1-3/16" / 30	
	X14SR	PT	7/16"	1-3/16" / 30	
	X16SR	PT	1/2"	1-3/16" / 30	
	X18SRPT		9/16"	1-3/16" / 30	
	X20SR	PT	5/8"	1-3/16" / 30	
	X22SR	PT	11/16"	1-3/16" / 30	
	X24SR	PT	3/4"	1-3/16" / 30	
	X26SR	PT	13/16"	1-3/16" / 30	
	X28SRPT X30SRPT		7/8"	1-3/16" / 30	
			15/16"	1-3/16" / 30	
	X32SR	PT	1"	1-3/16" / 30	
	SRXS1	3PT		Socket Rail	



METRIC SPLINE SOCKET SET

	PRODUCT #		SIZE MM	OVERALL LENGTH In. / MM	
SXM12S	BRPT	12 Pie		e 3/8" Drive Metric Spline Socket Set	
	X8SM	MRPT	8	1-3/16"	
(^{MM})	X9SMI	MRPT	9	1-3/16"	
SPLINE	X10SN	IMRPT	10	1-3/16"	
	X11SMMRPT		11	1-3/16"	
	X12SMMRPT		12	1-3/16"	
	X13SN	IMRPT	13	1-3/16"	
	X14SN	IMRPT	14	1-3/16"	
	X15SN	IMRPT	15	1-3/16"	
	X16SN	IMRPT	16	1-3/16"	
	X175M	IMRPT	17	1-3/16"	
	X18SN	IMRPT	18	1-3/16"	
	X19SN	IMRPT	19	1-3/16"	
	SRXS1	2MMPT		Socket Rail	



SHEDDOOD







SX14T SAE SOCKET SET

PRODUCT #		SIZE IN.	OVERALL LENGTH IN. / MM
SX14T 14 F			Drive SAE Intermediate Socket Set
	X822	1/4"	1-1/4" / 31.8
(12)	X922	9/32"	1-1/4" / 31.8
SAE	X1022	5/16"	1-1/4" / 31.8
JAL	X1222	3/8"	1-1/2" / 38.1
	X1422	7/16"	1-1/2" / 38.1
	X1622	1/2"	1-1/2" / 38.1
	X1822	9/16"	1-3/4" / 44.5
	X2022	5/8"	1-3/4" / 44.5
	X2222	11/16"	1-3/4" / 44.5
	X2422	3/4"	1-3/4" / 44.5
	X2622	13/16"	1-3/4" / 44.5
	X2822	7/8"	1-3/4" / 44.5
	X3022	15/16"	1-3/4" / 44.5
	X3222	1"	1-3/4" / 44.5
	XT15		Metal Tray



SAE INTERMEDIATE SOCKET SET

PRO	IDUCT #	SIZE IN.	OVERALL LENGTH In. / Mm
SX146TR 14			Drive SAE Intermediate Socket Set
	X862	1/4"	1-1/4" / 31.8
6	X962	9/32"	1-1/4" / 31.8
SAE	X1062	5/16"	1-1/4" / 31.8
JAL	X1262	3/8"	1-1/2" / 38.1
	X1462	7/16"	1-1/2" / 38.1
	X1662	1/2"	1-1/2" / 38.1
	X1862	9/16"	1-3/4" / 44.5
	X2062	5/8"	1-3/4" / 44.5
	X2262	11/16"	1-3/4" / 44.5
	X2462	3/4"	1-3/4" / 44.5
	X2662	13/16"	1-3/4" / 44.5
	X2862	7/8"	1-3/4" / 44.5
	X3062	15/16"	1-3/4" / 44.5
	X3262	1"	1-3/4" / 44.5
	XT15		Metal Tray



SXIM136TR METRIC INTERMEDIATE SOCKET SET

PRODUCT # SXIM136TR 13 Pie		SIZE MM	OVERALL LENGTH In. / Mm	
			rive Metric Intermediate Socket Set	
	XI68	MMR	8	1-15/64" / 31.4
6)	X169	MMR	9	1-15/64" / 31.4
мм	XI61	OMMR	10	1-31/64" / 37.7
	XI61	1MMR	11	1-31/64" / 37.7
	XI61	2MMR	12	1-31/64" / 37.7
	XI61	3MMR	13	1-31/64" / 37.7
	XI61	4MMR	14	1-31/64" / 37.7
	XI61	5MMR	15	1-3/4" / 44.5
	XI61	6MMR	16	1-3/4" / 44.5
	XI61	7MMR	17	1-3/4" / 44.5
XI61		8MMR	18	1-3/4" / 44.5
	XI61	9MMR	19	1-3/4" / 44.5
	XI62	OMMR	20	1-3/4" / 44.5
	XT20	Y		Metal Tray



METRIC DEEP SOCKET SET

PRODUCT #		SIZE In.	OVERALL LENGTH In. / Mm	
SXDM142TR		14 Piece 3/8" Drive Metric Deep Socket Set		
	XD26	MMR	6	2-1/8" / 54
(12)	XD27	MMR	7	2-1/8" / 54
	XD28	MMR	8	2-1/8" / 54
	XD29	MMR	9	2-1/8" / 54
	XD21	OMMR	10	2-1/8" / 54
		1MMR	11	2-1/8" / 54
	XD21	2MMR	12	2-1/8" / 54
	XD21	3MMR	13	2-1/8" / 54
	XD21	4MMR	14	2-1/8" / 54
	XD21	5MMR	15	2-3/4" / 69.9
	XD21	6MMR	16	2-3/4" / 69.9
	XD21	7MMR	17	2-3/4" / 69.9
	XD21	8MMR	18	2-3/4" / 69.9
	XD21	9MMR	19	2-3/4" / 69.9
	XT7Y	R		Metal Tray



SXDM186TR / SXDM146TR **METRIC DEEP SOCKET SET**

PI	PRODUCT #		
SXDM18	6TR	18 Piece	3/8" Dri
SXDM14	6TR	14 Piece Deep So	
	XD66	MMR	6
G XD67		MMR	7
ММ	XD68	MMR	8
	XD69	MMR	9
	XD61	OMMR	10
	XD61	1MMR	11
	XD61	2MMR	12
XD61 XD61		3MMR	13
		4MMR	14
		5MMR	15
	XD61	6MMR	16
	XD61	7MMR	17
	XD61	8MMR	18
	XD61	9MMR	19
	XD62	OMMR	20
	XD62	1MMR	21
	XD62	2MMR	22
	XD62	3MMR	23
	XT17	YR	
	XT7Y	R	



SAE DEEP SOCKET SET

PI	RODUCT #	SIZE IN.	OVERALL LENGTH In. / Mm	
SXD122TR			12 Piece 3/8" Drive SAE Deep Socket Set	
	XD82R	1/4"	2-1/8" / 54	
12)	XD102R	5/16"	2-1/8" / 54	
SAE	XD122R	3/8"	2-1/8" / 54	
	XD142R	7/16"	2-1/8" / 54	
XD162R XD182R		1/2"	2-1/8" / 54	
		9/16"	2-3/4" / 69.9	
	XD202R	5/8"	2-3/4" / 69.9	
	XD222R	11/16"	2-3/4" / 69.9	
	XD242R	3/4"	2-3/4" / 69.9	
XD262R XD282R		13/16"	2-3/4" / 69.9	
		7/8"	2-3/4" / 69.9	
	XD302R	15/16"	2-3/4" / 69.9	
	XT19R		Metal Tray	



SAE DEEP SOCKET SET

PR	ODUCT #	SIZE IN.	OVERALL LENGTH In. / Mm		
SXD1261	ſR		12 Piece 3/8" Drive SAE Deep Socket Set		
XD86R		1/4"	2-1/8" / 54		
6)	XD106R	5/16"	2-1/8" / 54		
SAE	XD126R	3/8"	2-1/8" / 54		
	XD146R	7/16"	2-1/8" / 54		
	XD166R	1/2"	2-1/8" / 54		
	XD186DR	9/16"	2-3/4" / 69.9		
	XD206R	5/8"	2-3/4" / 69.9		
	XD226R	11/16	2-3/4" / 69.9		
	XD246R	3/4"	2-3/4" / 69.9		
	XD266R	13/16"	2-3/4" / 69.9		
	XD286R	7/8"	2-3/4" / 69.9		
	XD306R	15/16"	2-3/4" / 69.9		
	XT19R		Metal Tray		



METRIC DEEP SOCKETS

	PRODUCT #	SIZE MM	OVERALL LENGTH In. / MM
	XD69MMDR	9	2-3/4" / 69.9
	XD610MMDR	10	2-3/4" / 69.9
ММ	XD611MMDR	11	2-3/4" / 69.9
	XD612MMDR	12	2-3/4" / 69.9
	XD613MMDR	13	2-3/4" / 69.9
	XD614MMDR	14	2-3/4" / 69.9



SXMU106TRA **METRIC UNIVERSAL SOCKET SET**

P	PRODUCT # 10GTRA 10 Pieco XUG10MMRA XUG11MMRA XUG12MMRA XUG13MMRA XUG14MMRA XUG15MMRA	SIZE Mm	OVERALL LENGTH In. / MM	
SXMU10	6TRA	10 Pie		ve Metric Universal ket Set
	XU610	MMRA	10	1-3/4" / 44.5
(6)	XU611	MMRA	11	1-3/4" / 44.5
мм	XU612	MMRA	12	1-3/4" / 44.5
	XU613	MMRA	13	1-3/4" / 44.5
	XU614	MMRA	14	1-13/16" / 46
	XU615	MMRA	15	1-13/16" / 46
	XU616	MMRA	16	1-13/16" / 46
	XU617	MMRA	17	1-7/8" / 47.6
	XU618	MMRA	18	1-7/8" / 47.6
	XU619	MMRA	19	1-7/8" / 47.6
	XT22Y			Metal Tray



SXUDM106TRA **METRIC DEEP UNIVERSAL SOCKET SET**

	PRODUCT #		SIZE In. / Mm	OVERALL LENGTH In. / MM
SXUDM1				Drive Metric I Socket Set
	XUD610	MMRA	10	2-9/16" / 65.1
(6)	XUD611	MMRA	11	2-9/16" / 65.1
мм	XUD612	MMRA	12	2-9/16" / 65.1
IVIIVI	XUD613	MMRA	13	2-9/16" / 65.1
	XUD614	MMRA	14	2-9/16" / 65.1
	XUD615	MMRA	15	2-9/16" / 65.1
	XUD616	MMRA	16	2-9/16" / 65.1
	XUD617	MMRA	17	2-9/16" / 65.1
	XUD618	MMRA	18	2-9/16" / 65.1
	XUD619	MMRA	19	2-9/16" / 65.1
	XT33Y		M	etal Tray







SIZE

	_	
OVERALL LENGTH In. / Mm	SI	ET
e Metric Deep Socket	t Set	
e Metric		
2-1/8" / 54	•	•
2-1/8" / 54	•	٠
2-1/8" / 54	•	٠
2-1/8" / 54	٠	٠
2-1/8" / 54	٠	٠
2-1/8" / 54	•	•
2-1/8" / 54	٠	٠
2-1/8" / 54	•	•
2-1/8" / 54	٠	٠
2-3/4" / 69.9	•	•
2-3/4" / 69.9	٠	٠
2-3/4" / 69.9	•	•
2-3/4" / 69.9	•	•
2-3/4" / 69.9	•	•
2-3/4" / 69.9		•
2-3/4" / 69.9		•
2-3/4" / 69.9		•
2-3/4" / 69.9		•
Metal Tray		•
Metal Tray	•	



METRIC DEEP UNIVERSAL **IMPACT SOCKETS**

	PRODUCT #	SIZE MM
(12)	XUPD213MMRA	13
MM		10
	XUPD214MMRA	14
	XUPD215MMRA	15
	XUPD216MMRA	16
	XUPD217MMRA	17
	XUPD218MMRA	18
	XUPD219MMRA	19



SMXUHM8B **8 PIECE METRIC UNIVERSAL HEX DRIVER SET**

- Universal design allows access
- in tight locations
- S2 Bits for long lasting performance
- High polish, chrome-plated sockets for corrosion resistance

INCLUDES:

- 3mm 10mm Metric Universal Hex Drivers
- Plastic tray







SXSM116CR METRIC SOCKET SET

Р	RODUCT	#	SIZE MM	OVERALL LENGTH In. / Mm
SXSM116CR 11		11 Piec		ve Metric Super-Short :ket Set
	XS691	MMR	9	23/32" / 18.3
\mathbf{G}	XS610	OMMR	10	47/64" / 18.8
ММ	XS61	IMMR	11	49/64" / 19.6
	XS612	2MMR	12	57/64" / 20.3
	XS61		13	53/64" / 21
	XS614	1MMR	14	7/8" / 22.2
	XS61	5MMR	15	7/8" / 22.2
	XS610	GMMR	16	59/64" / 23.4
	XS61	7MMR	17	59/64" / 23.4
	XS618	BMMR	18	61/64" / 24.2
	XS619	9MMR	19	1" / 25.4
	SXS1	IGCR-CL		Socket Rail
1		C.W.		12.20

<mark>SX126TR</mark> Sae Socket Set

PRO	IDUCT #	SIZE In.	OVERALL LENGTH In. / MM
SX126TR	12 P	iece 3/8" D	Irive SAE Socket Set
	X86R	1/4"	1-3/32" / 27.8
6	X96R	9/32"	1-3/32" / 27.8
SAE	X106R	5/16"	1-3/32" / 27.8
	X126R	3/8"	1-3/32" / 27.8
	X146R	7/16"	1-3/32" / 27.8
	X166R	1/2"	1-1/8" / 28.6
	X186R	9/16"	1-1/8" / 28.6
	X206R	5/8"	1-1/8" / 28.6
	X226R	11/16"	1-1/8" / 28.6
	X246R	3/4"	1-3/16" / 30.2
	X266R	13/16"	1-3/16" / 30.2
	X286R	7/8"	1-5/16" / 33.3
	X306R	15/16"	1-5/16" / 33.3
	X326R	1"	1-3/8" / 34.9
	XT18R		Metal tray



SX122TR SAE SOCKET SET

(3/8)

PRODUCT #			SIZE IN.	OVERALL LENGTH In. / Mm
SX122TR	SX122TR 12		Piece 3/8"	Drive SAE Socket Set
	X82R		1/4"	1-3/32" / 27.8
(12)	X102	2	5/16"	1-3/32" / 27.8
SAE	X122	2	3/8"	1-3/32" / 27.8
	X142	8	7/16"	1-3/32" / 27.8
	X162	8	1/2"	1-1/8" / 28.6
	X182	8	9/16"	1-1/8" / 28.6
	X202I	8	5/8"	1-1/8" / 28.6
	X222	1	11/16"	1-1/8" / 28.6
	X242	2	3/4"	1-3/16" / 30.2
	X262	2	13/16"	1-3/16" / 30.2
	X282	2	7/8"	1-5/16" / 33.3
	X302I	2	15/16"	1-5/16" / 33.3
	XT18F	1		Metal tray



SXM186TR METRIC SOCKET SET

1.1	_			the second s
PR	ODUCT	1#	SIZE Mm	OVERALL LENGTH In. / Mm
SXM186	TR	18 Pie	ce 3/8" Dri	ve Metric Socket Se
	X66	MMR	6	1-3/32" / 27.8
6	X67	MMR	7	1-3/32" / 27.8
ММ	X68	MMR	8	1-3/32" / 27.8
	X69	MMR	9	1-3/32" / 27.8
	X61	OMMR	10	1-3/32" / 27.8
	X61	1 MMR	11	1-3/32" / 27.8
	X61	2MMR	12	1-1/8" / 28.6
	X61	3MMR	13	1-1/8" / 28.6
	X61	4MMR	14	1-1/8" / 28.6
	X61	5MMR	15	1-1/8" / 28.6
	X61	6MMR	16	1-1/8" / 28.6
	X61	7MMR	17	1-1/8" / 28.6
	X61	8MMR	18	1-3/16" / 30.2
	X61	9MMR	19	1-3/16" / 30.2
	X62	OMMR	20	1-3/16" / 30.2
	X62	1MMR	21	1-7/32" / 30.9
	X62	2MMR	22	1-5/16" / 33.3
	X62	3MMR	23	1-5/16" / 33.3
	XT1	6YR		Metal Tray



SXM142TR METRIC SOCKET SET

PR	ODUCI	ſ#	SIZE MM
SXM142	SXM142TR		ce 3/8" D
	X26	MMR	6
(12)	X27	MMR	7
ММ	X28	MMR	8
	X29	MMR	9
	X21	OMMR	10
	X21	1MMR	11
	X21	2MMR	12
	X21	3MMR	13
	X21	4MMR	14
	X21	5MMR	15
	X21	6MMR	16
	X21	7MMR	17
	X21	8MMR	18
	X21	9MMR	19
	XT6	Y	

WARNING: Chrome sockets and attachments should only be used with hand











SXM146TR METRIC SOCKET SET

OVERALL LENGTH In. / Mm		PRODUCT #		SIZE MM	OVERALL LENGTH In. / Mm
ive Metric Socket Set		SXM146TR	14 Piec	e 3/8" Dri	ve Metric Socket Set
1-3/32" / 27.8			6MMR	6	1-3/32" / 27.8
1-3/32" / 27.8		6 X6	7MMR	7	1-3/32" / 27.8
1-3/32" / 27.8		MM X6	BMMR	8	1-3/32" / 27.8
1-3/32" / 27.8		X6	9MMR	9	1-3/32" / 27.8
1-3/32" / 27.8		XG	10MMR	10	1-3/32" / 27.8
1-3/32" / 27.8		XG	11MMR	11	1-3/32" / 27.8
1-1/8" / 28.6	3.2	XG	12MMR	12	1-1/8" / 28.6
1-1/8" / 28.6		XG	13MMR	13	1-1/8" / 28.6
1-1/8" / 28.6	2.4	XG	14MMR	14	1-1/8" / 28.6
1-1/8" / 28.6		XG	15MMR	15	1-1/8" / 28.6
1-1/8" / 28.6	· · · · ·	XG	16MMR	16	1-1/8" / 28.6
1-1/8" / 28.6		XG	17MMR	17	1-1/8" / 28.6
1-3/16" / 30.2		XG	18MMR	18	1-3/16" / 30.2
1-3/16" / 30.2	1.47	XG	19MMR	19	1-3/16" / 30.2
Metal Tray	100	XT	βY		Metal Tray









SXPM112TR / SXPM116TR METRIC IMPACT SOCKET SETS

PRODUCT #		SIZE MM	OVERALL LENGTH In. / Mm	SE	T	
SXPM11	2TR	11 Piece	e 3/8" Dri	ive Metric Impact Socke	et Set	
SXPM11	6TR	11 Piece Socket S		ive Metric Impact		
	XP21	OMMR	10	1-1/32" / 26.2		•
(12)	XP21	1MMR	11	1-1/32" / 26.2		•
ММ	XP21	2MMR	12	1-1/32" / 26.2		•
	XP21	3MMR	13	1-1/32" / 26.2		•
	XP21	4MMR	14	1-1/32" / 26.2		•
	XP21	5MMR	15	1-1/32" / 26.2		•
	XP21	6MMR	16	1-1/32" / 26.2		•
	XP21	7MMR	17	1-1/32" / 26.2		•
	XP21	8MMR	18	1-1/32" / 26.2		•
	XP21	9MMR	19	1-1/32" / 26.2		•
	XP22	2MMR	22	1-1/32" / 26.2		•
\frown	XP61	OMMR	10	1-1/32" / 26.2	•	
(6)	XP61	1MMR	11	1-1/32" / 26.2	•	
ММ	XP61	2MMR	12	1-1/32" / 26.2	•	
	XP61	3MMR	13	1-1/32" / 26.2	•	
	XP61	4MMR	14	1-1/32" / 26.2	•	
	XP61	5MMR	15	1-1/32" / 26.2	•	
	XP61	6MMR	16	1-1/32" / 26.2	•	
	XP61	7MMR	17	1-1/32" / 26.2	•	
	XP61	8MMR	18	1-1/32" / 26.2	•	
	XP61	9MMR	19	1-1/32" / 26.2	•	
	XP62	2MMR	22	1-1/32" / 26.2	•	
	XT25	Y		Metal Tray	•	•

SXIPM176TR METRIC IMPACT SOCKET SET

and the state of the

P	RODUCT	#	SIZE MM	OVERALL LENGTH In. / MM
			rmediate a	" Drive Metric Ind Deep Impact Iet Set
	XDP68	BMMR	8	1-3/4" / 44.5
(6)	XDP69	MMR	9	1-3/4" / 44.5
ММ	XDP6	OMMR	10	1-3/4" / 44.5
	XDP6	1MMR	11	1-3/4" / 44.5
DEEP Apact	XDP6	2MMR	12	1-3/4" / 44.5
2	XDP6	I 3MMR	13	1-3/4" / 44.5
	XDP6	I 4MMR	14	1-3/4" / 44.5
	XIP61	5MMR	15	1-3/4" / 44.5
	XIP61	6MMR	16	1-3/4" / 44.5
$(\underline{6})$	XIP61	7MMR	17	1-3/4" / 44.5
ММ	XIP61	8MMR	18	1-3/4" / 44.5
AT	XIP61	9MMR	19	1-3/4" / 44.5
	XIP62	OMMR	20	1-3/4" / 44.5
TERN	XIP62	1MMR	21	1-3/4" / 44.5
<u>N</u>	XIP62	2MMR	22	1-3/4" / 44.5
	XIP62	3MMR	23	1-3/4" / 44.5
	XIP62	4MMR	24	1-3/4" / 44.5
	XT47Y			Metal Tray



SXDPM146TR METRIC DEEP IMPACT SOCKET SET

PRODUCT #			SIZE MM	OVERALL LENGTH In. / Mm	
SXDPM1	46TR		14 Piece 3/8" Drive 6-PT. Metric Deep Impact Socket Set		
	XDP68	MMR	8	1-3/4" / 44.5	
(6)	XDP69	MMR	9	1-3/4" / 44.5	
ММ	XDP61	OMMR	10	1-3/4" / 44.5	
	XDP61	1MMR	11	1-3/4" / 44.5	
	XDP612MMR XDP613MMR XDP614MMR		12	1-3/4" / 44.5	
			13	1-3/4" / 44.5	
			14	1-3/4" / 44.5	
	XDP61	5MMR	15	2-3/4" / 69.9	
	XDP61	6MMR	16	2-3/4" / 69.9	
	XDP61	7MMR	17	2-3/4" / 69.9	
	XDP61	8MMR	18	2-3/4" / 69.9	
	XDP619 XDP621		19	2-3/4" / 69.9	
			21	2-3/4" / 69.9	
	XDP62	4MMR	24	2-3/4" / 69.9	
	XT27Y			Metal Tray	

SXPM206PTR **METRIC IMPACT SOCKET SET**

	PRODUCT	#	SIZ MM
SXPM20	6PTR	20 Piece	e 3/8" Si
	XP610	MMR	10
	XP611	MMR	11
ММ	XP612	MMR	12
ARD	XP613	MMR	13
TANDAR	XP614	MMR	14
~	XP615	MMR	15
	XP616	MMR	16
	XP617	MMR	17
	XP618	MMR	18
	XP619	MMR	19
	XDP61	5MMR	15
	XDP61	6MMR	16
ММ	XDP61	7MMR	17
DEEP Pact	XDP61	8MMR	18
<u> </u>	XDP61	9MMR	19
	XDP61	OMMDR	10
(6)	XDP61	1MMDR	11
ММ	XDP61	2MMDR	12
ACT	XDP61	3MMDR	13
TRA D IMF	XDP61	4MMDR	14
EX	PT82		
		20.00	









OVERALL LENGTH In. / MM
ive Metric Impact et Set
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
1-1/32" / 26.2
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
2-3/4" / 69.9
Plastic Tray

SXUPM106TRA **METRIC IMPACT UNIVERSAL** SOCKET SET

Р	RODUCT	ŧ	SIZE MM	OVERALL LENGTH In. / MM
SXUPM1	06TRA		ce 3/8" Driv Universal S	ve Metric Impact Socket Set
	XUP61	OMMR	10	2" / 50.8
(6)	XUP611MMR		11	2" / 50.8
MM	XUP612MMR		12	2-1/16" / 52.4
	XUP61	3MMRA	13	2-1/16" / 52.4
		4MMRA	14	2-1/16" / 52.4
		5MMRA	15	2-1/16" / 52.4
	XUP61	6MMRA	16	2-1/8" / 54
XUP6170 XUP6180 XUP6190		7MMRA	17	2-1/8" / 54
		8MMRA	18	2-1/8" / 54
		9MMRA	19	2-1/8" / 54
	XT37Y		I	Vetal Tray



SXUPDM106TRA METRIC DEEP IMPACT UNIVERSAL SOCKET SET

I	PRODUCT #		SIZE MM	OVERALL LENGTH In. / Mm
SXUPDM	106TRA			Drive 6-PT. Metric Impact Socket Set
	XUPD61	OMMR	10	2-1/2" / 63.5
6	XUPD61	1MMR	11	2-9/16" / 65.1
ММ	XUPD61	2MMR	12	2-9/16" / 65.1
	XUPD61	3MMRA	13	2-5/8" / 66.7
	XUPD614		14	2-5/8" / 66.7
	XUPD61	5MMRA	15	2-11/16" / 68.3
	XUPD61	6MMRA	16	2-11/16" / 68.3
	XUPD61	7MMRA	17	2-3/4" / 69.9
	XUPD61	8MMRA	18	2-3/4" / 69.9
	XUPD61	9MMRA	19	2-13/16" / 71.4
	XT38Y			Metal Tray







PEAR AND ROUND HEAD

VR100SPA 1/2" DRIVE SWIVEL

HEAD 12" RATCHET

 Quick-release button, locks socket in place and releases the socket when depressed

72

Ergonomic design grip

VRR16FPA

PRODUCT #	GEAR Teeth	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm	
VR100SPA	100	3.6°	Comfort handle	12" / 304.8	

Comfort handle

5°

16" / 406.4

V24SFA

V18SFA

VR1190K	
1/2" DRIVE AXIS™	
METAL HANDLE	
RATCHET - 11"	

VR1890K 1/2" DRIVE AXIS™ METAL HANDLE RATCHET - 18"

MADE IN 4° 90 USA ARC TOOTH GEAR

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH IN. / MM
VR1190K	90	4°	Metal	11" / 279
VR1890K	90	4°	Metal	18" / 457

VR2690K 1/2" DRIVE AXIS™ Metal Handle Ratchet - 26"

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm
VR2690K	90	4°	Metal	26" / 660

VR1890PA 1/2" DRIVE AXIS™ Comfort Handle Ratchet - 18"

VR2690PA 1/2" DRIVE AXIS™ Comfort Handle Ratchet - 26"

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm
VR1890PA	90	4°	Comfort handle	18" / 457
VR2690PA	90	4°	Comfort handle	26" / 660

VR1890FK 1/2" DRIVE AXIS™ METAL HANDLE FLEX RATCHET - 18" VR1890FPA 1/2" DRIVE AXIS™ Comfort Handle Flex Ratchet - 18"

PRODUCT #	GEAR Teeth	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm
VR1890FK	90	4°	Metal	18" / 457
VR1890FPA	90	4°	Comfort handle	18" / 457



PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / MM
VR1890LFPA	90	4°	Comfort handle	18" / 457
VR2690LFPA	90	4°	Comfort handle	26" / 660

1/2" DR/VE BREAKER BARS

> V18SFA 1/2" DRIVE 18" BI-MATERIAL HANDLE BREAKER BAR

V24SFA

1/2" DRIVE 24" BI-MATERIAL Handle breaker bar

- High-polish nickel chrome finish provides corrosion protection
- and lasting appearance
- Heavy-duty design provides a
- stronger yoke-style head
 180° Flex for improved leverage and greater strength
- greater strength
- Field serviceable drive plug

VR1890LFK 1/2" DRIVE AXIS™ METAL HANDLE LOCKING FLEX

RATCHET - 18"

1/2" DRIVE AXIS™ METAL HANDLE LOCKING FLEX RATCHET - 26"

VR2690LFK

TOOLS

PRODUCT #	GEAR TEETH	RATCHET Swing	HANDLE	OVERALL LENGTH In. / Mm
VR1890LFK	90	4°	Metal	18" / 457
VR2690LFK	90	4°	Metal	26" / 660

VARNING: Chrome sockets and attachments should only be used with hand-operated han





VRR16FPA 1/2" DRIVE ROUND-HEAD Flex Ratchet - 16"

- 72-Tooth design provides a 5° ratchet swing for use in tight spaces
- Full-polish chrome for easy clean up
- Ergonomic-design grip

VR22FPB 1/2" DRIVE BI-MATERIAL PEAR-HEAD FLEX RATCHET - 22"



V15E24FA 1/2" DRIVE 15"-24" TELESCOPING BREAKER BAR

- 1/2" Breaker Bar
- Extends from 15" to 25"
- Excellent for mobile technicians, allowing them to fit the bar in regular carry tool boxes
- Tested in independent lab to destruction of 6800 in-lbs.





1/2" DRIVE ADAPTERS



• 1/2" Female to 3/8" Male

AP1612RB

AP1612RB-BIT

• Overall length: 1-7/16" / 36.5mm

2 PIECE IMPACT ADAPTER

• Overall length: 1-7/16" / 36.5mm

3/8" REPLACEMENT BIT




ADAPTER

• 1/2" Female to 3/4" Male • Overall length: 1-11/16" / 42.9mm



V3U **UNIVERSAL JOINT ADAPTER** • 1/2" Female to 1/2" Male

- Overall length: 3-15/16" / 100mm
- **VUP2PA** IMPACT UNIVERSAL JOINT
- 1/2" Female to 1/2" Pin Male





SVE5PT **5 PIECE EXTENSION SET**

	FRUDUGI#	IN. / mm
SVE5PT		5 Piece Extension Set
	V2E	2" / 50.8
	V3E	3" / 76.2
	V5EK	5" / 127
	V10E	10" / 254
	V15E	15" / 381
	PT61A	Plastic Tray

OVERALL LENGTH

SV5EWPT 5 PIECE 1/2" DRIVE **WOBBLE EXTENSION SET**

-01

10

Mar Contraction

TOOLS

	SV5EWPT	5 Piece 1/2" Drive Wobble Extension Set
	V1EW	1-5/8" / 41.3
	V3EW	3" / 76.2
	V5EW	5" / 127
	V10EW	10" / 254
	V15EW	15" / 381

OVERALL LENGTH IN. / MM

V10EK 1/2" DRIVE KNURLED **EXTENSION - 10"**

SVPEXR4PT **4 PIECE IMPACT REDUCING EXTENSION**

ADAPTER SET • Female Square End: 1/2"

• Male Square End: 3/8"

PRODUCT #	OVERALL LENGTH In. / MM
SVPEXR4PT	4 Piece Impact Extension Adapter Set
VP2EXR	2" / 50.8
VP5EXR	5" / 127
VP12EXR	12" / 304.8
VP24EXR	24" / 609.6
VP34EXR	34" / 863.6



IMPACT EXTENSIONS

PRODUCT #	OVERALL LENGTH In. / Mm
VP2EB	2" / 50.8
VP3EB	3" / 76.2
VP5EB	5" / 127
VP10EB	10" / 254
1	







AP1624 **IMPACT ADAPTER**

- 1/2" Female to 3/4" Male
- Overall length: 1-7/8" / 47.6mm



IMPACT UNIVERSAL JOINT

- 1/2" Female to 1/2" Male
- Overall length: 2-1/2" / 63.5mm



IMPACT UNIVERSAL JOINT

- 1/2" Female to 3/8" Male
- Overall length: 2-1/4" / 57.2mm





1/2" DRIVE CHROME AND DEEP SOCKET SETS



SV152TR SAE SOCKET SET

OVALOTO	PRODUCT #		OVERALL LENGTH In. / MM
SV152TR	15 Piec	e 1/2" Drive 12	-PT. SAE Socket Set
\sim	V122R	3/8"	1-1/2" / 38.1
(12)	V142R	7/16"	1-1/2" / 38.1
SAE	V162R	1/2"	1-1/2" / 38.1
JAL	V182R	9/16"	1-1/2" / 38.1
	V202R	5/8"	1-1/2" / 38.1
	V222R	11/16"	1-1/2" / 38.1
	V242R	3/4"	1-1/2" / 38.1
	V262R	13/16"	1-1/2" / 38.1
	V282R	7/8"	1-9/16" / 39.7
	V302R	15/16"	1-9/16" / 39.7
	V322R	1"	1-9/16" / 39.7
	V342R	1-1/16"	1-5/8" / 41.3
	V362R	1-1/8"	1-3/4" / 44.5
V382R		1-3/16"	1-3/4" / 44.5
	V402R	1-1/4"	1-7/8" / 47.6
	VT19	N	letal Tray



SV206TR SAE SOCKET SET

PRODUCT #		SIZE IN.	OVERALL LENGTH In. / Mm
SV206TR	20 F	Piece 1/2" Drive 6	-PT. SAE Socket Set
V126R		3/8"	1-1/2" / 38.1
6)	V146R	7/16"	1-1/2" / 38.1
SAE	V166R	1/2"	1-1/2" / 38.1
JAL	V186R	9/16"	1-1/2" / 38.1
	V206R	5/8"	1-1/2" / 38.1
	V226R	11/16"	1-1/2" / 38.1
	V246R	3/4"	1-1/2" / 38.1
	V266R	13/16"	1-1/2" / 38.1
V286R V306R V326R V346R		7/8"	1-9/16" / 39.7
		15/16"	1-9/16" / 39.7
		1"	1-9/16" / 39.7
		1-1/16"	1-5/8" / 41.3
	V366R	1-1/8"	1-3/4" / 44.5
	V386R	1-3/16"	1-3/4" / 44.5
	V406R	1-1/4"	1-7/8" / 47.6
	V426R	1-5/16"	1-7/8" / 47.6
	V446R	1-3/8"	2" / 50.8
	V466R	1-7/16"	2-1/4" / 57.2
	V486R	1-1/2"	2-1/4" / 57.2
	V506R	1-9/16"	2-1/4" / 57.2
	VT13	N	letal Tray



SVM232TR / SVM102TR **METRIC SOCKET SETS**

1/2)

PR	ODUCT #		SIZE MM	OVERALL LENGTH In. / MM	SI	T
SVM2321	ſR	23	Piece 1	/2" Drive Metric Socket	Set	
SVM1021	ſR	10	Piece 1	/2" Drive Metric Socket	Set	
	V210MMR		10	1-1/2" / 38.1	•	•
(12)	V211MMR		11	1-1/2" / 38.1	•	•
ММ	V212MMR		12	1-1/2" / 38.1	•	•
	V213MMR		13	1-1/2" / 38.1	•	•
	V214MMR		14	1-1/2" / 38.1	•	•
	V215MMR		15	1-1/2" / 38.1	•	•
	V216MMR		16	1-1/2" / 38.1	•	•
	V217MMR		17	1-1/2" / 38.1	•	•
	V218MMR		18	1-1/2" / 38.1	•	•
	V219MMR		19	1-1/2" / 38.1	•	•
	V220MMR		20	1-1/2" / 38.1		•
	V221MMR		21	1-1/2" / 38.1		•
	V222MMR		22	1-9/16" / 39.7		•
	V223MMR		23	1-9/16" / 39.7		•
	V224MMR		24	1-9/16" / 39.7		•
	V225MMR		25	1-9/16" / 39.7		•
	V226MMR		26	1-5/8" / 41.3		•
	V227MMR		27	1-5/8" / 41.3		•
	V228MMR		28	1-5/8" / 41.3		•
	V229MMR		29	1-3/4" / 44.5		•
	V230MMR		30	1-3/4" / 44.5		•
	V231MMR		31	1-3/4" / 44.5		•
	V232MMR		32	1-3/4" / 44.5		•
	VT7Y			Metal Tray	•	
	VT25Y			Metal Tray		•





SVM236TR / SVM106TR **METRIC SOCKET SETS**

SAE SOCKET SET

PRODUCT #

VD146R

VD166R

VD186R

VD206R

VD226R

VD246R

VD266R

VD286R

VD306R

VD326R

VD346R

VD366R

VT15

7/16"

1/2"

9/16"

5/8"

11/16"

3/4"

13/16"

7/8"

15/16"

1"

1-1/16"

1-1/8"

SVD126TR

6

SAE

PRODUCT #		SIZE MM	OVERALL LENGTH In. / MM	SI	T		
WM236TR 23 Piece			1/2" Dri	ve Metric Socket Set			
VM106TR 10 Piece			1/2" Dri	ve Metric Socket Set			- 61
\frown	V610MMR		10	1-1/2" / 38.1	٠	٠	St.
6)	V61	1MMR	11	1-1/2" / 38.1	•	٠	
ММ	V61	2MMR	12	1-1/2" / 38.1	•	٠	-
	V61	3MMR	13	1-1/2" / 38.1	•	•	1
	V61	4MMR	14	1-1/2" / 38.1	•	•	1
	V61	5MMR	15	1-1/2" / 38.1	•	•	-
	V 61	6MMR	16	1-1/2" / 38.1	•	•	
	V61	7MMR	17	1-1/2" / 38.1	٠	٠	1.1.1
	V 61	8MMR	18	1-1/2" / 38.1	٠	٠	
	V61	9MMR	19	1-1/2" / 38.1	•	•	
	V62	OMMR	20	1-1/2" / 38.1		•	
	V62	1MMR	21	1-1/2" / 38.1		٠	
	V62	2MMR	22	1-9/16" / 39.7		•	2.2
	V62	3MMR	23	1-9/16" / 39.7		٠	
	V62	4MMR	24	1-9/16" / 39.7		٠	
	V62	5MMR	25	1-9/16" / 39.7		•	-
	V62	6MMR	26	1-5/8" / 41.3		•	-
	V62	7MMR	27	1-5/8" / 41.3		•	
	V62	8MMR	28	1-5/8" / 41.3		•	
	V62	9MMR	29	1-3/4" / 44.5		•	
	V63	OMMR	30	1-3/4" / 44.5		٠	
	V63	1MMR	31	1-3/4" / 44.5		٠	
	V63	2MMR	32	1-3/4" / 44.5		٠	
	VT7	Y		Metal Tray	٠		
	VT2	5Y		Metal Tray		•	

TOOLS

MAR, TOOLS









SVDM102TR / SVDM106TR **METRIC SOCKET SETS**

1/2

					_	_
PI	SIZE OVERALL LENGTH PRODUCT # MM IN./MM SE					
SVDM10	SVDM102TR 10 Piece			ive Metric Deep Socke	t Set	
SVDM10	6TR	10 Piec Socket		ive Metric Deep		
	VD210	OMMR	10	3-1/4" / 82.6		•
(12)	VD21	IMMR	11	3-1/4" / 82.6		•
MM	VD212	2MMR	12	3-1/4" / 82.6		•
	VD213	BMMR	13	3-1/4" / 82.6		•
	VD214	1MMR	14	3-1/4" / 82.6		•
	VD21	5MMR	15	3-1/4" / 82.6		•
	VD210	6MMR	16	3-1/4" / 82.6		•
	VD21	7MMR	17	3-1/4" / 82.6		•
	VD218	BMMR	18	3-1/4" / 82.6		•
	VD21	9MMR	19	3-1/4" / 82.6		•
	VD22	OMMR	20	3-1/4" / 82.6		
	VD61	OMMR	10	3-1/4" / 82.6	•	
(6)	VD61	IMMR	11	3-1/4" / 82.6	•	
MM	VD612	2MMR	12	3-1/4" / 82.6	•	
	VD613	BMMR	13	3-1/4" / 82.6	•	
	VD614	1MMR	14	3-1/4" / 82.6	•	
	VD61	5MMR	15	3-1/4" / 82.6	•	
	VD61	6MMR	16	3-1/4" / 82.6	•	
	VD61	7MMR	17	3-1/4" / 82.6	•	
	VD61	BMMR	18	3-1/4" / 82.6	•	
	VD61	ƏMMR	19	3-1/4" / 82.6	•	
	VT231	1		Metal Tray	•	•

OVERALL LENGTH IN. / MM 12 Piece 1/2" Drive SAE Deep Socket Set 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 3-1/4" / 82.6 Metal Tray





1/2" DRIVE IMPACT, DEEP IMPACT AND UNIVERSAL IMPACT SETS 1/2



SVP156TR SAE IMPACT SOCKET SET

PRO	DUCT #	SIZE MM	OVERALL LENGTH In. / Mm		
SVP156T	R 1		Piece 1/2" Drive SAE Impact Socket Set		
	VP126R	3/8"	1-1/2" / 38		
(6)	VP146R	7/16"	1-1/2" / 38		
SAE	VP166R	1/2"	1-1/2" / 38		
	VP186R	9/16"	1-1/2" / 38		
	VP206R	5/8"	1-1/2" / 38		
	VP226R	11/16"	1-1/2" / 38		
	VP246R	3/4"	1-1/2" / 38		
	VP266R	13/16"	1-5/8" / 41.3		
	VP286R	7/8"	1-5/8" / 41.3		
	VP306R	15/16"	1-3/4" / 44.5		
	VP326R	1"	1-3/4" / 44.5		
	VP346R	1-1/16"	1-3/4" / 44.5		
	VP366R	1-1/8"	2" / 50.8		
	VP386R	1-3/16"	2" / 50.8		
	VP406R	1-1/4"	2" / 50.8		
	VT18		Metal Tray		



SVPM132TR METRIC IMPACT SOCKET SET

I	PRODUCT #		SIZE MM	OVERALL LENGTH IN. / MM
SVPM13	2TR	13 Piece	e 1/2" Dr	ive Metric Impact Socket Set
	VP210M	MR	10	1-1/2" / 38
(12)	VP211M	MR	11	1-1/2" / 38
ММ	VP212M	MR	12	1-1/2" / 38
	VP213M	MR	13	1-1/2" / 38
	VP214M	MR	14	1-1/2" / 38
	VP215M	MR	15	1-1/2" / 38
	VP216M	MR	16	1-1/2" / 38
	VP217M	MR	17	1-1/2" / 38
	VP218M	MR	18	1-1/2" / 38
	VP219M	MR	19	1-1/2" / 38
	VP221M	MR	21	1-5/8" / 41.3
	VP222M	MR	22	1-5/8" / 41.3
	VP224M	MR	24	1-3/4" / 44.5
	VT12Y			Metal Tray



METRIC DEEP IMPACT SOCKETS

(12)	PRODUCT #	SIZE MM
	HT976-2	30
MM	HT976-3	32
	HT976-4	34
	HT976-5	35
	HT976-6	36
	HT976-7	38
	HT976-8	39

TOOLS



SVPM236CBR METRIC IMPACT SOCKET SET

PRODUCT #			SIZE MM	OVERALL LENGTH IN. / MM	
SVPM23	6CBR	23 P	iece 1/2" Drive Metric Impact Socket Set		
VP61		OMMR	10	1-1/2" / 38	
(6)	VP61	1 MMR	11	1-1/2" / 38	
ММ	VP61	2MMR	12	1-1/2" / 38	
	VP61	3MMR	13	1-1/2" / 38	
	VP61	4MMR	14	1-1/2" / 38	
	VP61	5MMR	15	1-1/2" / 38	
	VP61	6MMR	16	1-1/2" / 38	
	VP61	7MMR	17	1-1/2" / 38	
	VP6 1	BMMR	18	1-1/2" / 38	
	VP61	9MMR	19	1-1/2" / 38	
	VP62	OMMR	20	1-5/8" / 41.3	
	VP62	1 MMR	21	1-5/8" / 41.3	
	VP62	2MMR	22	1-5/8" / 41.3	
	VP62	3MMR	23	1-5/8" / 41.3	
	VP624	4MMR	24	1-3/4" / 44.5	
	VP62	5MMR	25	1-3/4" / 44.5	
	VP62	6MMR	26	1-3/4" / 44.5	
	VP62	7MMR	27	1-3/4" / 44.5	
	VP62	9MMR	29	2" / 50.8	
	VP6 3	OMMR	30	2" / 50.8	
	VP63	2MMR	32	2" / 50.8	
	SC79	R	36	2" / 50.8	
	VP64	6MMR	46	2-3/8" / 60.3	
	SH50			Socket Rail	



SVDPM116TR / SVD METRIC DEEP IN

PRODUCT #

SVDPM246CBR 24 Piec Socket

VDP610MMR

VDP611MMR

VDP612MMR

VDP613MMR VDP614MMR

VDP615MMR

VDP616MMR

VDP617MMR VDP618MMR

VDP619MMR VDP620MMR VDP621MMR VDP622MMR VDP623MMR VDP624MMR VDP625MMR VDP626MMR VDP627MMR VDP629MMR

VDP630MMR

VDP634MMR

VDP635MMR

VDP636MMR

VT24Y

VT36YR

SH50

SVDPM116TR

SVDPM166TR

(6)

MM

11 Piec Socket

16 Piec Socket

DPM166TR / SVDPM246CBR MPACT SOCKET SETS						SVUPM METR	IC UI	NIVE	
	SIZE MM	OVERALL LENGTH In. / Mm		SET			SOCKI	:1 21	
	e 1/2" [Set	Drive Metric Deep Impa	ict				P	RODUCT	#
	e 1/2" [Set	Drive Metric Deep Impa	ct				SVUPM9	6TR	9 F I
	e 1/2" D Set)rive Metric Deep Impa	ct				(6)		13MMR 14mmr
	10	3-1/4" / 82.6	٠	•	٠		ММ		15MMR
	11	3-1/4" / 82.6	٠	•		1			
	12	3-1/4" / 82.6	٠	•	٠				17MMR
	13	3-1/4" / 82.6	٠	•	٠			VUP6	18MMR
	14	3-1/4" / 82.6	٠	٠	٠			VUP6	19MMR
	15	3-1/4" / 82.6	٠	٠	٠			VUP6	21MMR
	16	3-1/4" / 82.6	٠	٠	٠	1.1		VUP6	22MMR
	17	3-1/4" / 82.6	٠	•	٠			VUP6	24MMR
	18	3-1/4" / 82.6	٠	•	٠			VT29Y	,
	19	3-1/4" / 82.6	٠	٠	٠	1.00		1231	5.9.77
	20	3-1/4" / 82.6	٠	•					
	21	3-1/4" / 82.6	٠	•	٠				
	22	3-1/4" / 82.6	٠	•		1			
	23	3-1/4" / 82.6	٠	٠					
	24	3-1/4" / 82.6	٠	•	٠	÷., .,			
	25	3-1/4" / 82.6	٠	•					
	26	3-1/4" / 82.6	٠			-			
	27	3-1/4" / 82.6	٠			150			

3-1/4" / 82.6

3-1/4" / 82.6

3-1/4" / 82.6

3-1/4" / 82.6

3-1/4" / 82.6

3-1/4" / 82.6

Metal Tray

Metal Tray Socket Rail

29

30

32

34

35

36





NIVERSAL IMPACT

9 Piece 1

Impac

SIZE MM	OVERALL LENGTH In. / Mm					
/2" Drive Metric Universal Socket Set in Metal Tray						
13	2-5/8" / 66.7					
14	2-5/8" / 66.7					
15	2-5/8" / 66.7					
17	2-5/8" / 66.7					
18	2-5/8" / 66.7					
19	2-5/8" / 66.7					
21	2-5/8" / 66.7					
22	2-5/8" / 66.7					
24	2-5/8" / 66.7					
	Metal Tray					



SVUPDM76PTR METRIC DEEP UNIVERSAL SOCKET SET

P	RODUCT #	SIZE IN. / MM	OVERALL LENGTH In. / Mm
			Drive Metric Deep npact Socket Set
	VUPD613MMR	13	3-1/2" / 88.9
(6)	VUPD614MMR	14	3-1/2" / 88.9
ММ	VUPD615MMR	15	3-1/2" / 88.9
	VUPD616MMR	16	3-1/2" / 88.9
	VUPD617MMR	17	3-1/2" / 88.9
	VUPD618MMR	18	3-1/2" / 88.9
	VUPD619MMR	19	3-1/2" / 88.9
	PT158		Plastic Tray

INTERMEDIATE IMPACT SOCKETS

(6)	PRODUCT #	SIZE MM
	VIP610MMR	10
IVIIVI	VIP611MMR	11
	VIP612MMR	12
	VIP613MMR	13
	VIP614MMR	14
	VIP615MMR	15
	VIP616MMR	16
	VIP617MMR	17
	VIP618MMR	18
	VIP619MMR	19











3/4" ADAPTER • 3/4" Female to 1/2" male • Overall length: 2-1/4" (57.2mm)

A2416A



AP2432 3/4" IMPACT ADAPTER - 3/4" Female to 1" male - Overall length: 2-19/32" (65.9mm)



3/4" ADAPTER

3/4" Female to 1" male
Overall length: 2-5/8" (66.7mm)

A2432A



ZP7EP 7" IMPACT EXTENSION • Hole type retainer




3/4" Female to 1/2" male
Overall length: 1-15/16" (49.2mm)



• 3/4" Male square









DRIVER SETS TORX® AND STAR DRIVER SETS



TORX® DRIVER SET

PRODUCT #		TORX® Size	DRIVE Size	OVERALL LENGTH In. / Mm		
ST11T		11 Piece 1/4	11 Piece 1/4" and 3/8" Drive Torx® Driver Set			
	MT8	T8	1/4"	1-7/16" / 36.5		
ΣX	MT10	T10	1/4"	1-7/16" / 36.5		
•	MT15	T15	1/4"	1-7/16" / 36.5		
	MT20	T20	1/4"	1-7/16" / 36.5		
	MT25	T25	1/4"	1-7/16" / 36.5		
	MT27	T27	1/4"	1-7/16" / 36.5		
	T30	T30	3/8"	1-7/8" / 47.6		
	T40	T40	3/8"	1-7/8" / 47.6		
	T45	T45	3/8"	1-7/8" / 47.6		
	T50	T50	3/8"	1-7/8" / 47.6		
	T55	T55	3/8"	1-7/8" / 47.6		
	MXT1		Metal Tra	у		



ST11HT TAMPER-RESISTANT TORX® DRIVER SET

PRODUCT #		TORX® Size	DRIVE Size	OVERALL LENGTH In. / Mm			
ST11HT			11 Piece 1/4" and 3/8" Drive Tamper-Resistant Torx® Driver Set				
	MT8H	T8	1/4"	1-7/16" / 36.5			
X	MT10H	T10	1/4"	1-7/16" / 36.5			
V	MT15H	T15	1/4"	1-7/16" / 36.5			
	MT20H	T20	1/4"	1-7/16" / 36.5			
	MT25H	T25	1/4"	1-7/16" / 36.5			
	MT27H	T27	1/4"	1-7/16" / 36.5			
	T30H	T30	3/8"	1-7/8" / 47.6			
	T40H	T40	3/8"	1-7/8" / 47.6			
	T45H	T45	3/8"	1-7/8" / 47.6			
	T50H	T50	3/8"	1-7/8" / 47.6			
	T55H	T55	3/8"	1-7/8" / 47.6			
	MXT1		Metal Tra	ау			

TOOLS



TAMPER-RESISTANT TORX® DRIVER SET

PRODUCT #		TORX® Size	DRIVE Size	OVERALL LENGTH In. / MM
ST12HB			ce 1/4" and 3 esistant Torx	8/8" Drive ® Driver Set
	MT8BHS	T8H	1/4"	1-7/16" / 36.5
	MT10BHS	T10H	1/4"	1-7/16" / 36.5
Ť	MT15BHS	T15H	1/4"	1-7/16" / 36.5
	MT20BHS	T20H	1/4"	1-7/16" / 36.5
	MT25BHS	T25H	1/4"	1-7/16" / 36.5
	MT27BHS	T27H	1/4"	1-7/16" / 36.5
	XT30BHS	T30H	3/8"	1-7/8" / 47.6
	XT40BHS	T40H	3/8"	1-7/8" / 47.6
	XT45BHS	T45H	3/8"	1-7/8" / 47.6
	XT47BHS	T47H	3/8"	1-7/8" / 47.6
	XT50BHS	T50H	3/8"	1-7/8" / 47.6
	XT55BHS	T55H	3/8"	1-7/8" / 47.6



5-PT. STAR TAMPER-RESISTANT DRIVER SET · S2 bits for long lasting performance

PRODUCT # SMXTSH11B		TORX® Size	DRIVE Size	OVERALL LENGTH In. / MM
		11 Piece 5-PT. Star Tamper-Resistant Driver Set		
	MTS8H	TS8H	1/4"	1-7/16" / 36.5
1.7	MTS10H	TS10H	1/4"	1-7/16" / 36.5
	MTS15H	TS15H	1/4"	1-7/16" / 36.5
	MTS20H	TS20H	1/4"	1-7/16" / 36.5
	MTS25H	TS25H	1/4"	1-7/16" / 36.5
	MTS27H	TS27H	1/4"	1-7/16" / 36.5
	MTS30H	TS30H	1/4"	1-7/16" / 36.5
	XTS40H	TS40H	3/8"	1-7/8" / 47.6
	XTS45H	TS45H	3/8"	1-7/8" / 47.6
	XTS50H	TS50H	3/8"	1-7/8" / 47.6
	XTS55H	TS55H	3/8"	1-7/8" / 47.6



STTP25B

STAR AND STAR PLUS DRIVER SET

- · Complete set designed for use on Star and Star Plus fasteners
- S2 Bits for long lasting durability
- Full polish, chrome-plated sockets
- · Packaged in blow-moulded case for easy organisation and storage



STP12B

STAR PLUS DRIVER SET

- Star Plus for high torque transmission
- Eliminates cam out S2 bits stronger, more durable performance
- · Chrome sockets superior corrosion resistance



ST13B

STAR DRIVER SET

- Designed for use on Star fasteners
 S2 Bits for long lasting durability
- Full polish, chrome-plated sockets



· Packaged in blow-moulded case for easy organisation and storage



SST13PT

- **STUBBY STAR DRIVER SET**
- Designed for use on Star fasteners
- Stubby length for access in tight areas (1" to 1-13/16")
- S2 bits for long lasting durability
- (13) Full-polish, chrome-plated sockets (T8 to T60)

04

DDU	DUCT #	TORX® Size	DRIVE Size	OVERALL LENGTH		c1	т	
TTP25B	5001 #	SIZE SIZE IN. / MM SET 25 Piece Star and Star Plus Driver Set						
TP12B		12 Piece Star Plus Driver Set						
T13B		13 Piece Star Driver Set						
ST13PT		13 Piece Stubby Star Driver Set						
	MTP8BS	TP8	1/4"	1-7/16" / 36.5			•	•
	MTP10BS	TP10	1/4"	1-7/16" / 36.5			•	•
	MTP15BS	TP15	1/4"	1-7/16" / 36.5			•	•
	MTP20BS	TP20	1/4"	1-7/16" / 36.5			•	•
	MTP25BS	TP25	1/4"	1-7/16" / 36.5			•	•
	MTP27BS	TP27	1/4"	1-7/16" / 36.5			٠	٠
	XTP30BS	TP30	3/8"	1-7/8" / 47.6			٠	•
	XTP40BS	TP40	3/8"	1-7/8" / 47.6			٠	٠
	XTP45BS	TP45	3/8"	1-7/8" / 47.6			•	٠
	XTP50BS	TP50	3/8"	1-7/8" / 47.6			•	٠
	XTP55BS	TP55	3/8"	1-7/8" / 47.6			•	•
	VTP60BS	TP60	1/2"	2-3/16" / 55.6			•	•
	MT8BS	T8	1/4"	1-7/16" / 36.5		•		٠
	MT10BS	T10	1/4"	1-7/16" / 36.5		٠		٠
	MT15BS	T15	1/4"	1-7/16" / 36.5		٠		٠
	MT20BS	T20	1/4"	1-7/16" / 36.5		٠		٠
	MT25BS	T25	1/4"	1-7/16" / 36.5		۰		٠
	MT27BS	T27	1/4"	1-7/16" / 36.5		٠		٠
	XT30BS	T30	3/8"	1-7/8" / 47.6		•		•
	XT40BS	T40	3/8"	1-7/8" / 47.6		•		•
	XT45BS	T45	3/8"	1-7/8" / 47.6		٠		٠
	XT47BS	T47	3/8"	1-7/8" / 47.6		•		•
	XT50BS	T50	3/8"	1-7/8" / 47.6		•		•
	XT55BS	T55	3/8"	1-7/8" / 47.6		•		•
	VT60BS	T60	1/2"	2-3/16" / 55.6		•		•
	MT8BSS	T8	1/4"	1-29/64" / 37	•			
	MT10BSS	T10	1/4"	1-29/64" / 37	•			
4	MT15BSS	T15	1/4"	1-29/64" / 37	•			
	MT20BSS	T20	1/4"	1-29/64" / 37	•			
	MT25BSS	T25	1/4"	1-29/64" / 37	•			
	MT27BSS	T27	1/4"	1-29/64" / 37	•			
	XT30BSS	T30	3/8"	1-57/64" / 48	•			
	XT40BSS	T40	3/8"	1-57/64" / 48	•			
	XT45BSS	T45	3/8"	1-57/64" / 48	•			
	XT47BSS	T47	3/8"	1-57/64" / 48	•			
	XT50BSS	T50	3/8"	1-57/64" / 48	•			
	XT55BSS	T55	3/8"	1-57/64" / 48	•			
	VTGOBSS	T60	3/8"	2-11/64" / 55	•			





- · High-strength steel for durability
- High-polish chrome set

SMXT25B

PRODUCT #		SIZE	DRIVE SIZE	OVERALL Length	OVERALL Length [mm]		
SMXT25B		25 Piece Star Driver Set					
	MT8BS	T8	1/4"	1-1/32	26		
57	MT8BHS	T8H	1/4"	1-29/64	37		
	MT10BS	T10	1/4"	1-1/32	26		
	MT10BHS	T10H	1/4"	1-29/64	37		
	MT15BS	T15	1/4"	1-1/32	26		
	MT15BHS	T15H	1/4"	1-29/64	37		
	MT20BS	T20	1/4"	1-1/32	26		
	MT20BHS	T20H	1/4"	1-29/64	37		
	MT25BS	T25	1/4"	1-1/32	26		
	MT25BHS	T25H	1/4"	1-29/64	37		
	MT27BS	T27	1/4"	1-29/64	37		
	MT27BHS	T27H	1/4"	1-29/64	37		
	VT60BS	T60	1/2"	1-13/16	46		
	XT30BS	T30	3/8"	1-11/32	34		
	XT30BHS	T30H	3/8"	1-57/64	48		
	XT40BS	T40	3/8"	1-11/32	34		
	XT40BHS	T40H	3/8"	1-57/64	48		
	XT45BS	T45	3/8"	1-11/32	34		
	XT45BHS	T45H	3/8"	1-57/64	48		
	XT47BS	T47	3/8"	1-11/32	34		
	XT47BHS	T47H	3/8"	1-57/64	48		
	XT50BS	T50	3/8"	1-11/32	34		
	XT50BHS	T50H	3/8"	1-57/64	48		
	XT55BS	T55	3/8"	1-11/32	34		
	XT55BHS	T55H	3/8"	1-57/64	48		



PRUDUCI #		SIZE	DRIVE SIZE	IN. / MM
STP9LPT		9 Piece I	Long Impact S	Star Driver Set
	XTL20BSP	T20	1/4"	5-15/16" / 150
XX	XTL25BSP	T25	1/4"	5-15/16" / 150
•	XTL27BSP	T27	1/4"	5-15/16" / 150
	XTL30BSP	T30	3/8"	5-15/16" / 150
	XTL40BSP	T40	3/8"	5-15/16" / 150
	XTL45BSP	T45	3/8"	5-15/16" / 150
	XTL50BSP	T50	3/8"	5-15/16" / 150
	XTL55BSP	T55	3/8"	5-15/16" / 150
	VTL60BSP	T60	1/2"	5-15/16" / 150

TOOLS



SMXVTL13B LONG STAR DRIVER SET

- Long bits for access in hard-to-reach places
 High-strength steel for durability
- High-polish chrome set



PRODUCT #		SIZE	DRIVE SIZE	OVERALL LENGTH	OVERALL Length [mm]	
SMXVTL13	В	13 Piece Long Star Driver Set				
	MTL8	T8	1/4"	5"	127	
57	MTL10	T10	1/4"	5"	127	
	MTL15	T15	1/4"	5"	127	
	MTL20	T20	1/4"	5"	127	
	MTL25	T25	1/4"	5"	127	
	XTL27	T27	3/8"	5"	127	
	XTL30	T30	3/8"	5"	127	
	XTL40	T40	3/8"	5"	127	
	VTL45	T45	1/2"	6"	152.4	
	VTL50	T50	1/2"	6"	152.4	
	VTL55	T55	1/2"	6"	152.4	
	VTL60	T60	1/2"	6"	152.4	
	VTL70	T70	1/2"	6"	152.4	

SST13PT **13 PIECE STUBBY STAR DRIVER SET**



PRODUCT #		SIZE	DRIVE SIZE	OVERALL LENGTH In. / Mm
SST13PT		13 Pie	ce Stubby Sta	r Driver Set
	MT8BSS	T8	1/4"	1" / 25
$\Sigma \overline{X}$	MT10BSS	T10	1/4"	1" / 25
	MT15BSS	T15	1/4"	1" / 25
	MT20BSS	T20	1/4"	1" / 25
	MT25BSS	T25	1/4"	1" / 25
	MT27BSS	T27	1/4"	1" / 25
	XT30BSS	T30	3/8"	1-13/16" / 46
	XT40BSS	T40	3/8"	1-13/16" / 46
	XT45BSS	T45	3/8"	1-13/16" / 46
	XT47BSS	T47	3/8"	1-13/16" / 46
	XT50BSS	T50	3/8"	1-13/16" / 46
	XT55BSS	T55	3/8"	1-13/16" / 46
	VT60BSS	T60	1/2"	2-1/16" / 53



DRIVER SETS

TORX® AND STAR DRIVER SETS

9 PIECE STAR DRIVER SET

PRODUCT #		SIZE	DRIVE SIZE	OVERALL LENGTH In. / Mm
STP9PT		9	Piece Star Dri	ver Set
	MT20BSP	T20	1/4"	1" / 25
ΣX	MT25BSP	T25	1/4"	1" / 25
	MT27BSP	T27	1/4"	1" / 25
	XT30BSP	T30	3/8"	1-1/4" / 32
	XT40BSP	T40	3/8"	1-1/4" / 32
	XT45BSP	T45	3/8"	1-1/4" / 32
	XT50BSP	T50	3/8"	1-1/4" / 32
	XT55BSP	T55	3/8"	1-1/4" / 32
	VT60BSP	T60	1/2"	1-1/2" / 38



SMXVED13B **13 PIECE DEEP INVERTED STAR SOCKET SET**

PRO	DUCT #	SIZE	DRIVE SIZE	OVERALL LENGTH In. / MM
SMXVED13	B	13 Piece D	leep Inverted	Star Socket Set
	MED4S	E4	1/4"	2" / 51
	MED5S	E5	1/4"	2" / 51
	MED6S	E6	1/4"	2" / 51
	MED7S	E7	1/4"	2" / 51
	MED8S	E8	1/4"	2" / 51
	XED10S	E10	3/8"	2-1/2" / 63
	XED12S	E12	3/8"	2-1/2" / 63
	XED14S	E14	3/8"	2-1/2" / 63
	XED16S	E16	3/8"	2-1/2" / 63
	VED18S	E18	1/2"	3" / 76
	VED20S	E20	1/2"	3" / 76
	VED22S	E22	1/2"	3" / 76
	VED24S	E24	1/2"	3" / 76





SMXVEP13B **13 PIECE IMPACT INVERTED STAR SOCKET SET**

PRODUCT #		SIZE	DRIVE SIZE	OVERALL LENGTH In. / Mm	
SMXVEP13	B	13 Piece In	13 Piece Impact Inverted Star Socket Set		
	MEP4S	E4	1/4"	1" / 25	
	MEP5S	E5	1/4"	1" / 25	
	MEP6S	E6	1/4"	1" / 25	
	MEP7S	E7	1/4"	1" / 25	
	MEP8S	E8	1/4"	1" / 25	
	XEP10S	E10	3/8"	1-1/4" / 32	
	XEP12S	E12	3/8"	1-1/4" / 32	
	XEP14S	E14	3/8"	1-1/4" / 32	
	XEP16S	E16	3/8"	1-1/4" / 32	
	VEP18S	E18	1/2"	1-1/2" / 38	
	VEP20S	E20	1/2"	1-1/2" / 38	
	VEP22S	E22	1/2"	1-1/2" / 38	
	VEP24S	E24	1/2"	1-1/2" / 38	



SMXVE13B **13 PIECE EXTERNAL STAR SOCKET SET**

PRODUCT #		SIZE	DRIVE SIZE	OVERALL LENGTH In. / MM
SMXVE13E	3	13 Piec	e External Sta	ır Socket Set
	ME4S	E4	1/4"	1" / 25
	ME5S	E5	1/4"	1" / 25
	ME6S	E6	1/4"	1" / 25
	ME7S	E7	1/4"	1" / 25
	ME8S	E8	1/4"	1" / 25
	XE10S	E10	3/8"	1-1/8" / 28.6
	XE12S	E12	3/8"	1-1/8" / 28.6
	XE14S	E14	3/8"	1-1/8" / 28.6
	XE16S	E16	3/8"	1-1/4" / 32
	VE18S	E18	1/2"	1-1/2" / 38
	VE20S	E20	1/2"	1-1/2" / 38
	VE22S	E22	1/2"	1-1/2" / 38
	VE24S	E24	1/2"	1-1/2" / 38



SMXVHT50B

- MASTER STAR AND HEX DRIVER SET
- Long bits for access in hard-to-reach places
 High-strength steel for durability
- High-polish chrome set



PRODU	CT #	TORX [®] SIZE	DRIVE SIZE	OVERALL LENGTH In. / MM		PF	RODU
SMXVHT50B			50 Piece Star Driver Set			ONTINU	ED
М	E4S	E4	1/4"	1" / 25			M
M	E5S	E5	1/4"	1" / 25			M
M	E6S	E6	1/4"	1" / 25		Ň	M
М	E7S	E7	1/4"	1" / 25			M
М	E8S	E8	1/4"	1" / 25			M
X	E10S	E10	3/8"	1-1/8" / 28			M
X	E12S	E12	3/8"	1-1/8" / 28			X
X	E14S	E14	3/8"	1-1/8" / 28			X
X	E16S	E16	3/8"	1-1/8" / 28			X
V	E18S	E18	1/2"	1-1/2" / 38			X
V	E20S	E20	1/2"	1-1/2" / 38			X
M	T8BS	T8	1/4"	1-1/32" / 26			X
M	T10BS	T10	1/4"	1-1/32" / 26			X
M	T15BS	T15	1/4"	1-1/32" / 26			X
М	T20BS	T20	1/4"	1-1/32" / 26			X
М	T25BS	T25	1/4"	1-1/32" / 26			X
М	T27BS	T27	1/4"	1-7/16" / 37	1		X
X	T30BS	T30	3/8"	1-3/8" / 34			X
X	F40BS	T40	3/8"	1-3/8" / 34			X
X	F45BS	T45	3/8"	1-3/8" / 34	1		X
X	F47BS	T47	3/8"	1-3/8" / 34			X
X	T50BS	T50	3/8"	1-3/8" / 34			X
X	T55BS	T55	3/8"	1-3/8" / 34			X
V	F60BS	T60	1/2"	1-13/16" / 46			X
27-1-2	1000			397			X

Star drivers (or sockets when appropriate) are for use with Torx® fasteners; a registered trademark of Acument Intellectual Properties, LLC

PRODUCT # NUED		TORX® SIZE	DRIVE SIZE	IN. / MM
		50 Piece Star Driver Set		
	MT8BHS	T8H	1/4"	1-7/16" / 37
	MT10BHS	T10H	1/4"	1-7/16" / 37
	MT15BHS	T15H	1/4"	1-7/16" / 37
	MT20BHS	T20H	1/4"	1-7/16" / 37
	MT25BHS	T25H	1/4"	1-7/16" / 37
	MT27BHS	T27H	1/4"	1-7/16" / 37
	XT30BHS	T30H	3/8"	1-7/8" / 48
	XT40BHS	T40H	3/8"	1-7/8" / 48
	XT45BHS	T45H	3/8"	1-7/8" / 48
	XT47BHS	T47H	3/8"	1-7/8" / 48
	XT50BHS	T50H	3/8"	1-7/8" / 48
	XT55BHS	T55H	3/8"	1-7/8" / 48
	XH86B	1/4"	3/8"	2-3/4" / 70
	XH46B	1/8"	3/8"	2-3/4" / 70
	XH56B	5/32"	3/8"	2-3/4" / 70
	XH66B	3/16"	3/8"	2-3/4" / 70
	XH76B	7/32"	3/8"	2-3/4" / 70
	XH106B	5/16"	3/8"	2-3/4" / 70
	XH126B	3/8"	3/8"	2-3/4" / 70
	XH4MMB	4mm	3/8"	2-3/4" / 70
	XH5MMB	5mm	3/8"	2-3/4" / 70
	XH6MMB	6mm	3/8"	2-3/4" / 70
	XH7MMB	7mm	3/8"	2-3/4" / 70
	XH8MMB	8mm	3/8"	2-3/4" / 70
	XH9MMB	9mm	3/8"	2-3/4" / 70

10mm 3/8"

2-3/4" / 70

XH10MMB

OVERALL LENGTH

5
 A
XEL45

3/8" EXTERNAL STAR SOCKETS

 PRODUCT #	SIZE.	DRIVE Size
XEL45	E4	3/8"
XEL55	E5	3/8"
XEL65	E6	3/8"
XEL75	E7	3/8"

SMT9PT (NOT SHOWN) 9 PIECE 1/4" EXTERNAL STAR SOCKET SET

	PRODUCT #		SIZE.	DRIVE Size	OVERALL LENGTH In. / Mm
	SMT9PT	9 Pie	ce Externa	I Star Socket Set	
		ME4S	E4	1/4"	1" / 25
2		ME5S	E5	1/4"	1" / 25
9		MEGS	E6	1/4"	1" / 25
		ME7S	E7	1/4"	1" / 25
		ME8S	E8	1/4"	1" / 25
		ME10S	E10	1/4"	1" / 25
		ME11S	E11	1/4"	1" / 25
		ME12S	E12	1/4"	1" / 25
		ME14S	E14	1/4"	1" / 25

SMXVT52B **52 PIECE STAR BIT DRIVER SET**

	1997 - A. A.			
PR	ODUCT #	DRIVER STYLE	DRIVE Size	OVERALL LENGTH In. / Mm
SMXVT52B		52 Piece	Star Bit Dr	iver Set
	MT8BSS	T8 Stubby	1/4"	1" / 25
X	MT10BSS	T10 Stubby	1/4"	1" / 25
	MT15BSS	T15 Stubby	1/4"	1" / 25
	MT20BSS	T20 Stubby	1/4"	1" / 25
	MT25BSS	T25 Stubby	1/4"	1" / 25
	MT27BSS	T27 Stubby	1/4"	1" / 25
	XT30BSS	T30 Stubby	3/8"	1-13/16" / 46
	XT40BSS	T40 Stubby	3/8"	1-13/16" / 46
	XT45BSS	T45 Stubby	3/8"	1-13/16" / 46
	XT47BSS	T47 Stubby	3/8"	1-13/16" / 46
	XT50BSS	T50 Stubby	3/8"	1-13/16" / 46
	XT55BSS	T55 Stubby	3/8"	1-13/16" / 46
	VT60BSS	T60 Stubby	1/2"	2-1/16" / 53
	MT8BS	T8 Torx	1/4"	1-1/32" / 26
	MT15BS	T10 Torx	1/4"	1-1/32" / 26
	MT10BS	T15 Torx	1/4"	1-1/32" / 26
	MT20BS	T20 Torx	1/4"	1-1/32" / 26
	MT25BS	T25 Torx	1/4"	1-1/32" / 26
	MT27BS	T27 Torx	1/4"	1-29/64" / 37
	XT30BS	T30 Torx	3/8"	1-11/32" / 34
	XT40BS	T40 Torx	3/8"	1-11/32" / 34
	XT45BS	T45 Torx	3/8"	1-11/32" / 34
	XT47BS	T47 Torx	3/8"	1-11/32" / 34
	XT50BS	T50 Torx	3/8"	1-11/32" / 34
	XT55BS	T55 Torx	3/8"	1-11/32" / 34
	VT60BS	T60 Torx	1/2"	2-3/16" / 55
	MTML8	T8 Mid-Length Torx	1/4"	2-3/4" / 70
	MTML10	T10 Mid-Length Torx	1/4"	2-3/4" / 70
	MTML15	T15 Mid-Length Torx	1/4"	2-3/4" / 70
	MTML20	T20 Mid-Length Torx	1/4"	2-3/4" / 70
	MTML25	T25 Mid-Length Torx	1/4"	2-3/4" / 70
	XTML27	T27 Mid-Length Torx	3/8"	2-3/4" / 70
	XTML30	T30 Mid-Length Torx	3/8"	2-3/4" / 70
	XTML40	T40 Mid-Length Torx	3/8"	2-3/4" / 70

SMXVHTL13B **13 PIECE LONG TAMPER-RESISTANT STAR DRIVER SET**

PR	DDUCT #	SIZE	DRIVE SIZE	OVERALL LENGTH In. / MM		
SMXVHTL13B		13 Piec	13 Piece Long Tamper-Resistant Star Driver Set			
	MTL8H	T8H	1/4"	2-3/4" / 70		
	MTL10H	T10H	1/4"	2-3/4" / 70		
	MTL15H	T15H	1/4"	2-3/4" / 70		
	MTL20H	T20H	1/4"	2-3/4" / 70		
	MTL25H	T25H	1/4"	2-3/4" / 70		
	XTL27H	T27H	3/8"	2-3/4" / 70		
	XTL30H	T30H	3/8"	2-3/4" / 70		
	XTL40H	T40H	3/8"	2-3/4" / 70		
	VTL45H	T45H	1/2"	3" / 76		
	VTL50H	T50H	1/2"	3" / 76		







PRODUCT #		DRIVER STYLE	DRIVE Size	OVERALL LENGTH In. / MM		
CONTINUED		52 Piece	52 Piece Star Bit Driver Set			
XTML45 XTML47		T45 Mid-Length Torx	3/8"	2-3/4" / 70		
		T47 Mid-Length Torx	3/8"	2-3/4" / 70		
	XTML50	T50 Mid-Length Torx	3/8"	2-3/4" / 70		
	XTML55	T55 Mid-Length Torx	3/8"	2-3/4" / 70		
	VTML60	T60 Mid-Length Torx	1/2"	2-3/4" / 70		
	MTL8	T8 Long Torx	1/4"	5" / 127		
	MTL10	T10 Long Torx	1/4"	5" / 127		
	MTL15	T15 Long Torx	1/4"	5" / 127		
	MTL20	T20 Long Torx	1/4"	5" / 127		
	MTL25	T25 Long Torx	1/4"	5" / 127		
	XTL27	T27 Long Torx	3/8"	5" / 127		
	XTL30	T30 Long Torx	3/8"	5" / 127		
	XTL40	T40 Long Torx	3/8"	5" / 127		
	VTL45	T45 Long Torx	1/2"	6" / 152.4		
	VTL50	T50 Long Torx	1/2"	6" / 152.4		
	VTL55	T55 Long Torx	1/2"	6" / 152.4		
	VTL60	T60 Long Torx	1/2"	6" / 152.4		
	VTL70	T70 Long Torx	1/2"	6" / 152.4		



PRODUCT #		SIZE	DRIVE Size	OVERALL LENGTH In. / Mm	
NTINUED		13 Piece Long Tamper-Resistant Star Driver Set			
\$	VTL55H	T55H	1/2"	3" / 76	
	VTL60H	T60H	1/2"	3" / 76	
	VTL70H	T70H	1/2"	3" / 76	







PRO	DUCT #	SIZE	DRIVE SIZE	OVERALL LENGTH In. / Mm
SMXVE13	В	11 Piec	e Inverted Sta Socket S	ar Plus Impact et
	MTPE6S	E6	1/4"	1" / 25.4
	MTPE7S	E7	1/4"	1" / 25.4
	MTPE8S	E8	1/4"	1" / 25.4
	MTPE10S	E10	1/4"	1" / 25.4
	XTPE12S	E12	3/8"	1-1/4" / 32
	XTPE14S	E14	3/8"	1-1/4" / 32
	XTPE16S	E16	3/8"	1-1/4" / 32
	XTPE18S	E18	3/8"	1-1/4" / 32
	VTPE20S	E20	1/2"	1-1/2" / 48
	VTPE22S	E22	1/2"	1-1/2" / 48
	VTPE24S	E24	1/2"	1-1/2" / 48



LONG IMPACT TRIPLE-SQUARE DRIVER SET

#	SIZE	DRIVE Size	OVERALL LENGTH In. / Mm
SXMTSPL8PT		Long Impac Driver	ct Triple-Square Set
PL5MM	5	3/8"	4" / 100
PL6MM	6	3/8"	4" / 100
PL8MM	8	3/8"	4" / 100
L10MM	10	3/8"	4" / 100
PL12MM	12	3/8"	4" / 100
PL13MM	13	3/8"	4" / 100
PL14MM	14	3/8"	4" / 100
PL16MM	16	3/8"	4" / 100
20	1.1	2. 0.	
	# PL5MM PL6MM PL10MM PL12MM PL13MM PL14MM PL16MM	Number of the second	# SIZE SIZE 8 Piece Size 0 Size



LONG METRIC TRIPLE SQUARE BITS AND SET


	PRODUCT #		SIZE	DRIVE Size	OVERALL LENGTH In. / Mm
	SXVMTSL8B		8 Piece	e Long Metri Bit Se	c Triple Square et
		XTSL4MM	4	3/8"	5" / 127
ł		XTSL5MM	5	3/8"	5" / 127
		XTSL6MM	6	3/8"	5" / 127
		XTSL8MM	8	3/8"	5" / 127
1		XTSL10MM	10	3/8"	5" / 127
ĺ		VTSL12MM	12	1/2"	5" / 127
]		VTSL14MM	14	1/2"	5" / 127
		VTSL16MM	16	1/2"	5" / 127

SMXT62B

STAR DRIVERS, WRENCHES, AND SOCKETS SET

- For use on a wide range of Star fasteners
- Applications include internal (standard and Tamper-Resistant) and external Star fasteners
- Bits made of S2 steel for durability
- Socket drivers and wrenches feature a high-polish chrome finish for long lasting corrosion protection
- Packaged in blow-moulded tray for easy storage and organisation

PRODUCT #		SIZE.	DRIVE Size	OVERALL LENGTH In. / Mm	PRO)DUCT #	
XT62B		62 Piece S	Star Driver	and Wrench Set	CONTINU	ED	
	BE68	E6 x E8		4-7/16" / 112.7		TKT6	
	BE1012	E10 x E12		5-1/2" / 139.7		ТКТ8	
	BE1418	E14 x E18		7-1/8" / 181		ткт9	
	MT6BS	T6	1/4"	1-7/16" / 36.5		TKT10	
X	MT8BS	T8	1/4"	1-7/16" / 36.5	2	TKT15	
•	MT10BS	T10	1/4"	1-7/16" / 36.5		TKT20	
	MT15BS	T15	1/4"	1-7/16" / 36.5		TKT25	
	MT20BS	T20	1/4"	1-7/16" / 36.5		TKT27	
	MT25BS	T25	1/4"	1-7/16" / 36.5		ТКТЗО	
	MT27BS	T27	1/4"	1-7/16" / 36.5		TKT40	
	MT30BS	T30	1/4"	1-7/16" / 36.5		TKT45	
	XT40BS	T40	3/8"	1-7/8" / 47.6		TKT50	
	XT45BS	T45	3/8"	1-7/8" / 47.6		TKT55	
	XT47BS	T47	3/8"	1-7/8" / 47.6		ME4S	
	XT50BS	T50	3/8"	1-7/8" / 47.6		ME5S	
	VT55BS	T55	1/2"	2-3/16" / 55.6		ME6S	
	VT60BS	T60	1/2"	2-3/16" / 55.6		ME7S	
12	200					ME8S	



337



SMXUTSH11B UNIVERSAL 5-PT. STAR TAMPER-RESISTANT DRIVER SET

PRODUCT #		SIZE	DRIVE SIZE	OVERALL LENGTH In. / Mm		
SMXUTSH11B			11 Piece Universal 5-PT. Star Tamper-Resistant Driver Set			
	MUTS10H	TS10H	1/4"	2-1/16" / 52.4		
5.7	MUTS15H	TS15H	1/4"	2-1/16" / 52.4		
	MUTS20H	TS20H	1/4"	2-1/16" / 52.4		
	MUTS25H	TS25H	1/4"	2-1/16" / 52.4		
	MUTS27H	TS27H	1/4"	2-1/16" / 52.4		
	MUTS30H	TS30H	1/4"	2-1/16" / 52.4		
	MUTS8H	TS8H	1/4"	2-1/16" / 52.4		
	XUTS40H	TS40H	3/8"	2-1/16" / 52.4		
	XUTS45H	TS45H	3/8"	2-1/16" / 52.4		
	XUTS50H	TS50H	3/8"	2-1/16" / 52.4		
	XUTS55H	TS55H	3/8"	2-1/16" / 52.4		



SXMTS9B 9 PIECE 3/8" DRIVE METRIC TRIPLE-SQUARE DRIVER SET

	PRODUCT #		SIZE	DRIVE SIZE	OVERALL LENGTH In. / Mm
	SXMTS9B		9 Piece N	letric Triple	Square Driver Set
		XTS4MM	4	3/8"	1-9/16" / 39.7
		XTS5MM	5	3/8"	1-9/16" / 39.7
		XTS6MM	6	3/8"	1-9/16" / 39.7
		XTS8MM	8	3/8"	1-9/16" / 39.7
		XTS10MM	10	3/8"	1-9/16" / 39.7
		XTS12MM	12	3/8"	1-9/16" / 39.7
		XTS13MM	13	3/8"	1-9/16" / 39.7
		XTS14MM	14	3/8"	1-9/16" / 39.7
Ż		XTS16MM	16	3/8"	1-9/16" / 39.7

SXMTSH8B
8 PIECE TAMPER-RESISTANT TRIPLE
SQUARE DRIVER SET

LAAAAAAAA

PRODUCT # SXMTSH8B		SIZE	DRIVE Size	OVERALL LENGTH In. / MM
		8 Piece Ta	8 Piece Tamper Resistant Triple-Square Driver Set	
	XTSH4MM	4	3/8"	1-9/16" / 39.7
$\left\{ \bullet \right\}$	XTSH5MM	5	3/8"	1-9/16" / 39.7
	XTSH6MM	6	3/8"	1-9/16" / 39.7
	XTSH8MM	8	3/8"	1-9/16" / 39.7
	XTSH10MM	10	3/8"	1-9/16" / 39.7
	XTSH12MM	12	3/8"	1-9/16" / 39.7
	XTSH14MM	14	3/8"	1-9/16" / 39.7
	XTSH16MM	16	3/8"	1-9/16" / 39.7

WARNING. Chi offe sockets and attachments should only be used with hand-operated handles.	
Star drivers (or sockets when appropriate) are for use with Torx® fasteners;	
a registered trademark of Acument Intellectual Properties 11 C	



TOOLS



DRIVE Size	OVERALL LENGTH In. / Mm	F	PRODUCT #	SIZE.	DRIVE Size	OVERALL LENGTH In. / Mm
tar Driver	and Wrench Set	CONTI	NUED	62 Piece S	62 Piece Star Driver and Wrench Set	
_	1-3/4" / 44.5		BTPTX6	T6	-	1" / 25.4
_	2" / 50.8	S 44	BTPTX7	T7	-	1" / 25.4
_	2" / 50.8		BTPTX8	T8	-	1" / 25.4
_	2-1/8" / 54		BTPTX9	Т9	_	1" / 25.4
-	2-5/16" / 58.7		BTPTX10	T10	-	1" / 25.4
-	2-7/16" / 61.9		BTPTX15	T15	_	1" / 25.4
-	2-5/8" / 66.7		BTPTX20	T20	-	1" / 25.4
-	2-11/16" / 68.3		BTPTX25	T25	-	1" / 25.4
-	3" / 76.2		BTPTX27	T27	-	1" / 25.4
_	3-5/16" / 84.1		BTPTX30	T30	-	1" / 25.4
-	3-9/16" / 90.5		BTPTX40	T40	-	1" / 25.4
_	4-1/8" / 104.8		MT10BHS	T10H	1/4"	1-7/16" / 36.5
-	4-5/8" / 117.5	- 2 ,4	MT15BHS	T15H	1/4"	1-7/16" / 36.5
1/4"	1" / 25.4	3 E	MT20BHS	T20H	1/4"	1-7/16" / 36.5
1/4"	1" / 25.4		MT25BHS	T25H	1/4"	1-7/16" / 36.5
1/4"	1" / 25.4		MT27BHS	T27H	1/4"	1-7/16" / 36.5
1/4"	1" / 25.4		MT30BHS	T30H	1/4"	1-7/16" / 36.5
1/4"	1" / 25.4		XT40BHS	T40H	3/8"	1-7/8" / 47.6
3/8"	1-1/8" / 28.6		XT45BHS	T45H	3/8"	1-7/8" / 47.6
3/8"	1-1/8" / 28.6		XT50BHS	T50H	3/8"	1-7/8" / 47.6
3/8"	1-1/8" / 28.6		VT55BHS	T55H	1/2"	2-3/16" / 55.6
3/8"	1-1/8" / 28.6	1				
1/2"	1-1/8" / 28.6					
1/2"	1-1/8" / 28.6					





DRIVER SETS



SXA7PT / SXMA7PT HEX DRIVER SETS

- S2 bits for long lasting performance
- High-polish, chrome-plated sockets for corrosion resistance
- Packaged in blow-moulded tray for easy storage and organisation

PRODUCT #		HEX SIZE	OVERALL LENGTH In. / Mm	SI	ET		
SXA7PT		7 Piece 3/	7 Piece 3/8" Drive SAE Hex Driver Set				
SXMA7PT		7 Piece 3/8"	' Drive Metric Hex Drive	r Set			
	XH46B	1/8"	2-3/4" / 69.9		•		
	XH56B	5/32"	2-3/4" / 69.9		•		
	XH66B	3/16"	2-3/4" / 69.9		•		
	XH76B	7/32"	2-3/4" / 69.9		•		
	XH86B	1/4"	2-3/4" / 69.9		•		
	XH106B	5/16"	2-3/4" / 69.9		•		
	XH126B	3/8"	2-3/4" / 69.9		•		
	XH4MMB	4mm	2-3/4" / 69.9	•			
	XH5MMB	5mm	2-3/4" / 69.9	•			
	XH6MMB	6mm	2-3/4" / 69.9	•			
	XH7MMB	7mm	2-3/4" / 69.9	•			
	XH8MMB	8mm	2-3/4" / 69.9	٠			
	XH9MMB	9mm	2-3/4" / 69.9	•			
	XH10MMB	10mm	2-3/4" / 69.9	•			



SXAS7PT / SXMAS8PT SHORT HEX DRIVER SETS

XH126BS

XH4MMBS

XH5MMBS

XH6MMBS XH7MMBS

XH8MMBS

XH9MMBS XH10MMBS

 Packaged in blow-moulded tray for easy storage and organisation

PR)DUCT #	HEX SIZE	OVERALL LENGTH In. / Mm	SET		
SXAS7PT		7 Piece 3/ Driver Set	8" Drive SAE Short Hex			
SXMAS8P	Т	8 Piece 3/ Hex Driver	8" Drive Metric Short Set			
	XH46BS	1/8"	1-13/16" / 46			
	XH56BS	5/32"	1-13/16" / 46			
	XH66BS	3/16"	1-13/16" / 46			
	XH76BS	7/32"	1-13/16" / 46			
	XH86BS	1/4"	1-13/16" / 46			
	XH106BS	5/16"	1-13/16" / 46			

3/8"

4mm

5mm

6mm

7mm

8mm

9mm

10mm

1-13/16" / 46

1-13/16" / 46 1-13/16" / 46

1-13/16" / 46

1-13/16" / 46 1-13/16" / 46

1-13/16" / 46

1-13/16"



SXASS16PT STUBBY HEX DRIVER SET

PRODUCT #		SIZE.	DRIVE Size	OVERALL LENGTH In. / Mm		
SXASS16P	יד	16 Piece Stubby Hex Driver Set				
	MH4BSS	1/8"	1/4"	1" / 25.4		
	MH4.5BSS	9/64"	1/4"	1" / 25.4		
	MH5BSS	5/32"	1/4"	1" / 25.4		
	MH6BSS	3/16"	1/4"	1" / 25.4		
	XH76BSS	7/32"	3/8"	1-3/8" / 35		
	XH86BSS	1/4"	3/8"	1-3/8" / 35		
	XH106BSS	5/16"	3/8"	1-3/8" / 35		
	XH126BSS	3/8"	3/8"	1-3/8" / 35		
	MH3MMBSS	3	1/4"	1" / 25.4		
	MH4MMBSS	4	1/4"	1" / 25.4		
	MH5MMBSS	5	1/4"	1" / 25.4		
	MH6MMBSS	6	1/4"	1" / 25.4		
	XH7MMBSS	7	3/8"	1-3/8" / 35		
	XH8MMBSS	8	3/8"	1-3/8" / 35		
	XH9MMBSS	9	3/8"	1-3/8" / 35		
	XH10MMBSS	10	3/8"	1-3/8" / 35		



SVHM10PT 1/2" METRIC HEX DRIVER SET

PRI	DDUCT #	SIZE.	DRIVE Size	OVERALL LENGT In. / Mm
SVHM10P	т	10 Pi	ece Metric	Hex Driver Set
	VH6MMBS	6	1/2"	3-1/4" / 82.6
	VH8MMBS	8	1/2"	3-1/4" / 82.6
	VH10MMBS	10	1/2"	3-1/4" / 82.6
	VH12MMBS	12	1/2"	3-1/4" / 82.6
	VH13MMBS	13	1/2"	3-5/8" / 92
	VH14MMBS	14	1/2"	3-5/8" / 92
	VH15MMBS	15	1/2"	3-5/8" / 92



SXAL7PTA 3/8" DRIVE LONG SAE HEX DRIVER SET

PRODUCT #	SIZE.	DRIVE SIZE	OVERALL LENGTH In. / Mm		PROI	DUCT #	SIZE.	DRIVE Size	OVERALL LENGTH In. / Mm
SXAL7PTA	7 Piece		E Long Speed Hex er Set		SXMAL8PT 8 Piece Drive Metric Lo Hex Driver Se				
XH46L	1/8"	3/8"	6-1/8" / 155.6			XH3MML	3	3/8"	6-1/8" / 155.6
XH56L	5/32"	3/8"	6-1/8" / 155.6			XH4MML	4	3/8"	6-1/8" / 155.6
XH66L	3/16"	3/8"	6-1/8" / 155.6			XH5MML	5	3/8"	6-1/8" / 155.6
XH76L	7/32"	3/8"	6-1/8" / 155.6			XH6MML	6	3/8"	6-1/8" / 155.6
XH86L	1/4"	3/8"	6-1/8" / 155.6			XH7MML	7	3/8"	6-1/8" / 155.6
XH106L	5/16"	3/8"	6-1/8" / 155.6	1		XH8MML	8	3/8"	6-1/8" / 155.6
XH126L	3/8"	3/8"	6-1/8" / 155.6			XH9MML	9	3/8"	6-1/8" / 155.6
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1.			17		XH10MML	10	3/8"	6-1/8" / 155.6



SAE LONG SPEED

HEX DRIVER SET

PRODUCT #

XH46BI

XH56BI

XH66BL

XH76BL

XH86BL

XH106BL

XH126BL

SXALB7PT

OVERALL LENGTH IN. / MM

6-1/8" / 155.6

6-1/8" / 155.6

6-1/8" / 155.6

6-1/8" / 155.6

6-1/8" / 155.6

6-1/8" / 155.6

6-1/8" / 155.6

DRIVE Size

3/8"

3/8"

3/8"

3/8"

3/8"

3/8"

3/8"

1/8"

5/32"

3/16"

7/32"

1/4"

5/16"

3/8"

7 Piece Drive SAE Long Speed Hex Driver Set

1		
	PR	ODUCT #
	SXMALB8	PT
		ХНЗММВ
		XH4MMB
		XH5MMB
		XH6MMB
		XH7MMB
		XH8MMB
		XH9MMB
		XH10MM

SXMALB8PT

WARNING: Chrome sockets and attachments should only be used with hand-operated handles.









SXMAL8PTA 3/8" DRIVE LONG Metric Hex Driver Set



METRIC LONG SPEED HEX DRIVER SET

1	1	10 Percent				
	SIZE.	DRIVE Size	OVERALL LENGTH In. / Mm			
	8 Piece Drive Metric Long Speed Hex Driver Set					
	3	3/8"	6-1/8" / 155.6			
	4	3/8"	6-1/8" / 155.6			
	5	3/8"	6-1/8" / 155.6			
	6	3/8"	6-1/8" / 155.6			
	7	3/8"	6-1/8" / 155.6			
	8	3/8"	6-1/8" / 155.6			
	9	3/8"	6-1/8" / 155.6			
	10	3/8"	6-1/8" / 155.6			





SMXH53B **53 PIECE MASTER HEX DRIVER SET**

- Bits made of S2 steel for long lasting durability
- Drive ends feature high-polish, chrome-plated finish for easy clean-up and corrosion protection

PRODUCT #	DRIVER STYLE	OVERALL LENGTH In. / Mm				
SMXH53B	53 Piece Stu	53 Piece Stubby Hex Driver Set				
MH4BSS	1/8" Stubby	1" / 25.4				
MH4.5BSS	9/64" Stubby	1" / 25.4	1			
MH5BSS	5/32" Stubby	1" / 25.4				
MH6BSS	3/16" Stubby	1" / 25.4				
MH3MMBSS	3mm Stubby	1" / 25.4				
MH4MMBSS	4mm Stubby	1" / 25.4				
MH5MMBSS	5mm Stubby	1" / 25.4	1			
MH6MMBSS	6mm Stubby	1" / 25.4	2			
MH2BS	1/16"	1-7/8" / 47.6				
MH2.5BS	5/64"	1-7/8" / 47.6				
MH3BS	3/32"	1-7/8" / 47.6	1			
MH3.5BS	7/64"	1-7/8" / 47.6				
MH1.5MMBS	1.5mm	1-7/8" / 47.6				
MH2MMBS	2mm	1-7/8" / 47.6				
MH2.5MMBS	2.5mm	1-7/8" / 47.6	3			
MH3MMBS	3mm	1-7/8" / 47.6				
XH76BSS	7/32" Stubby	1-3/8" / 35				
XH86BSS	1/4" Stubby	1-3/8" / 35				
XH106BSS	5/16" Stubby	1-3/8" / 35				
XH126BSS	3/8" Stubby	1-3/8" / 35				
XH7MMBSS	7mm Stubby	1-3/8" / 35				
XH8MMBSS	8mm Stubby	1-3/8" / 35				
XH9MMBSS	9mm Stubby	1-3/8" / 35				
XH10MMBSS	10mm Stubby	1-3/8" / 35				
XB46D	1/8" Speed	2-3/4" / 69.9				
XB56D	5/32" Speed	2-3/4" / 69.9				
XB66D	3/16" Speed	2-3/4" / 69.9	1			

PRODUCT #	DRIVER STYLE	OVERALL LENGTH In. / MM		
CONTINUED	53 Piece Stubby Hex Driver Set			
XB76D	7/32" Speed	2-3/4" / 69.9		
XB86D	1/4" Speed	2-3/4" / 69.9		
XB106D	5/16" Speed	2-3/4" / 69.9		
XB126D	3/8" Speed	2-3/4" / 69.9		
XBD3MM	3mm Speed	2-3/4" / 69.9		
XBD4MM	4mm Speed	2-3/4" / 69.9		
XBD5MM	5mm Speed	2-3/4" / 69.9		
XBD6MM	6mm Speed	2-3/4" / 69.9		
XBD7MM	7mm Speed	2-3/4" / 69.9		
XBD8MM	8mm Speed	2-3/4" / 69.9		
XBD9MM	9mm Speed	2-3/4" / 69.9		
XBD10MM	10mm Speed	2-3/4" / 69.9		
XH46B	1/8"	2-3/4" / 69.9		
XH56B	5/32"	2-3/4" / 69.9		
XH66B	3/16"	2-3/4" / 69.9		
XH76B	7/32"	2-3/4" / 69.9		
XH86B	1/4"	2-3/4" / 69.9		
XH106B	5/16"	2-3/4" / 69.9		
XH126B	3/8"	2-3/4" / 69.9		
XH4MMB	4mm	2-3/4" / 69.9		
XH5MMB	5mm	2-3/4" / 69.9		
XH6MMB	6mm	2-3/4" / 69.9		
XH7MMB	7mm	2-3/4" / 69.9		
XH8MMB	8mm	2-3/4" / 69.9		
ХН9ММВ	9mm	2-3/4" / 69.9		
XH10MMB	10mm	2-3/4" / 69.9		



24 PIECE RIBE POWER BIT SET

- Ideal for use on late model VW®, $\text{Audi}^{\texttt{0}},$ and $\text{Fiat}^{\texttt{0}}$
- Applications include cylinder heads, headlights, and transmission fill plugs
- Bits are made of industrial strength S2 steel

INCLUDES:

• 3/8" and 1/2" Drive Adapters

PRODUCT #	SIZE.	DRIVE Size	OVERALL LENGTH In. / MM
SXVBR24B	24	Piece Ribe	e Power Bit Set
BIT-RM4	M4	Ribe	1-3/16" / 30.2
BIT-RM5	M5	Ribe	1-3/16" / 30.2
BIT-RM6	M6	Ribe	1-3/16" / 30.2
BIT-RM7	M7	Ribe	1-3/16" / 30.2
BIT-RM8	M8	Ribe	1-3/16" / 30.2
BIT-RM9	M9	Ribe	1-3/16" / 30.2
BIT-RM10	M10	Ribe	1-3/16" / 30.2
BIT-RM11	M11	Ribe	1-3/16" / 30.2
BIT-RM12	M12	Ribe	1-3/16" / 30.2
BIT-RM13	M13	Ribe	1-3/16" / 30.2
BIT-RM14	M14	Ribe	1-3/16" / 30.2
BIT-RM4L	M4	Ribe	2-15/16" / 74.
BIT-RM5L	M5	Ribe	2-15/16" / 74.
BIT-RM6L	M6	Ribe	2-15/16" / 74.
BIT-RM7L	M7	Ribe	2-15/16" / 74.
BIT-RM8L	M8	Ribe	2-15/16" / 74.
BIT-RM9L	M9	Ribe	2-15/16" / 74.
BIT-RM10L	M10	Ribe	2-15/16" / 74.
BIT-RM11L	M11	Ribe	2-15/16" / 74.
BIT-RM12L	M12	Ribe	2-15/16" / 74.
BIT-RM13L	M13	Ribe	2-15/16" / 74.
BIT-RM14L	M14	Ribe	2-15/16" / 74.
BIT- Vradapt			1-7/16" / 36.5
BIT- Xradapt			1-1/8" / 28.6





SXAB15B SAE AND METRIC SPEED **HEX BIT SET**

PRODUCT #		SIZE.	DRIVE Size	OVERALL LENGTH In. / MM		
SXAB15B		15 Pi	15 Piece SAE and Metric Speed Hex Bit Set			
	XB46D	1/8"	3/8"	2-3/4" / 69.9		
	XB56D	5/32"	3/8"	2-3/4" / 69.9		
	XB66D	3/16"	3/8"	2-3/4" / 69.9		
	XB76D	7/32"	3/8"	2-3/4" / 69.9		
	XB86D	1/4"	3/8"	2-3/4" / 69.9		
	XB106D	5/16"	3/8"	2-3/4" / 69.9		
	XB126D	3/8"	3/8"	2-3/4" / 69.9		
	XBD3MM	3	3/8"	2-3/4" / 69.9		
	XBD4MM	4	3/8"	2-3/4" / 69.9		
	XBD5MM	5	3/8"	2-3/4" / 69.9		
	XBD6MM	6	3/8"	2-3/4" / 69.9		
	XBD7MM	7	3/8"	2-3/4" / 69.9		
	XBD8MM	8	3/8"	2-3/4" / 69.9		
	XBD9MM	9	3/8"	2-3/4" / 69.9		
	XBD10MM	10	3/8"	2-3/4" / 69.9		

3/8" DRIVE **PHILLIPS® DRIVERS**

PRODUCT #	POINT SIZE	OVERALL LENGTH In. / Mm
832A	#2	2-5/8" / 66.7
833A	#3	2-5/8" / 66.7
834A	#4	2-5/8" / 66.7



TOOLS

130





SVA15B

SVA15B / SVAM8B **HEX IMPACT INSERT** AND DRIVER SETS

SVAM8E

PROD	UCT #	SIZE.	DRIVE Size	OVERALL LENGTH	S	ET
SVA15B		15 Piece and Driv		letric Hex Insert		
SVAM8B		8 Piece	Metric Hex	Insert and Driver Se	t	
	AI10A	5/16"	1/2"	1-1/2" / 38		•
	AI12A	3/8"	1/2"	1-1/2" / 38		•
	AI14A	7/16"	1/2"	1-1/2" / 38		•
	AI16A	1/2"	1/2"	1-1/2" / 38		•
	AI18A	9/16"	1/2"	1-1/2" / 38		•
	AI20A	5/8"	1/2"	1-1/2" / 38		•
	AI24A	3/4"	1/2"	1-1/2" / 38		•
	AI8MMA	8	1/2"	1-1/2" / 38	•	•
	AI10MMA	10	1/2"	1-1/2" / 38	•	•
	AI12MMA	12	1/2"	1-1/2" / 38	•	•
	AI13MMA	13	1/2"	1-1/2" / 38	•	•
	AI14MMA	14	1/2"	1-1/2" / 38	•	•
	AI15MMA	15	1/2"	1-1/2" / 38	•	•
	AI17MMA	17	1/2"	1-1/2" / 38	•	•
	AI19MMA	19	1/2"	1-1/2" / 38	•	•
	VP146DA		Socket	Driver	•	•







OVERALL LENGTH In. / MM

1-3/8" / 34.9

1-3/4" / 44.5

2" / 50.8

2-1/2" / 63.5

4 Piece Universal Adapter Set



SMXVEKM11PT **11 PIECE MULTI-DRIVE MAGNETIC EXTENSION SET**

PRODUCT #	DRIVE Size	OVERALL LENGTH IN. / MM
SMXVEKM11PT	11 Piece Multi-Drive Magnetic Extension Set	
M2EKM	1/4"	2" / 50.8
M4EKM	1/4"	4" / 101.6
M6EKM	1/4"	6" / 152.4
M10EKM	1/4"	10" / 254
X2EKM	3/8"	2" / 50.8
X3EKM	3/8" 3" / 76.2	
XGEKM	3/8" 6" / 152.4	
X10EKM	3/8"	10" / 254
V3EKM	1/2" 3" / 76.2	
V5EKM	1/2" 5" / 127	
V10EKM	1/2"	10" / 254



S7EWPT 7 PIECE MULTI-DRIVE **WOBBLE EXTENSION SET**

PRODUCT #	DRIVE SIZE	OVERALL LENGTH In. / MM
S7EWPT		e Multi-Drive Wobble Extension Set
M2EW	1/4"	2" / 50.8
M6EW	1/4"	6" / 152.4
X3EW	3/8"	3" / 76.2
X6EW	3/8"	6" / 152.4
X12EW	3/8" 12" / 304.8	
V5EW	1/2"	5" / 127
V10EW	1/2"	10" / 254



SP4EBP **4 PIECE MULTI-DRIVE IMPACT EXTENSION SET**

PRODUCT #	DRIVE SIZE	OVERALL LENGTH In. / Mm	STYLE
SP4EBP	4 Piece Multi-Drive Impact Extension Set		
XP3EB	3/8"	3" / 76.2	Ball
XP6EP	3/8"	6" / 152.4	Pin
VP3EB	1/2"	3" / 76.2	Ball
VP10EB	1/2"	10" / 254	Ball

SMXU4T **4 PIECE UNIVERSAL JOINT ADAPTER SET** Includes SH4 magnetic socket rail

DRIVE SIZE

1/4"

3/8"

3/8" Impact

1/2" Impact

PRODUCT #

SMXU4T

M3U

X3U

XUP2BB

VUP2BA



SAD6T **6 PIECE ADAPTER SET** Includes SH4 magnetic socket rail

PRODUCT #	DRIVE SIZE
SADGT	6 Piec
A812	1/4"-3/8"
A128	3/8"-1/4"
A1216	3/8"-1/2"
AP1612RB	1/2"-3/8" Impa
AP1624	1/2"-3/4" Impa
AP2416RB	3/4"-1/2" Impa





7 PIECE KNURLED EXTENSION SET

INCLUDES:

- (2) 1/4" Drive Extensions
- (3) 3/8" Drive Extensions
- (2) 1/2" Drive Extensions



.0

TOOLS





OVERALL LENGTH In. / Mm ce Adapter Set 7/8" / 22.2 1" / 25.4 1-15/16" / 33.3 ict 1-7/16" / 36.5 1-7/8" / 47.6 act act 1-15/16" / 33.3



SMXVUL3PT **3 PIECE LOCKING UNIVERSAL JOINT SET**

- Universal design allows access in tight areas
 Quick-release locking collar holds sockets firmly in place and allows for quick release when finished • High-polish, chrome-plated finish provides
- long-lasting corrosion protection

PRODUCT #	DRIVE SIZE
SMXVUL3PT	3 Piece Locking Universal Joint Set
M3UL	1/4"
X3UL	3/8"
V3UL	1/2"

SMXVD6ELQ 6 PIECE DUAL UNIVERSAL JOINT LOCKING EXTENSION SET

- Dual-ended universal joint extensions
- Allows access to hard to reach fasteners that normally wouldn't be accessible with
- a single ended universal joint extension
- Knurled shaft





NEW WORKS

LOCK-A-SOCKETS

- Snap-lock design, twist to
- Magnetic backing

PRODUC

SHMLAS25

SHMLAS38

SHMLAS50

LUGGERERE LE	MAGNETIC TOOL Organisation P
lock or unlock	 High-energy magnets Place in the bottom of a

13 Piece 1/4" Drive Lock-A-Socket

14 Piece 3/8" Drive Lock-A-Socket

16 Piece 1/2" Drive Lock-A-Socket

ANISATION	PANELS
i-energy magnet e in the bottom o	s of a drawer or mount it on a

wall

PRODUCT #	SIZE
MTS12X6	12" x 6"
MTS6X12	6" x 12"
MTS12X12	12" x 12"



- To lock the socket, turn right 90°; to unlock,
- turn left 90° • Made of 16-gauge powder coated steel
- Rubber pegs are located underneath for surface protection and stability



SS14200A 1/4" DRIVE METRIC QUICK FIND SOCKET TRAY

SS38200A 3/8" DRIVE METRIC QUICK FIND SOCKET TRAY

SOCKET HOLDERS

PRODUCT #	DRIVE SIZE	SOCKET Capacit
 SH25C	1/4"	16
SH38C	3/8"	16
SH50C	1/2"	16
SH34	3/4"	8





SS14100A 1/4" DRIVE SAE QUICK FIND SOCKET TRAY



3/8" DRIVE SAE QUICK FIND SOCKET TRAY

PRODUCT #	SOCKET SIZES	SOCKET Capacity	POST LENGTH Short / Deep
SS14100A	1/8"-5/8"	22	11/11
SS38100A	1/4" to 1" (x16ths)	24	13 / 13
SS14200A	4mm to 15mm	26	13 / 13
SS38200A	6mm to 20mm	30	15/15
SS12200A	10mm to 25mm plus 27mm	34	17 / 17





SS12200A 1/2" DRIVE METRIC **QUICK FIND SOCKET TRAY**







SMM446BR

44 PIECE 1/4" DRIVE DELUXE SAE AND METRIC SOCKET SET

INCLUDES:

- 10 x 3/16" 9/16" SAE Standard Sockets
- 10 x 3/16" 9/16" SAE Deep Sockets
- 10 x 5.5 14mm Metric Standard Sockets
- 10 x 5.5 14mm Metric Deep Sockets
- 2 x 2" and 6" Extensions
- 1 x Universal Joint
 1 x 5" Ratchet
- 1 x 5" Ratchet
 1 x Blow-Moulded Case
- 00





SMM246PTR

24 PIECE 1/4" DRIVE METRIC Socket set

INCLUDES: • 12 x 5-15mm Metric Standard Sockets

12 x 5-15mm Metric Deep Sockets

6 MM

SX196BR

19 PIECE SAE MIGHTY ECONOMY

INCLUDES:

- 8 x 3/8" 13/16" SAE Sockets
- 8 x 3/8" 13/16" SAE Deep Sockets
- 1 x 3" Extension
- 1 x Universal Joint
- 1 x 8" Ratchet
- 1 x Blow-Moulded Case





SX446BR 44 PIECE 3/8" DRIVE SAE AND METRIC SOCKET SET

INCLUDES:

- 10 x 1/4"-13/16" SAE Standard Sockets
- 10 x 1/4"-13/16" SAE Deep Sockets
- 10 x 10 19mm Metric Standard Sockets
- 10 x 10 19mm Metric Deep Sockets
- 2 x 3" and 6" Extensions
- 1 x Universal Joint
- 1 x 8" Knurled Ratchet
 1 x Blow-Moulded Case
- 1 X DIOW-INIOUIDED Cas









These non-slip sockets have a patented 6 point design which remove fasteners that have been rounded off to as much as 85%.

The Precision Torque family includes high polished and impacts sets that have been formed from high quality steel to meet the industry standard. Each socket features high visibility markings to reduce time and increase efficiency.



SM126BRPT PRECISON TORQUE SAE SOCKET SET

F	PRODUCT #	SIZE IN.	OVERALL LENGTH In. / Mm	
SM126B	SM126BRPT 12		Piece 1/4" Drive SAE PT Socket Set	
	M46PT	1/8"	1" / 25	
(6)	M56PT	5/32"	1" / 25	
SAE	M66PT	3/16"	1"/25	
7	M76PT	7/32"	1" / 25	
	M86PT	1/4"	1"/25	
	M96PT	9/32"	1" / 25	
	M106PT	5/16"	1" / 25	
	M116PT	11/32"	1" / 25	
	M126PT	3/8"	1" / 25	
	M146PT	7/16"	1" / 25	
	M166PT	1/2"	1" / 25	
	M186PT	9/16"	1" / 25	
	SRMS12PT	S	iocket Rail	



SMM126BRPT PRECISON TORQUE **METRIC SOCKET SET**

TOOLS

PRODUCT #		SIZE MM	OVERALL LENGTH In. / Mm
SMM126BRPT 12			" Drive Metric PT ket Set
	M65MMRPT	5	1" / 25
	M65.5MMRPT	5.5	1" / 25
ММ	M66MMRPT	6	1" / 25
7 7	M67MMRPT	7	1" / 25
· · · -	M68MMRPT	8	1" / 25
	M69MMRPT	9	1" / 25
	M610MMRPT	10	1" / 25
	M611MMRPT	11	1" / 25
	M612MMRPT	12	1" / 25
	M613MMRPT	13	1" / 25
	M614MMRPT	14	1" / 25
	M615MMRPT	15	1" / 25
	SRMS12MMPT		Socket Rail



SMU76BRPT SAE UNIVERSAL SOCKET SET

F	PRODUCT #			OVERALL LENGTH In. / Mm
SMU76B	SMU76BRPT 7 Pie			e SAE Universal et Set
	MU8RPT		1/4"	1-3/8" / 35.3
(6)	MU10RP1	ſ	5/16"	1-3/8" / 35.3
SAE	MU11RP	ſ	11/32"	1-3/8" / 35.3
Z	MU12RPT		3/8"	1-3/8" / 35.3
	MU14RP	r	7/16"	1-3/8" / 35.3
	MU16RP1	ſ	1/2"	1-3/8" / 35.3
	MU18RP	ſ	9/16"	1-3/8" / 35.3



SOCKET SETS

1/4" DRIVE SOCKETS

PRECISON TORQUE **SAE DEEP SOCKET SET**



SMDM126BRPT PRECISON TORQUE METRIC DEED SOCKET SET

PR	ODUCT #	SIZE IN.	OVERALL LENGTH In. / Mm
SMD126	BRPT	12 Piece 1/4" Dr Sock	ive SAE PT Deep et Set
	MD046PT	1/8"	2" / 50
6)	MD056PT	5/32"	2" / 50
SAE	MD066PT	3/16"	2" / 50
7 57	MD076PT	7/32"	2" / 50
	MD086PT	1/4"	2" / 50
	MD096PT	9/32"	2" / 50
	MD106PT	5/16"	2" / 50
	MD116PT	11/32"	2" / 50
	MD126PT	3/8"	2" / 50
	MD146PT	7/16"	2" / 50
	MD166PT	1/2"	2" / 50
	MD186PT	9/16"	2" / 50
	SRMS12PT	So	ocket Rail

METRIC DEEP SOCKET SET					
Р	RODUCT #		SIZE MM	OVERALL LENGTH In. / MM	
SMDM126BRPT 12 Pi				ive Metric PT Deep ket Set	
\frown	MD5MMP	Т	5	2" / 50	
(6)	MD5.5MM	IPT	5.5	2" / 50	
ММ	MD6MMP	T	6	2" / 50	
7 7	MD7MMP	T	7	2" / 50	
	MD8MMP	T	8	2" / 50	
	MD9MMP	T	9	2" / 50	
	MD10MM	PT	10	2" / 50	
	MD11MM	PT	11	2" / 50	
	MD12MM	PT	12	2" / 50	
	MD13MM	PT	13	2" / 50	
	MD14MM	PT	14	2" / 50	
	MD15MM	PT	15	2" / 50	
	SRMS12M	IMPT	S	Socket Rail	







(1/4)





RECEPCE

PRODUCT #			SIZE MM	OVERALL LENGTH In. / MM
SMMU96BRPT 9 Piec			e 1/4" Drive Socke	e Metric Universal et Set
\frown	MUGMM	RPT	6	1-3/8" / 35.3
6)	MU7MM	RPT	7	1-3/8" / 35.3
ММ	MU8MMRPT MU9MMRPT		8	1-3/8" / 35.3
7 57			9	1-3/8" / 35.3
	MU10MI	MRPT	10	1-3/8" / 35.3
	MU11MI	MRPT	11	1-3/8" / 35.3
	MU12MI	MRPT	12	1-3/8" / 35.3
	MU13MI	MRPT	13	1-3/8" / 35.3
	MU14MI	MRPT	14	1-3/8" / 35.3







SMDP56BRPT PRECISION TORQUE SAE DEEP **IMPACT SOCKET SET**

PRODUCT #		SIZE IN.	OVERALL LENGTH In. / Mm	
SMDP56BRPT 5 Pie			ece 1/4" Dri Precision To	ive SAE Deep Impact orque Socket Set
	MDP86	PT	1/4"	2" / 50
(6)	MDP10	6PT	5/16"	2" / 50
SAE	MDP126PT		3/8"	2" / 50
7	MDP146PT		7/16"	2" / 50
	MDP16	6PT	1/2"	2" / 50
	SRMS5	PT		Socket Rail



SMDPM96BRPT PRECISION TORQUE METRIC DEEP IMPACT SOCKET SET

	PRODUCT #	ŧ	SIZE MM	OVERALL LENGTH In. / MM
				rive Metric Deep Torque Socket Set
\frown	MDP65.	5ММРТ	5.5	2" / 50
	MDP66N	IMPT	6	2" / 50
ММ	MDP67N	IMPT	7	2" / 50
7	MDP68N	IMPT	8	2" / 50
	MDP69N	IMPT	9	2" / 50
	MDP610	MMPT	10	2" / 50
	MDP611	ММРТ	11	2" / 50
	MDP612	MMPT	12	2" / 50
	MDP613	MMPT	13	2" / 50
	SRMS9N	IMPT		Socket Rail



SMM12SBRPT METRIC SPLINE SOCKET SET

	PRODUCT	#	SIZE MM	OVERALL LENGTH In. / MM
SMM12SBRPT 12 Pie			rive Metric Spline et Set	
\frown	M5SM	MRPT	5	1" / 25
	M5.5S	MMRPT	5.5	1" / 25
SPLINE	M6SM	MRPT	6	1"/25
7 7	M7SM	MRPT	7	1" / 25
1	M8SM	MRPT	8	1" / 25
	M9SM	MRPT	9	1" / 25
	M10SM	IMRPT	10	1" / 25
	M11SM	IMRPT	11	1" / 25
	M12SM	IMRPT	12	1" / 25
	M13SN	IMRPT	13	1" / 25
	M14SM	IMRPT	14	1"/25
	M155M	IMRPT	15	1" / 25
	SRMS	2MMPT		Socket Rail

TOOLS



SM12SBRPT SAE SPLINE SOCKET SETS

PR	PRODUCT #		OVERALL LENGTH In. / Mm
SM12SB	SM12SBRPT ¹		" Drive SAE Spline cket Set
	M4SRPT	1/8"	1" / 25
SAE 12	M5SRPT	5/32"	1" / 25
PLINE	M6SRPT	3/16"	1" / 25
る	M7SRPT	7/32"	1" / 25
-927-	M8SRPT	1/4"	1" / 25
	M9SRPT	9/32"	1" / 25
	M10SRPT	5/16"	1" / 25
	M11SRPT	11/32"	1" / 25
	M12SRPT	3/8"	1" / 25
	M14SRPT	7/16"	1" / 25
	M16SRPT	1/2"	1" / 25
	M18SRPT	9/16"	1" / 25
	SRMS12PT		Socket Rail

PRECISION TORQUE SOCKET SETS 3/8" DRIVE SOCKETS

SXII76BRPT SAE UNIVERSAL SOCKET SET

P	PRODUCT #			OVERALL LENGTH In. / Mm
SXU76B	SXU76BRPT 7 Piece 3/			Universal Socket Set
	XU12	CORPT	3/8"	1-3/4" / 46.5
(6)	XU14	IGRPT	7/16"	1-3/4" / 46.5
SAE	XU166RPT		1/2"	1-7/8" / 48
7	XU186RPT		9/16"	1-7/8" / 48
<i></i>	XU20	IGRPT	5/8"	2" / 51.5
	XU22	6RPT	11/16"	2" / 51.5
	XU24	IGRPT	3/4"	2-1/8" / 53.5
				1





SIZE In.

12 Piece 3/8" Drive SAE Socket Set 1/4"

5/16"

3/8"

7/16"

1/2"

9/16"

5/8"

11/16"

3/4"

13/16"

7/8"

15/16"

OVERALL LENGTH

1-1/8" / 30

1-1/8" / 30

1-1/8" / 30

1-1/8" / 30

1-1/8" / 30

1-1/8" / 30

1-1/8" / 30

1-1/8" / 30

1-1/8" / 30 1-1/8" / 30

1-1/8" / 30

1-1/8" / 30

Socket Rail

SX126BRPT SAE SOCKET SET

SY126RPPT

6

SAE

77

PRODUCT

X86PT

X106PT

X126PT

X146PT

X166PT

X186PT

X206PT X226PT

X246PT

X266PT

X286PT

X306PT

SRXS12PT

SXM146BRPT **METRIC SOCKET SET**

PRODUCT #						
SXM146E	BRPT	14 Pieco				
	X66MN	IPT				
	X67MN	IPT				
ММ	X68MM	IPT				
Z	X69MN	IPT				
12	X610M	MPT				
	X611M	MPT				
	X612M	MPT				
	X613M	MPT				
	X614M	MPT				
	X615M	MPT				
	X616M	MPT				
	X617M	MPT				
	X618M	MPT				
	X619M	MPT				
	SRXS1	4MMPT				

140





SXMU106BRPT **METRIC UNIVERSAL SOCKET SET**

(3/8)

F	PRODUCT #		SIZE MM	OVERALL LENGTH In. / Mm
SXMU108	BRPT	10 Piec		ive Metric Universal ket Set
	XU610M	MRPT	10	1-3/4" / 46.5
	XU611M	MRPT	11	1-3/4" / 46.5
ММ	XU612M	MRPT	12	1-3/4" / 46.5
7 7	XU613M	MRPT	13	1-3/4" / 46.5
	XU614M	MRPT	14	1-7/8" / 48
	XU615M	MRPT	15	2" / 50.5
	XU616M	MRPT	16	2" / 50.5
	XU617M		17	2" / 51.5
	XU618M	MRPT	18	2-1/8" / 52.5
	XU619M	MRPT	19	2-1/8" / 53.5



TERFERENCE

SXMP206PT SAE AND METRIC MAGNETIC **IMPACT SOCKET SET**

PR	ODUCT	#	SIZE MM	OVERALL LENGTH In. / Mm
				ve SAE and Metric act Socket Set
	XMP1	06	5/16"	1-1/8" / 30
	XMP1	26	3/8"	1-1/8" / 30
SAE	XMP1	46	7/16"	1-1/8" / 30
7	XMP1	66	1/2"	1-1/8" / 30
1.	XMP1	86	9/16"	1-1/8" / 30
₽1	XMP2	206	5/8"	1-1/8" / 30
	XMP2	26	11/16"	1-1/8" / 30
	XMP2	46	3/4"	1-1/8" / 30
	XMPE	8MM	8	1-1/8" / 30
(6)	XMPE	9MM	9	1-1/8" / 30
ММ	XMPE	10MM	10	1-1/8" / 30
7 7	XMPE	611MM	11	1-1/8" / 30
	XMPE	12MM	12	1-1/8" / 30
₽ 7 ∏	XMPE	i13MM	13	1-1/8" / 30
ХМРЕ		614MM	14	1-1/8" / 30
ХМР		615MM	15	1-1/8" / 30
	XMPE	16MM	16	1-1/8" / 30
	XMPE	617MM	17	1-1/8" / 30
	XMPE	18MM	18	1-1/8" / 30
	XMPE	19MM	19	1-1/8" / 30

SIZE MM	OVERALL LENGTH In. / MM
	ve Metric Standard et Set
6	1-1/8" / 30
7	1-1/8" / 30
8	1-1/8" / 30
9	1-1/8" / 30
10	1-1/8" / 30
11	1-1/8" / 30
12	1-1/8" / 30
13	1-1/8" / 30
14	1-1/8" / 30
15	1-1/8" / 30
16	1-1/8" / 30
17	1-1/8" / 30
18	1-1/8" / 30
19	1-1/8" / 30
	Socket Rail





SXP86BRPT SAE IMPACT SOCKET SET

PRODUCT #			SIZE IN.	OVERALL LENGTH In. / Mm
SXP86BRPT 8 Piece 3			3/8" Drive SAE	Impact Socket Set
	XP106PT		5/16"	1-1/8" / 30
(6)	XP12	6PT	3/8"	1-1/8" / 30
SAE	XP14	6PT	7/16"	1-1/8" / 30
7 77	XP166PT		1/2"	1-1/8" / 30
	XP18	6PT	9/16"	1-1/8" / 30
	XP20	6PT	5/8"	1-1/8" / 30
	XP22	6PT	11/16"	1-1/8" / 30
	XP24	6PT	3/4"	1-1/8" / 30
	SRXS	8PT	So	cket Rail

SXD126BRPT SAE DEEP SOCKET SET

F	RODUCT	#	SIZE IN.	OVERALL LENGTH In. / Mm
SXD126	BRPT	12 P	iece 3/8" D Socke	rive SAE Deep t Set
	XD86F	т	1/4"	2-1/2" / 63
(6)	XD106	PT	5/16"	2-1/2" / 63
SAE	XD126	PT	3/8"	2-1/2" / 63
7	XD146	PT	7/16"	2-1/2" / 63
1.~*	XD166	PT	1/2"	2-1/2" / 63
	XD186	PT	9/16"	2-1/2" / 63
	XD206	PT	5/8"	2-1/2" / 63
	XD226	PT	11/16"	2-1/2" / 63
	XD246	PT	3/4"	2-1/2" / 63
	XD266	PT	13/16"	2-1/2" / 63
	XD286	PT	7/8"	2-1/2" / 63
	XD306	PT	15/16"	2-1/2" / 63
	SRXS1	2PT	S	ocket Rail



SXPM156BRPT METRIC IMPACT SOCKET SET

	SXPM156BRPT							
PR	RODUCT #		PRODUCT #	SIZE MM	OVERALL LENGT			
SXPM156	BRPT	1		' Drive Metric Impact ocket Set				
	XP610M	NPT	10	1-1/8" / 30	XP618MMPT	18	1-1/8" / 30	
(6)	XP611MI	MPT	11	1-1/8" / 30	XP619MMPT	19	1-1/8" / 30	
мм	XP612MI	NPT	12	1-1/8" / 30	XP620MMPT	20	1-1/8" / 30	
757	XP613M	NPT	13	1-1/8" / 30	XP621MMPT	21	1-1/8" / 30	
12	XP614M	NPT	14	1-1/8" / 30	XP622MMPT	22	1-1/8" / 30	
	XP615MI	NPT	15	1-1/8" / 30	XP623MMPT	23	1-1/8" / 30	
	XP616M	NPT	16	1-1/8" / 30	XP624MMPT	24	1-1/8" / 30	
	XP617M	NPT	17	1-1/8" / 30				



SXDM146BRPT **METRIC DEEP SOCKET SET**

F	RODUCT #		SIZE MM	OVERALL LENGTH In. / Mm
SXDM14	6BRPT	14 P		Drive Metric Deep ket Set
	XD66MM	PT	6	2-1/2" / 63
(6)	XD67MM	PT	7	2-1/2" / 63
ММ	XD68MM	PT	8	2-1/2" / 63
7.	XD69MM	PT	9	2-1/2" / 63
120	XD610MM	NPT	10	2-1/2" / 63
	XD611MM	ИРТ	11	2-1/2" / 63
	XD612MM	ИРТ	12	2-1/2" / 63
	XD613MM	ИРТ	13	2-1/2" / 63
	XD614MM	ИРТ	14	2-1/2" / 63
	XD615MM	ИРТ	15	2-1/2" / 63
	XD616MM	ИРТ	16	2-1/2" / 63
	XD617MM		17	2-1/2" / 63
	XD618MM	NPT	18	2-1/2" / 63
	XD619MM	NPT	19	2-1/2" / 63
	SRXS14M	IMPT		Socket Rail



3/8" DRIVE SOCKETS

SOCKET SETS

SXDP106BRPT SAE DEEP IMPACT SOCKET SET

PRODUCT #			SIZE IN.	OVERALL LENGTH In. / Mm
SXDP10	SXDP106BRPT 10 Pi			ve SAE Deep Impact tet Set
	XDP10	6PT	5/16"	2-1/2" / 63
	XDP12	6PT	3/8"	2-1/2" / 63
SAE	XDP14	6PT	7/16"	2-1/2" / 63
7 57	XDP16	6PT	1/2"	2-1/2" / 63
	XDP18	6PT	9/16"	2-1/2" / 63
	XDP20	6PT	5/8"	2-1/2" / 63
	XDP22	6PT	11/16"	2-1/2" / 63
	XDP24	6PT	3/4"	2-1/2" / 63
	XDP26		13/16"	2-1/2" / 63
	XDP28	6PT	7/8"	2-1/2" / 63
	SRXD1	OPT	0	Socket Rail





SXDPM156BRPT **15 PIECE 3/8" DRIVE METRIC** DEEP IMPACT SOCKET SET - 6-PT.

- Unique non-slip design removes fasteners that are rounded off up to 85%
- · Cro-moly steel constructiuon provides strength and durability for a lifetime of use · Easy-to-read size identification
- · Exceeds ASME/ANSI, BS, and DIN performance standards
- INCLUDES
- Sizes: 10mm 24mm







(3/8)

XDP610MMPT



DEEP IMPACT SOCKETS

PRODUCT #	SIZE MM	PRODUCT #	SIZE MM	PRODUCT #	SIZE MM
P610MMPT	10	XDP615MMPT	15	XDP620MMPT	20
P611MMPT	11	XDP616MMPT	16	XDP621MMPT	21
P612MMPT	12	XDP617MMPT	17	XDP622MMPT	22
P613MMPT	13	XDP618MMPT	18	XDP623MMPT	23
P614MMPT	14	XDP619MMPT	19	XDP624MMPT	24







SV156BRPT SAE SOCKET SET

PF	RODUCT	#	SIZE IN.	OVERALL LENGTH In. / Mm
SV156BRPT 15 F			Piece 1/2" Drive SAE Precision Socket Set	
	V126	PT	3/8"	1-1/2" / 38
6	V146	PT	7/16"	1-1/2" / 38
SAE	V166	PT	1/2"	1-1/2" / 38
7	V186	PT	9/16"	1-1/2" / 38
	V206	PT	5/8"	1-1/2" / 38
	V226	PT	11/16"	1-1/2" / 38
	V246	PT	3/4"	1-1/2" / 38
	V266	PT	13/16"	1-1/2" / 38
	V286	PT	7/8"	1-9/16" / 40
	V306	PT	15/16"	1-9/16" / 40
	V326	PT	1"	1-22/32" / 42
	V346	PT	1-1/16"	1-3/4" / 45
	V366	PT	1-1/8"	1-3/4" / 45
	V386	PT	1-3/16"	1-3/4" / 45
	V406	PT	1-1/4"	1-3/4" / 45
	SRVD	15PT	S	ocket Rail



SVM106BRPT METRIC SOCKET SET

F	RODUCT	#	SIZE MM	OVERALL LENGTH In. / Mm
SVM106BRPT 10 Piece			ve Metric Precision et Set	
	V610M	MPT	10	1-1/2" / 38
6)	V611M	MPT	11	1-1/2" / 38
ММ	V612M	MPT	12	1-1/2" / 38
7.	V613M	MPT	13	1-1/2" / 38
) 2 4	V614M	MPT	14	1-1/2" / 38
	V615M	MPT	15	1-1/2" / 38
	V616M	MPT	16	1-1/2" / 38
	V617M	MPT	17	1-1/2" / 38
	V618M	MPT	18	1-1/2" / 38
	V619M	MPT	19	1-1/2" / 38
	SRVS1	OMMPT		Socket Rail



SVD126BRPT SAE DEEP SOCKET SET

PRODUCT #		SIZE IN.	OVERALL LENGTH In. / MM	
			'2" Drive SAE ep Socket Set	
	VD146	iPT	7/16"	3" / 76.5
(6)	VD166	iPT	1/2"	3" / 76.5
SAE	VD186	iPT	9/16"	3" / 76.5
7	VD206	iPT	5/8"	3" / 76.5
12-	VD226	iPT	11/16"	3" / 76.5
	VD246	iPT	3/4"	3" / 76.5
	VD266	iPT	13/16"	3" / 76.5
	VD286	iPT	7/8"	3" / 76.5
	VD306	iPT	15/16"	3" / 76.5
	VD326	iPT	1"	3" / 76.5
	VD346	iPT	1-1/16"	3" / 76.5
	VD366	iPT	1-1/8"	3" / 76.5
	SRVS1	2PT	5	Socket Rail

TOOLS



SVDM106BRPT **METRIC DEEP SOCKET SET**

F	RODUCT #		SIZE In.	OVERALL LENGTH In. / Mm
SVDM10				2" Drive Metric eep Socket Set
	VD610MM	IPT	10	3" / 76.5
(6)	VD611MM	IPT	11	3" / 76.5
MM	VD612MM	IPT	12	3" / 76.5
7 7	VD613MM	IPT	13	3" / 76.5
	VD614MM	IPT	14	3" / 76.5
	VD615MM	IPT	15	3" / 76.5
	VD616MM	IPT	16	3" / 76.5
	VD617MM	IPT	17	3" / 76.5
	VD618MM	IPT	18	3" / 76.5
	VD619MM	IPT	19	3" / 76.5
	SRVS10M	MPT		Socket Rail



SIZE OVERALL LENGTH In. In. / MM

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38 1-1/2" / 38

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38

1-1/2" / 38 1-1/2" / 38

1-1/2" / 38

Socket Rail

15 Piece 1/2" Drive SAE Impact

Socket Set

3/8"

7/16"

1/2"

9/16"

5/8"

11/16"

3/4"

13/16"

7/8"

15/16"

1"

1-1/16"

1-1/8"

1-3/16"

1-1/4"

SVP156BRPT

VP156BRPT

(6)

SAE

7

PRODUCT #

VP126PT

VP146PT

VP166PT

VP186PT

VP206PT

VP226PT

VP246PT

VP266PT

VP286PT

VP306PT

VP326PT

VP346PT

VP366PT

VP386PT

VP406PT

SRVD15PT

SAE IMPACT SOCKET SET



SVPM136BRPT **METRIC IMPACT SOCKET SET**

SVPM136BRPT 13-PC 1/2" VP610MMPT 10 VP611IM 11 VP612MMPT 11 VP613MMPT 13 VP614MMPT 14 VP615MMPT 15 VP616MMPT 16 VP618MMPT 18 VP618MMPT 19 VP621MMPT 21 VP624MMPT 22 VP624MMPT 24 SRV13WPT 24		P	RODUCT #		SIZE In.
VP611MMPT 11 VP612MMPT 12 VP613MMPT 13 VP614MMPT 14 VP615MMPT 15 VP616MMPT 16 VP617MMPT 17 VP618MMPT 18 VP619MMPT 19 VP622MMPT 21 VP622MMPT 24		SVPM13	6BRPT	13-P	°C 1/2"
VP612MMPT 12 VP613MMPT 13 VP613MMPT 13 VP615MMPT 14 VP615MMPT 15 VP616MMPT 16 VP618MMPT 17 VP618MMPT 18 VP619MMPT 19 VP622MMPT 21 VP622MMPT 24			VP610M	MPT	10
VP613MMPT 13 VP614MMPT 14 VP615MMPT 15 VP616MMPT 16 VP617MMPT 17 VP618MMPT 18 VP619MMPT 19 VP622MMPT 21 VP624MMPT 24	2	(6)	VP611M	MPT	11
YP614MMPT 14 VP615MMPT 15 VP616MMPT 16 VP617MMPT 17 VP618MMPT 18 VP619MMPT 19 VP622MMPT 21 VP622MMPT 24		ММ	VP612M	MPT	12
VP614MMPT 14 VP615MMPT 15 VP616MMPT 16 VP617MMPT 17 VP618MMPT 18 VP619MMPT 19 VP622MMPT 21 VP624MMPT 24		77	VP613M	MPT	13
VP616MMPT 16 VP617MMPT 17 VP618MMPT 18 VP619MMPT 19 VP622MMPT 21 VP622MMPT 22 VP624MMPT 24		12	VP614M	MPT	14
VP617MMPT 17 VP618MMPT 18 VP619MMPT 19 VP621MMPT 21 VP622MMPT 22 VP624MMPT 24			VP615M	MPT	15
VP618MMPT 18 VP619MMPT 19 VP621MMPT 21 VP622MMPT 22 VP624MMPT 24			VP616M	MPT	16
VP619MMPT 19 VP621MMPT 21 VP622MMPT 22 VP624MMPT 24			VP617M	MPT	17
VP621MMPT 21 VP622MMPT 22 VP624MMPT 24			VP618M	MPT	18
VP622MMPT 22 VP624MMPT 24			VP619M	MPT	19
VP624MMPT 24			VP621M	MPT	21
			VP622M	MPT	22
SRVD13MMPT			VP624M	MPT	24
			SRVD13	MMPT	



SVDP136BRPT SAE DEEP IMPACT SOCKET SET

PR	ODUCT #		SIZE IN.	OVERALL LENGT In. / Mm
SVDP136BRPT 1			" Drive SAE Deep Socket Set	
	VDP14P1	r	7/16"	3-1/4" / 82.6
(6)	VDP16P1	r -	1/2"	3-1/4" / 82.6
SAE	VDP18P1	r -	9/16"	3-1/4" / 82.6
द्ध	VDP20P1	r -	5/8"	3-1/4" / 82.6
) ,2 1	VDP22P1	r -	11/16"	3-1/4" / 82.6
	VDP24P1	ſ	3/4"	3-1/4" / 82.6
	VDP26P1	r -	13/16"	3-1/4" / 82.6
	VDP28P1	ſ	7/8"	3-1/4" / 82.6
	VDP30P1	r -	15/16"	3-1/4" / 82.6
	VDP32P1	r	1"	3-1/4" / 82.6
	VDP34P1	r -	1-1/16"	3-1/4" / 82.6
	VDP36P1	r	1-1/8"	3-1/4" / 82.6
	VDP40P1	r	1-1/4"	3-1/4" / 82.6
	SRVD13F	т	S	ocket Rail

ſ	26	27	30	3
			-	
4	AR	-		Yes!
SVD	PM6	BRPT		

METRIC DEEP IMPACT SET

I	PRODUCT #		SIZE In.
SVDPM6	6BRPT	6 Pie	ece 1/2 Impa
	VDP626M	MPT	26
6	VDP627M	MPT	27
ММ	VDP630M	MPT	30
Z	VDP632M	MPT	32
	VDP634M	MPT	34
	VDP636M	MPT	36
	SRVD16M	MPT	







SVPM66BRPT METRIC IMPACT SOCKET SET

	PRODUCT #	i i	SIZE IN.	OVERALL LENGTH In. / Mm
SVPM66BRPT 6-PC		3 1/2" Drive Metric Impact Socket Set		
\frown	VPM626N	IMPT	26	1-1/2" / 38
	VPM627N	IMPT	27	1-1/2" / 38
ММ	VPM630N	IMPT	30	1-1/2" / 38
7.	VPM632N	IMPT	32	1-1/2" / 38
1~•	VPM634N	IMPT	34	1-1/2" / 38
	VPM636N	IMPT	36	1-1/2" / 38
	SRVD13M	MPT		Socket Rail



SVDPM166BRPT METRIC DEEP IMPACT SET

	PRODUCT #		SIZE In.	OVERALL LENGTH In. / Mm
SVDPM166BRPT		16 Pi	ece 1/2" Drive Metric Deep Impact Socket Set	
\frown	VDP610M	MPT	10	3-1/4" / 82.6
6	VDP611M	MPT	11	3-1/4" / 82.6
ММ	VDP612M	MPT	12	3-1/4" / 82.6
7 7	VDP613M	MPT	13	3-1/4" / 82.6
1	VDP614M	MPT	14	3-1/4" / 82.6
	VDP615M	MPT	15	3-1/4" / 82.6
	VDP616M	MPT	16	3-1/4" / 82.6
	VDP617M	MPT	17	3-1/4" / 82.6
	VDP618M	MPT	18	3-1/4" / 82.6
	VDP619M	MPT	19	3-1/4" / 82.6
	VDP620M	MPT	20	3-1/4" / 82.6
	VDP621M	MPT	21	3-1/4" / 82.6
	VDP622M	MPT	22	3-1/4" / 82.6
	VDP623M	MPT	23	3-1/4" / 82.6
	VDP624M	MPT	24	3-1/4" / 82.6
	VDP625M	MPT	25	3-1/4" / 82.6
	SRVD16M	MPT		Socket Rail

OVERALL LENGTH In. / Mm
rive Metric Impact cket Set
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
1-1/2" / 38
Socket Rail



OVERALL LENGTH In. / Mm
Drive Metric Deep Socket Set
3-1/4" / 82.6
3-1/4" / 82.6
3-1/4" / 82.6
3-1/4" / 82.6
3-1/4" / 82.6
3-1/4" / 82.6
Socket Rail



RBRT

ROUNDED BOLT REMOVAL TECH

RBRT SETS FEATURE:

- Rounded Bolt Removal Technology (R.B.R.T.™) designed to prevent the rounding of hex fasteners
- Anti-slip dual-directional hex driver is effective at removing compromised hex fasteners
- S2 tool steel bars are precision machined for use on standard or compromised hex fasteners
 Bi-directional: works for both loosening and tightening hex
- Meets or exceeds ANSI specifications
 - Single piece bar for superior strength
 - Zinc-oxide coating for superior rust resistance



fasteners

SSMXH16RBRT 16 PIECE 1/4" AND 3/8" DRIVE Advanced Stubby Sae/Metric Hex Driver Set

PRODUCT #	DESCRIPTION	LENGTH
SSMXH16RBRT	16 Piece 1/4" & 3/8" Drive Advanced Stubby SAE/Metric	Hex Driver Set
MSSH04RBRTBS	1/4" Drive Advanced Stubby Hex Driver 1/8"	20mm
MSSH05RBRTBS	1/4" Drive Advanced Stubby Hex Driver 5/32"	20mm
MSSHOGRBRTBS	1/4" Drive Advanced Stubby Hex Driver 3/16"	20mm
MSSH07RBRTBS	1/4" Drive Advanced Stubby Hex Driver 7/32"	20mm
XSSH08RBRTBS	3/8" Drive Advanced Stubby Hex Driver 1/4"	20mm
XSSH10RBRTBS	3/8" Drive Advanced Stubby Hex Driver 5/16"	20mm
XSSH12RBRTBS	3/8" Drive Advanced Stubby Hex Driver 3/8"	20mm
MSSH4MMRBRT	1/4" Drive Advanced Stubby Hex Driver 4mm	20mm
MSSH5MMRBRT	1/4" Drive Advanced Stubby Hex Driver 5mm	20mm
MSSH6MMRBRT	1/4" Drive Advanced Stubby Hex Driver 6mm	20mm
XSSH7MMRBRT	3/8" Drive Advanced Stubby Hex Driver 7mm	20mm
XSSH8MMRBRT	3/8" Drive Advanced Stubby Hex Driver 8mm	20mm
XSSH9MMRBRT	3/8" Drive Advanced Stubby Hex Driver 9mm	20mm
XSSH10MMRBRT	3/8" Drive Advanced Stubby Hex Driver 10mm	20mm
XSSH11MMRBRT	3/8" Drive Advanced Stubby Hex Driver 11mm	20mm
XSSH12MMRBRT	3/8" Drive Advanced Stubby Hex Driver 12mm	20mm

SVH14RBRT 14 PIECE 1/2" DRIVE Advanced Sae/Metric Hex Driver Set

PRODUCT #	DESCRIPTION	LENGTH
SVH14RBRT	14 Piece 1/2" Drive Advanced SAE/Metric Hex Driver Set	
VSH1332RBRTBS	1/2" Drive Advanced Hex Driver 13/32"	70mm
VSH716RBRTBS	1/2" Drive Advanced Hex Driver 7/16"	70mm
VSH12RBRTBS	1/2" Drive Advanced Hex Driver 1/2"	70mm
VSH916RBRTBS	1/2" Drive Advanced Hex Driver 9/16"	70mm
VSH58RBRTBS	1/2" Drive Advanced Hex Driver 5/8"	70mm
VSH1116RBRTBS	1/2" Drive Advanced Hex Driver 11/16"	70mm
VSH34RBRTBS	1/2" Drive Advanced Hex Driver 3/4"	70mm
VSH11MMRBRTBS	1/2" Drive Advanced Hex Driver 11mm	70mm
VSH12MMRBRTBS	1/2" Drive Advanced Hex Driver 12mm	70mm
VSH13MMRBRTBS	1/2" Drive Advanced Hex Driver 13mm	70mm
VSH14MMRBRTBS	1/2" Drive Advanced Hex Driver 14mm	70mm
VSH15MMRBRTBS	1/2" Drive Advanced Hex Driver 15mm	70mm
VSH17MMRBRTBS	1/2" Drive Advanced Hex Driver 17mm	70mm
VSH19MMRBRTBS	1/2" Drive Advanced Hex Driver 19mm	70mm



3/8" DRIVE



SXMHS7RBRT 7 PIECE 3/8" DRIVE ADVANCED METRIC SHORT HEX DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SXMHS7RBRT	7 Piece 3/8" Drive Advanced Meteric Short Hex Driver Set	
XH4MMSRBRTBS	3/8" Drive Advanced Short Hex Driver 4mm	48mm
XH5MMSRBRTBS	3/8" Drive Advanced Short Hex Driver 5mm	48mm
XH6MMSRBRTBS	3/8" Drive Advanced Short Hex Driver 6mm	48mm
XH7MMSRBRTBS	3/8" Drive Advanced Short Hex Driver 7mm	48mm
XH8MMSRBRTBS	3/8" Drive Advanced Short Hex Driver 8mm	48mm
XH9MMSRBRTBS	3/8" Drive Advanced Short Hex Driver 9mm	48mm
XH10MMSRBRTBS	3/8" Drive Advanced Short Hex Driver 10mm	48mm



14 PIECE 3/8" DRIVE Advanced Long Sae/Metric Hex Driver Set

PRODUCT #	DESCRIPTION	LENGTH
SXLH14RBRT	14 Piece 3/8" Drive Advanced Long SAE/Metric Hex Driver Set	
XLH04RBRT	3/8" Drive Advanced Long Hex Driver 1/8"	177mm
XLH05RBRT	3/8" Drive Advanced Long Hex Driver 5/32"	177mm
XLHOGRBRT	3/8" Drive Advanced Long Hex Driver 3/16"	177mm
XLH07RBRT	3/8" Drive Advanced Long Hex Driver 7/32"	177mm
XLH08RBRT	3/8" Drive Advanced Long Hex Driver 1/4"	177mm
XLH10RBRT	3/8" Drive Advanced Long Hex Driver 5/16"	177mm
XLH12RBRT	3/8" Drive Advanced Long Hex Driver 3/8"	177mm
XLH4MMRBRT	3/8" Drive Advanced Long Hex Driver 4mm	177mm
XLH5MMRBRT	3/8" Drive Advanced Long Hex Driver 5mm	177mm
XLH6MMRBRT	3/8" Drive Advanced Long Hex Driver 6mm	177mm
XLH7MMRBRT	3/8" Drive Advanced Long Hex Driver 7mm	177mm
XLH8MMRBRT	3/8" Drive Advanced Long Hex Driver 8mm	17 mm
XLH9MMRBRT	3/8" Drive Advanced Long Hex Driver 9mm	177mm
XLH10MMRBRT	3/8" Drive Advanced Long Hex Driver 10mm	177mm

SVMH7RBRT 7 PIECE 1/2" DRIVE R.B.R.T.™ SHORT METRIC HEX SOCKET SET

- Remove damaged, destroyed or rusted fasteners
- Remove fasteners rounded up to 96%
- Unique, bi-directional design allows for both removal and reinsertion of fasteners
- 11mm 15mm, 17mm, 19mm







SXMH7RBRT

7 PIECE 3/8" DRIVE ADVANCED METRIC HEX DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH	
SXMH7RBRT	7 Piece 3/8" Drive Advanced Metric Hex Driver Set		
XH4MMRBRTBS	3/8" Drive Advanced Hex Driver 4mm	70mm	
XH5MMRBRTBS	3/8" Drive Advanced Hex Driver 5mm	70mm	
XH6MMRBRTBS	3/8" Drive Advanced Hex Driver 6mm	70mm	
XH7MMRBRTBS	3/8" Drive Advanced Hex Driver 7mm	70mm	
XH8MMRBRTBS	3/8" Drive Advanced Hex Driver 8mm	70mm	
XH9MMRBRTBS	3/8" Drive Advanced Hex Driver 9mm	70mm	
XH10MMRBRTBS	3/8" Drive Advanced Hex Driver 10mm	70mm	



SXH7RBRT

7 PIECE 3/8" DRIVE ADVANCED SAE HEX DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SXH7RBRT	7 Piece 3/8" Drive Advanced Sae Hex Driver Set	
XH2SRBRTS	3/8" Drive Advanced Short Hex Driver 1/8"	48mm
XH3SRBRTS	3/8" Drive Advanced Short Hex Driver 5/32"	48mm
XH4SRBRTS	3/8" Drive Advanced Short Hex Driver 3/16"	48mm
XH5SRBRTS	3/8" Drive Advanced Short Hex Driver 7/32"	48mm
XH6SRBRTS	3/8" Drive Advanced Short Hex Driver 1/4"	48mm
XH7SRBRTS	3/8" Drive Advanced Short Hex Driver 5/16"	48mm
XH8SRBRTS	3/8" Drive Advanced Short Hex Driver 3/8"	48mm







14 PIECE 3/8" DRIVE ADVANCED SAE/METRIC SPEED HEX DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SXSH14RBRT	14 Piece 3/8" Drive Advanced SAE/Metric Speed Hex Driver Set	
XSH2RBRTBS	3/8" Drive Advanced Speed Hex Driver 1/8"	70mm
XSH3RBRTBS	3/8" Drive Advanced Speed Hex Driver 5/32"	70mm
XSH4RBRTBS	3/8" Drive Advanced Speed Hex Driver 3/16"	70mm
XSH5RBRTBS	3/8" Drive Advanced Speed Hex Driver 7/32"	70mm
XSH6RBRTBS	3/8" Drive Advanced Speed Hex Driver 1/4"	70mm
XSH7RBRTBS	3/8" Drive Advanced Speed Hex Driver 5/16"	70mm
XSH8RBRTBS	3/8" Drive Advanced Speed Hex Driver 3/8"	70mm
XSH3MMRBRTBS	3/8" Drive Advanced Speed Hex Driver 4mm	70mm
XSH4MMRBRTBS	3/8" Drive Advanced Speed Hex Driver 5mm	70mm
XSH5MMRBRTBS	3/8" Drive Advanced Speed Hex Driver 6mm	70mm
XSH6MMRBRTBS	3/8" Drive Advanced Speed Hex Driver 7mm	70mm
XSH7MMRBRTBS	3/8" Drive Advanced Speed Hex Driver 8mm	70mm
XSH8MMRBRTBS	3/8" Drive Advanced Speed Hex Driver 9mm	70mm
XSH9MMRBRTBS	3/8" Drive Advanced Speed Hex Driver 10mm	70mm

XSH10MMRBRTBS (NOT SHOWN) 3/8" DRIVE R.B.R.T.™ SPEED HEX DRIVER 10mm

SXSHLM7RBRT 7 PIECE 3/8" DRIVE ADVANCED LONG METRIC SPEED HEX DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SXSHLM7RBRT	7 Piece 3/8" Drive Advanced Long Metric Speed Hex Driver Set	
XSH3MMLRBRTBS	3/8" Drive Advanced Long Speed Hex Driver 4mm	155mm
XSH4MMLRBRTBS	3/8" Drive Advanced Long Speed Hex Driver 5mm	155mm
XSH5MMLRBRTBS	3/8" Drive Advanced Long Speed Hex Driver 6mm	155mm
XSH6MMLRBRTBS	3/8" Drive Advanced Long Speed Hex Driver 7mm	155mm
XSH7MMLRBRTBS	3/8" Drive Advanced Long Speed Hex Driver 8mm	155mm
XSH8MMLRBRTBS	3/8" Drive Advanced Long Speed Hex Driver 9mm	155mm
XSH9MMLRBRTBS	3/8" Drive Advanced Long Speed Hex Driver 10mm	155mm

3/8" DRIVE R.B.R.T.™ SAE LONG SPEED HEX DRIVERS

PRODUCT #	DESCRIPTION
XSH2LRBRTBS	3/8" Drive R.B.R.T. $^{\rm \tiny TM}$ Long Speed Hex Driver - 1/8"
XSH3LRBRTBS	3/8" Drive R.B.R.T. $^{\!\!\!\!^{\rm M}}$ Long Speed Hex Driver - 5/32"
XSH4LRBRTBS	3/8" Drive R.B.R.T. $^{\!\!\!\!^{\rm M}}$ Long Speed Hex Driver - 3/16"
XSH5LRBRTBS	3/8" Drive R.B.R.T. $^{\rm \tiny M}$ Long Speed Hex Driver - 7/32"
XSH6LRBRTBS	3/8" Drive R.B.R.T. $^{\rm \tiny TM}$ Long Speed Hex Driver - $1/4"$
XSH7LRBRTBS	3/8" Drive R.B.R.T. $^{\!\!\!\!^{\rm TM}}$ Long Speed Hex Driver - 5/16"
XSH8LRBRTBS	3/8" Drive R.B.R.T.™ Long Speed Hex Driver - 3/8"

SXHP14RBRT 14 PIECE 3/8" DRIVE ADVANCED SAE/METRIC IMPACT HEX DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH	
SXHP14RBRT	14 Piece 3/8" Drive Advanced Impact Hex Driver	14 Piece 3/8" Drive Advanced Impact Hex Driver Set	
XH04PRBRTBS	3/8" Drive Advanced Impact Hex Driver 1/8"	50mm	
XH05PRBRTBS	3/8" Drive Advanced Impact Hex Driver 5/32"	50mm	
XHOGPRBRTBS	3/8" Drive Advanced Impact Hex Driver 3/16"	50mm	
XH07PRBRTBS	3/8" Drive Advanced Impact Hex Driver 7/32"	50mm	
XH08PRBRTBS	3/8" Drive Advanced Impact Hex Driver 1/4"	50mm	
XH10PRBRTBS	3/8" Drive Advanced Impact Hex Driver 5/16"	50mm	
XH12PRBRTBS	3/8" Drive Advanced Impact Hex Driver 3/8"	50mm	
XH4MMPRBRTBS	3/8" Drive Advanced Impact Hex Driver 4mm	50mm	
XH5MMPRBRTBS	3/8" Drive Advanced Impact Hex Driver 5mm	50mm	
XH6MMPRBRTBS	3/8" Drive Advanced Impact Hex Driver 6mm	50mm	
XH7MMPRBRTBS	3/8" Drive Advanced Impact Hex Driver 7mm	50mm	
XH8MMPRBRTBS	3/8" Drive Advanced Impact Hex Driver 8mm	50mm	
XH10MMPRBRTBS	3/8" Drive Advanced Impact Hex Driver 10mm	50mm	
XH12MMPRBRTBS	3/8" Drive Advanced Impact Hex Driver 12mm	50mm	



PRODUCT # XH04LPRBRTBS 3/8" XH05LPRBRTBS 3/8" D XH06LPRBRTBS 3/8" D XH07LPRBRTBS 3/8" D XH08LPRBRTBS 3/8" XH10LPRBRTBS 3/8" D XH12LPRBRTBS 3/8"

	XH07PRBRTBS
	3/8" DRIVE R.B.R.T.™
	LONG IMPACT
6	HEV DDIVED 7/22"

148





SXHLP14RBRT 14 PIECE 3/8" DRIVE ADVANCED LONG **SAE/METRIC IMPACT HEX DRIVER SET**

PRODUCT #	DESCRIPTION	LENGTH
SXHLP14RBRT	14 Piece 3/8" Drive Advanced Long Impact Hex Driver Set	
XH04LPBRTBS	3/8" Drive Advanced Long Impact Hex Driver 1/8"	78mm
XH05LPBRTBS	3/8" Drive Advanced Long Impact Hex Driver 5/32"	78mm
XHOGLPBRTBS	3/8" Drive Advanced Long Impact Hex Driver 3/16"	78mm
XH07LPBRTBS	3/8" Drive Advanced Long Impact Hex Driver 7/32"	78mm
XH08LPBRTBS	3/8" Drive Advanced Long Impact Hex Driver 1/4"	78mm
XH10LPBRTBS	3/8" Drive Advanced Long Impact Hex Driver 5/16"	78mm
XH12LPBRTBS	3/8" Drive Advanced Long Impact Hex Driver 3/8"	78mm
XH4MMLPRBRTBS	3/8" Drive Advanced Long Impact Hex Driver 4mm	78mm
XH5MMLPRBRTBS	3/8" Drive Advanced Long Impact Hex Driver 5mm	78mm
XH6MMLPRBRTBS	3/8" Drive Advanced Long Impact Hex Driver 6mm	78mm
XH7MMLPRBRTBS	3/8" Drive Advanced Long Impact Hex Driver 7mm	78mm
XH8MMLPRBRTBS	3/8" Drive Advanced Long Impact Hex Driver 8mm	78mm
XH10MMLPRBRTBS	3/8" Drive Advanced Long Impact Hex Driver 10mm	78mm
XH12MMLPRBRTBS	3/8" Drive Advanced Long Impact Hex Driver 12mm	78mm

3/8" DRIVE R.B.R.T.[™] SAE LONG IMPACT HEX DRIVERS

DESCRIPTION
Drive R.B.R.T.™ Long Impact Hex Driver 1/8"
rive R.B.R.T.™ Long Impact Hex Driver 5/32"
rive R.B.R.T. [™] Long Impact Hex Driver 3/16"
rive R.B.R.T.™ Long Impact Hex Driver 7/32"
Drive R.B.R.T.™ Long Impact Hex Driver 1/4"
rive R.B.R.T.™ Long Impact Hex Driver 5/16"
Drive R.B.R.T.™ Long Impact Hex Driver 3/8"







SVXMTS12RBRT 12 PIECE ADVANCED TRIPLE SQUARE SET

PRODUCT #	DESCRIPTION	LENGTH
SVXMTS12RBRT	12 Piece Advanced Triple Square Set	
MTS4MMRBRT	1/4" Drive Advanced Triple Square M4	37mm
MTS5MMRBRT	1/4" Drive Advanced Triple Square M5	37mm
MTS6MMRBRT	1/4" Drive Advanced Triple Square M6	37mm
XTS7MMRBRT	3/8" Drive Advanced Triple Square M7	48mm
XTS8MMRBRT	3/8" Drive Advanced Triple Square M8	48mm
XTS9MMRBRT	3/8" Drive Advanced Triple Square M9	48mm
XTS10MMRBRT	3/8" Drive Advanced Triple Square M10	48mm
XTS12MMRBRT	3/8" Drive Advanced Triple Square M12	48mm
XTS13MMRBRT	3/8" Drive Advanced Triple Square M13	48mm
XTS14MMRBRT	3/8" Drive Advanced Triple Square M14	48mm
VTS16MMRBRT	1/2" Drive Advanced Triple Square M16	55mm
VTS18MMRBRT	1/2" Drive Advanced Triple Square M18	55mm



SMLT13PT 13 PIECE MID-LENGTH STAR DRIVER SET

	PRODUCT #	SIZE.	DRIVE Size	OVERALL LENGTH In. / Mm	SET
-	SMLT13PT	1	13 Piece Mid-I	Length Star Driver Set	
	MTML8	T8	1/4"	2-3/4" / 70	•
	MTML10	T10	1/4"	2-3/4" / 70	•
	MTML15	T15	1/4"	2-3/4" / 70	•
	MTML20	T20	1/4"	2-3/4" / 70	•
	MTML25	T25	1/4"	2-3/4" / 70	•
	XTML27	T27	3/8"	2-3/4" / 70	•
	XTML30	T30	3/8"	2-3/4" / 70	•
	XTML40	T40	3/8"	2-3/4" / 70	•
	XTML45	T45	3/8"	2-3/4" / 70	•
	XTML47	T47	3/8"	2-3/4" / 70	•
	XTML50	T50	3/8"	2-3/4" / 70	•
	XTML55	T55	3/8"	2-3/4" / 70	•
	VTML60	T60	3/8"	2-3/4" / 70	•











SVXMLTS12RBRT

SVXMLTS12RBRT **12 PIECE ADVANCED LONG TRIPLE SQUARE SET**

PRODUCT #	DESCRIPTION	LENGTH
SVXMLTS12RBRT	12 Piece Advanced Long Triple Square Set	
MLTS4MMRBRT	1/4" Drive Advanced Long Triple Square M4	155mm
MLTS5MMRBRT	1/4" Drive Advanced Long Triple Square M5	155mm
MLTS6MMRBRT	1/4" Drive Advanced Long Triple Square M6	155mm
XLTS7MMRBRT	3/8" Drive Advanced Long Triple Square M7	155mm
XLTS8MMRBRT	3/8" Drive Advanced Long Triple Square M8	155mm
XLTS9MMRBRT	3/8" Drive Advanced Long Triple Square M9	155mm
XLTS10MMRBRT	3/8" Drive Advanced Long Triple Square M10	155mm
XLTS12MMRBRT	3/8" Drive Advanced Long Triple Square M12	155mm
XLTS13MMRBRT	3/8" Drive Advanced Long Triple Square M13	155mm
XLTS14MMRBRT	3/8" Drive Advanced Long Triple Square M14	155mm
XLTS16MMRBRT	1/2" Drive Advanced Long Triple Square M16	155mm
XLTS18MMRBRT	1/2" Drive Advanced Long Triple Square M18	155mm



R.B.R.T.[™] IMPACT TRIPLE-SQUARE DRIVERS

PRODUCT #	DESCRIPTION
XPTS7MMRBRT	3/8" Drive R.B.R.T.™ Impact Triple-Square Driver M7
XPTS8MMRBRT	3/8" Drive R.B.R.T.™ Impact Triple-Square Driver M8
XPTS9MMRBRT	3/8" Drive R.B.R.T.™ Impact Triple-Square Driver M9
XPTS10MMRBRT	3/8" Drive R.B.R.T.™ Impact Triple-Square Driver M10
XPTS12MMRBRT	3/8" Drive R.B.R.T.™ Impact Triple-Square Driver M12
XPTS13MMRBRT	3/8" Drive R.B.R.T.™ Impact Triple-Square Driver M13
XPTS14MMRBRT	3/8" Drive R.B.R.T.™ Impact Triple-Square Driver M14







PRODUCT #	DESCRIPTION	LENGTH
SXLE4RBRT	4 Piece Long R.B.R.T.™ Extractor Set	
EXL4RBRT	#4 6" Extractor	155mm
EXL5RBRT	#5 6" Inch Extractor	155mm
EXLGRBRT	#6 6" Inch Extractor	155mm
EXL7RBRT	#7 6" Inch Extractor	155mm



SXLE4RBRT

4 PIECE LONG R.B.R.T.

EXTRACTOR SET

SXE7RBRT 7 PIECE R.B.R.T.™ **EXTRACTOR SET**

- Innovative and exclusive
- R.B.R.T.[™] infused extractor
- S2 tool steel bits are precision machined
- For use on compromised
- or damaged fasteners

SVXMLPTS12RBRT

12 PIECE ADVANCED LONG IMPACT TRIPLE SQUARE SET

PRODUCT #	DESCRIPTION	LENGTH	
SVXMLPTS12RBRT	12 Piece Advanced Long Impact Triple Square S	let	
MPLTS4MMRBRT	1/4" Drive Advanced Impact Long Triple Square M4	27mm	
MPLTS5MMRBRT	1/4" Drive Advanced Impact Long Triple Square M5	27mm	
MPLTS6MMRBRT	1/4" Drive Advanced Impact Long Triple Square M6	27mm	
XPLTS7MMRBRT	3/8" Drive Advanced Impact Long Triple Square M7	78mm	
XPLTS8MMRBRT	3/8" Drive Advanced Impact Long Triple Square M8	78mm	
XPLTS9MMRBRT	3/8" Drive Advanced Impact Long Triple Square M9	78mm	
XPLTS10MMRBRT	3/8" Drive Advanced Impact Long Triple Square M10	78mm	
XPLTS12MMRBRT	3/8" Drive Advanced Impact Long Triple Square M12	78mm	
XPLTS13MMRBRT	3/8" Drive Advanced Impact Long Triple Square M13	78mm	
XPLTS14MMRBRT	3/8" Drive Advanced Impact Long Triple Square M14	78mm	
VPLTS16MMRBRT	1/2" Drive Advanced Impact Long Triple Square M16	78mm	
VPLTS18MMRBRT	1/2" Drive Advanced Impact Long Triple Square M18	78mm	

TOOLS

SVXMPTS12RBRT

12 PIECE ADVANCED IMPACT TRIPLE SQUARE SET

PRODUCT #	DESCRIPTION	LENGTH
SVXMPTS12RBRT	12 Piece Advanced Impact Triple Square Set	
MPTS4MMRBRT	1/4" Drive Advanced Triple Square M4	37mm
MPTS5MMRBRT	1/4" Drive Advanced Triple Square M5	37mm
MPTS6MMRBRT	1/4" Drive Advanced Triple Square M6	37mm
XTPS7MMRBRT	3/8" Drive Advanced Triple Square M7	48mm
XTPS8MMRBRT	3/8" Drive Advanced Triple Square M8	48mm
XTPS9MMRBRT	3/8" Drive Advanced Triple Square M9	48mm
XTPS10MMRBRT	3/8" Drive Advanced Triple Square M10	48mm
XTPS12MMRBRT	3/8" Drive Advanced Triple Square M12	48mm
XTPS13MMRBRT	3/8" Drive Advanced Triple Square M13	48mm
XTPS14MMRBRT	3/8" Drive Advanced Triple Square M14	48mm
VTPS16MMRBRT	1/2" Drive Advanced Triple Square M16	55mm
VTPS18MMRBRT	1/2" Drive Advanced Triple Square M18	55mm



SXE7RBRTFOR **7 PIECE STANDARD**

R.B.R.T.[™] EXTRACTOR SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH	
SXE7RBRTFOR	7 Piece Standard R.B.R.T.™ Extractor Set with F.O.R.		
EX1RBRTFOR	RBRT FOR Extractor #1	70mm	
EX2RBRTFOR	RBRT FOR Extractor #2	70mm	
EX3RBRTFOR	RBRT FOR Extractor #3	70mm	
EX4RBRTFOR	RBRT FOR Extractor #4	70mm	
EX5RBRTFOR	RBRT FOR Extractor #5	70mm	
EXGRBRTFOR	RBRT FOR Extractor #6	70mm	
EX7RBRTFOR	RBRT FOR Extractor #7	70mm	







SMMPEX9RBRT 9 PIECE 1/4" DRIVE METRIC IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SMMPEX9RBRT	9 Piece 1/4" Drive Metric Impact RBRT Extractor Socket Set with F.O.R.	
MMPEX4RBRT	4mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX5RBRT	5mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX6RBRT	6mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX7RBRT	7mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX8RBRT	8mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX9RBRT	9mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX10RBRT	10mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX11RBRT	11mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX12RBRT	12mm RBRT FOR Extractor Socket 1/4" Drive	35mm
	M3.5 1/4" Drive Socket Pusher	55mm
MEPUSHRBRTFOR	M6 1/4" Drive Socket Pusher	55mm

TOOLS



SMMDPEX9RBRT

9 PIECE 1/4" DRIVE METRIC DEEP IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH	
SMMDPEX9RBRT	9 Piece 1/4" Drive Metric Impact RBRT Extractor Socket Set with F.O.R. (Deep)		
MMDPEX4RBRT	4mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX5RBRT	5mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX6RBRT	6mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX7RBRT	7mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX8RBRT	8mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX9RBRT	9mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX10RBRT	10mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX11RBRT	11mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
MMDPEX12RBRT	12mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm	
	M3.5 1/4" Drive Deep Socket Pusher	85mm	
MEDPUSHRBRTFOR	M6 1/4" Drive Deep Socket Pusher	85mm	







SXMPEX8RBRT

8 PIECE 3/8" DRIVE METRIC IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SXMPEX8RBRT	8 Piece 3/8" Drive Metric Impact R.B.R.T.™ Extractor So with F.O.R.	ocket Set
XPMEX11RBRT	11mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX12RBRT	12mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX13RBRT	13mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX14RBRT	14mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX15RBRT	15mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX16RBRT	16mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX17RBRT	17mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX18RBRT	18mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XEPUSHRBRTFOR	M9 3/8" Drive Socket Pusher	55mm

SXMDPEX8RBRT 8 PIECE 3/8" DRIVE METRIC DEEP IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SXMDPEX8RBRT	8 Piece 3/8" Drive Metric Impact R.B.R.T.™ Extractor S with F.O.R.	ocket Set
XPDMEX11RBRT	11mm R.B.R.T. $^{\rm \tiny TM}$ FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX12RBRT	12mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX13RBRT	13mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX14RBRT	14mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX15RBRT	15mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX16RBRT	16mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX17RBRT	17mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX18RBRT	18mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XEDPUSHRBRTFOR	M9 3/8" Drive Deep Socket Pusher	85mm







SVMPEX7RBRT 7 PIECE 1/2" DRIVE METRIC IMPACT R.B.R.T.[™] EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SVMPEX7RBRT	7 Piece 1/2" Drive Metric Impact R.B.R.T.™ Extractor S with F.O.R.	Socket Set
VPMEX19RBRT	19mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX20RBRT	20mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX21RBRT	21mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX22RBRT	22mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX23RBRT	23mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX24RBRT	24mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX25RBRT	25mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VEPUSHRBRTFOR	M12 1/2" Drive Socket Pusher	75mm

SVMDPEX7RBRT 7 PIECE 1/2" DRIVE METRIC DEEP IMPACT R.B.R.T.[™] EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SVMDPEX7RBRT	7 Piece 1/2" Drive SAE Deep Impact R.B.R.T. [™] Extractor Socket Set with F.O.R.	
VPDMEX19RBRT	19mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm
VPDMEX20RBRT	20mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm
VPDMEX21RBRT	21mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm
VPDMEX22RBRT	22 mm RBRT FOR Deep Extractor Socket $1/2"$ Drive	80mm
VPDMEX23RBRT	23mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm
VPDMEX24RBRT	24mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm
VPDMEX25RBRT	25mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm
VEDPUSHRBRTFOR	M12 1/2" Drive Deep Socket Pusher	105mm



TOOLS



MULTI DRIVE



SLT13RBRT **13 PIECE ADVANCED LONG STAR SET**

PRODUCT #	DESCRIPTION	LENGTH
SLT13RBRT	13 Piece Advance Long Star Set	
MLT08RBRT	1/4" Drive Advanced Long Star T8	135mm
MLT10RBRT	1/4" Drive Advanced Long Star T10	135mm
MLT15RBRT	1/4" Drive Advanced Long Star T15	135mm
MLT20RBRT	1/4" Drive Advanced Long Star T20	135mm
MLT25RBRT	1/4" Drive Advanced Long Star T25	135mm
MLT27RBRT	1/4" Drive Advanced Long Star T27	135mm
XLT3ORBRT	3/8" Drive Advanced Long Star T30	135mm
XLT40RBRT	3/8" Drive Advanced Long Star T40	135mm
XLT45RBRT	3/8" Drive Advanced Long Star T45	135mm
XLT47RBRT	3/8" Drive Advanced Long Star T47	135mm
XLT50RBRT	3/8" Drive Advanced Long Star T50	135mm
XLT55RBRT	3/8" Drive Advanced Long Star T55	135mm
VLT60RBRT	1/2" Drive Advanced Long Star T60	155mm

156





SST13RBRT **13 PIECE ADVANCED STUBBY STAR SET**

PRODUCT #	DESCRIPTION	LENGTH
SST13RBRT	13 Piece Advance Stubby Star Set	
MST08RBRT	1/4" Drive Advanced Stubby Star T8 Stubby	20mm
MST10RBRT	1/4" Drive Advanced Stubby Star T10 Stubby	20mm
MST15RBRT	1/4" Drive Advanced Stubby Star T15 Stubby	20mm
MST20RBRT	1/4" Drive Advanced Stubby Star T20 Stubby	20mm
MST25RBRT	1/4" Drive Advanced Stubby Star T25 Stubby	20mm
MST27RBRT	1/4" Drive Advanced Stubby Star T27 Stubby	20mm
XST3ORBRT	3/8" Drive Advanced Stubby Star T30 Stubby	20mm
XST40RBRT	3/8" Drive Advanced Stubby Star T40 Stubby	20mm
XST45RBRT	3/8" Drive Advanced Stubby Star T45 Stubby	20mm
XST47RBRT	3/8" Drive Advanced Stubby Star T47 Stubby	20mm
XST50RBRT	3/8" Drive Advanced Stubby Star T50 Stubby	20mm
XST55RBRT	3/8" Drive Advanced Stubby Star T55 Stubby	20mm
VSTGORBRT	1/2" Drive Advanced Stubby Star T60 Stubby	20mm



ST13RBRT **13 PIECE ADVANCED STAR SET**

PRODUCT #	DESCRIPTION	LENGTH
ST13RBRT	13 Piece Advance Star Set	
MT08RBRT	1/4" Drive Advanced Star T8	37mm
MT10RBRT	1/4" Drive Advanced Star T10	37mm
MT15RBRT	1/4" Drive Advanced Star T15	37mm
MT20RBRT	1/4" Drive Advanced Star T20	37mm
MT25RBRT	1/4" Drive Advanced Star T25	37mm
MT27RBRT	1/4" Drive Advanced Star T27	37mm
XT30RBRT	3/8" Drive Advanced Star T30	48mm
XT40RBRT	3/8" Drive Advanced Star T40	48mm
XT45RBRT	3/8" Drive Advanced Star T45	48mm
XT47RBRT	3/8" Drive Advanced Star T47	48mm
XT50RBRT	3/8" Drive Advanced Star T50	48mm
XT55RBRT	3/8" Drive Advanced Star T55	48mm
VTGORBRT	1/2" Drive Advanced Star T60	55mm







SVHP14RBRT 14 PIECE 1/2" DRIVE Advanced Impact Hex Driver Set

PRODUCT #	DESCRIPTION	LENGTH
SVHP14RBRT	14 Piece 1/2" Drive Advance Impact Hex Drive	r Set
VH14PRBRTBS	1/2" Drive Advanced Impact Hex Driver 7/16	50mm
VH16PRBRTBS	1/2" Drive Advanced Impact Hex Driver 1/2	50mm
VH18PRBRTBS	1/2" Drive Advanced Impact Hex Driver 9/16	50mm
VH20PRBRTBS	1/2" Drive Advanced Impact Hex Driver 5/8	50mm
VH22PRBRTBS	1/2" Drive Advanced Impact Hex Driver 11/16	50mm
VH24PRBRTBS	1/2" Drive Advanced Impact Hex Driver 3/4	50mm
VH26PRBRTBS	1/2" Drive Advanced Impact Hex Driver 13/16	50mm
VH13MMPRBRTBS	1/2" Drive Advanced Impact Hex Driver 13	50mm
VH14MMPRBRTBS	1/2" Drive Advanced Impact Hex Driver 14	50mm
VH15MMPRBRTBS	1/2" Drive Advanced Impact Hex Driver 15	50mm
VH16MMPRBRTBS	1/2" Drive Advanced Impact Hex Driver 16	50mm
VH17MMPRBRTBS	1/2" Drive Advanced Impact Hex Driver 17	50mm
VH18MMPRBRTBS	1/2" Drive Advanced Impact Hex Driver 18	50mm
VH19MMPRBRTBS	1/2" Drive Advanced Impact Hex Driver 19	50mm

TOOLS



1/2

SVHLP14RBRT 14 PIECE 1/2" DRIVE ADVANCED Long Impact Hex Driver Set

SYHLP14RBRT14 Piece 1/2" Drive Advance Long Impact Hex Driver 7/1678mmVH14LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 7/1678mmVH16LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/278mmVH18LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 9/1678mmVH20LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 9/1678mmVH22LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH24LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH26LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH16LPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH14MMLPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH14MMLPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH14MMLPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH15MMLPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mmVH15MMLPRBRTBS1/2" Drive Advanced Long Impact Hex Driver 1/1678mm	PRODUCT #	DESCRIPTION	LENGTH
VH16LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 1/2 78mm VH18LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 9/16 78mm VH20LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 9/16 78mm VH22LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 5/8 78mm VH22LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 11/16 78mm VH24LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 11/16 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH13MMLPRBTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm	SVHLP14RBRT	14 Piece 1/2" Drive Advance Long Impact Hex Drive	er Set
VH18LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 9/16 78mm VH20LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 5/8 78mm VH22LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 11/16 78mm VH24LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 3/4 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 3/4 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH13MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm	VH14LPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 7/16	78mm
VH20LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 5/8 78mm VH22LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 11/16 78mm VH24LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 3/4 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH13MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm	VH16LPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 1/2	78mm
VH22LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 11/16 78mm VH24LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 3/4 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH13MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm	VH18LPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 9/16	78mm
VH24LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 12/16 78mm VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH13MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm	VH20LPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 5/8	78mm
VH26LPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13/16 78mm VH13MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm	VH22LPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 11/16	78mm
VH13MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 13 78mm VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 15 78mm	VH24LPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 3/4	78mm
VH14MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 14 78mm VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 15 78mm	VH26LPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 13/16	78mm
VH15MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 15 78mm	VH13MMLPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 13	78mm
	VH14MMLPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 14	78mm
VH16MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 16 78mm	VH15MMLPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 15	78mm
	VH16MMLPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 16	78mm
VH17MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 17 78mm	VH17MMLPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 17	78mm
VH18MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 18 78mm	VH18MMLPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 18	78mm
VH19MMLPRBRTBS 1/2" Drive Advanced Long Impact Hex Driver 19 78mm	VH19MMLPRBRTBS	1/2" Drive Advanced Long Impact Hex Driver 19	78mm



STS10RBRT 10 PIECE ADVANCED SPEED STAR DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
STS10RBRT	10 Piece Advance Speed Star Driver Set	
MSTS10RBRT	1/4" Drive Advanced Speed Star T10	48 mm
MSTS15RBRT	1/4" Drive Advanced Speed Star T15	48 mm
MSTS20RBRT	1/4" Drive Advanced Speed Star T20	48 mm
MSTS25RBRT	1/4" Drive Advanced Speed Star T25	48 mm
MSTS27RBRT	1/4" Drive Advanced Speed Star T27	48 mm
XSTS30RBRT	3/8" Drive Advanced Speed Star T30	48 mm
XSTS40RBRT	3/8" Drive Advanced Speed Star T40	48 mm
XSTS45RBRT	3/8" Drive Advanced Speed Star T45	48 mm
XSTS47RBRT	3/8" Drive Advanced Speed Star T47	48 mm
XSTS50RBRT	3/8" Drive Advanced Speed Star T50	48 mm
XSTS55RBRT	3/8" Drive Advanced Speed Star T55	48 mm







SPT10RBRT 10 PIECE ADVANCED IMPACT STAR DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SPT10RBRT	10 Piece Advance Impact Star Driver Set	
MPT20RBRT	1/4" Drive Advanced Impact Star T20	27mm
MPT25RBRT	1/4" Drive Advanced Impact Star T25	27mm
MPT27RBRT	1/4" Drive Advanced Impact Star T27	27mm
XPT30RBRT	3/8" Drive Advanced Impact Star T30	40mm
XPT40RBRT	3/8" Drive Advanced Impact Star T40	40mm
XPT45RBRT	3/8" Drive Advanced Impact Star T45	40mm
XPT47RBRT	3/8" Drive Advanced Impact Star T47	40mm
XPT50RBRT	3/8" Drive Advanced Impact Star T50	40mm
XPT55RBRT	3/8" Drive Advanced Impact Star T55	40mm
VPT60RBRT	1/2" Drive Advanced Impact Star T60	50mm



STAR PLUS DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SMXVTP12RBRT	12 Piece Advance Star Plus Driver Set	
MTP08RBRT	1/4" Drive Advanced Star Plus IP8	37mm
MTP10RBRT	1/4" Drive Advanced Star Plus IP10	37mm
MTP15RBRT	1/4" Drive Advanced Star Plus	37mm
MTP20RBRT	1/4" Drive Advanced Star Plus IP20	37mm
MTP25RBRT	1/4" Drive Advanced Star Plus IP25	37mm
MTP27RBRT	1/4" Drive Advanced Star Plus IP27	37mm
XTP30RBRT	3/8" Drive Advanced Star Plus IP30	48mm
XTP40RBRT	3/8" Drive Advanced Star Plus IP40	48mm
XTP45RBRT	3/8" Drive Advanced Star Plus IP45	48mm
XTP50RBRT	3/8" Drive Advanced Star Plus IP50	48mm
XTP55RBRT	3/8" Drive Advanced Star Plus IP55	48mm
VTP60RBRT	1/2" Drive Advanced Star Plus IP60	55mm









51 PIECE MASTER STAR AND EXTRACTOR DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SMXVE51RBRT	51 Piece Master Star and Extractor Driver Set	
MST08RBRT	1/4" Drive Advanced Stubby Star Driver T08	20mm
MST10RBRT	1/4" Drive Advanced Stubby Star Driver T10	20mm
MST15RBRT	1/4" Drive Advanced Stubby Star Driver T15	20mm
MST2ORBRT	1/4" Drive Advanced Stubby Star Driver T20	20mm
MST25RBRT	1/4" Drive Advanced Stubby Star Driver T25	20mm
MST27RBRT	1/4" Drive Advanced Stubby Star Driver T27	20mm
XST3ORBRT	3/8" Drive Advanced Stubby Star Driver T30	30mm
XST4ORBRT	3/8" Drive Advanced Stubby Star Driver T40	30mm
XST45RBRT	3/8" Drive Advanced Stubby Star Driver T45	30mm
XST47RBRT	3/8" Drive Advanced Stubby Star Driver T47	30mm
XST50RBRT	3/8" Drive Advanced Stubby Star Driver T50	30mm
XST55RBRT	3/8" Drive Advanced Stubby Star Driver T55	30mm
VST60RBRT	1/2" Drive Advanced Stubby Star Driver T60	40mm
MT06RBRT	1/4" Drive Advanced Star Driver T06	37mm
MT08RBRT	1/4" Drive Advanced Star Driver T08	37mm
MT10RBRT	1/4" Drive Advanced Star Driver T10	37mm
MT15RBRT	1/4" Drive Advanced Star Driver T15	37mm
MT20RBRT	1/4" Drive Advanced Star Driver T20	37mm
MT25RBRT	1/4" Drive Advanced Star Driver T25	37mm
MT27RBRT	1/4" Drive Advanced Star Driver T27	37mm
XT30RBRT	3/8" Drive Advanced Star Driver T30	48mm
XT40RBRT	3/8" Drive Advanced Star Driver T40	48mm
XT45RBRT	3/8" Drive Advanced Star Driver T45	48mm
XT47RBRT	3/8" Drive Advanced Star Driver T47	48mm
XT50RBRT	3/8" Drive Advanced Star Driver T50	48mm

TOOLS

PRODUCT #	DESCRIPTION	LENGTH
CONTINUED	51 Piece Master Star and Extractor Driver Set	
XT55RBRT	3/8" Drive Advanced Star Driver T55	48mm
VT60RBRT	1/2" Drive Advanced Star Driver T60	55mm
VT70RBRT	1/2" Drive Advanced Star Driver T70	70mm
VT80RBRT	1/2" Drive Advanced Star Driver T80	70mm
VT90RBRT	1/2" Drive Advanced Star Driver T90	70mm
VT100RBRT	1/2" Drive Advanced Star Driver T100	70mm
MLT08RBRT	1/4" Drive Advanced Long Star Driver T08	135mm
MLT10RBRT	1/4" Drive Advanced Long Star Driver T10	135mm
MLT15RBRT	1/4" Drive Advanced Long Star Driver T15	135mm
MLT20RBRT	1/4" Drive Advanced Long Star Driver T20	135mm
MLT25RBRT	1/4" Drive Advanced Long Star Driver T25	135mm
MLT27RBRT	1/4" Drive Advanced Long Star Driver T27	135mm
XLT30RBRT	3/8" Drive Advanced Long Star Driver T30	135mm
XLT40RBRT	3/8" Drive Advanced Long Star Driver T40	135mm
XLT45RBRT	3/8" Drive Advanced Long Star Driver T45	135mm
XLT47RBRT	3/8" Drive Advanced Long Star Driver T47	135 mm
XLT50RBRT	3/8" Drive Advanced Long Star Driver T50	135 mm
XLT55RBRT	3/8" Drive Advanced Long Star Driver T55	135mm
VLTGORBRT	1/2" Drive Advanced Long Star Driver T60	155mm
EX1RBRTFOR	R.B.R.T. Extractor #1 With F.O.R.	70mm
EX2RBRTFOR	R.B.R.T. Extractor #2 With F.O.R.	70mm
EX3RBRTFOR	R.B.R.T. Extractor #3 With F.O.R.	70mm
EX4RBRTFOR	R.B.R.T. Extractor #4 With F.O.R.	70mm
EX5RBRTFOR	R.B.R.T. Extractor #5 With F.O.R.	70mm
EXGRBRTFOR	R.B.R.T. Extractor #6 With F.O.R.	70mm
EX7RBRTFOR	R.B.R.T. Extractor #7 With F.O.R.	70mm

SMXVMH20RBRT 20 PIECE MASTER METRIC HEX DRIVER SET

PRODUCT #	DESCRIPTION	LENGTH
SMXVMH20RBRT	20 Piece Master Metric Hex Driver Set	
MHS1.5MMRBRTBS	1/4" Drive Advanced Short Hex Driver 1.5	37mm
MHS2MMRBRTBS	1/4" Drive Advanced Short Hex Driver 2	37mm
MHS2.5MMRBRTBS	1/4" Drive Advanced Short Hex Driver 2.5	37mm
MHS3MMRBRTBS	1/4" Drive Advanced Short Hex Driver 3	37mm
MHS4MMRBRTBS	1/4" Drive Advanced Short Hex Driver 4	37mm
MHS5MMRBRTBS	1/4" Drive Advanced Short Hex Driver 5	37mm
XHS6MMRBRTBS	3/8" Drive Advanced Short Hex Driver 6	48mm
XHS7MMRBRTBS	3/8" Drive Advanced Short Hex Driver 7	48mm
XHS8MMRBRTBS	3/8" Drive Advanced Short Hex Driver 8	48mm
XHS9MMRBRTBS	3/8" Drive Advanced Short Hex Driver 9	48mm



· 1/4 · · 3/8 · · 1/2 ·



	and the second se	9 B.C.
PRODUCT #	DESCRIPTION	LENGTH
INUED	20 Piece Master Metric Hex Driver Set	
OMMRBRTBS	3/8" Drive Advanced Short Hex Driver 10	48mm
1MMRBRTBS	1/2" Drive Advanced Short Hex Driver 11	55mm
2MMRBRTBS	1/2" Drive Advanced Short Hex Driver 12	55mm
3MMRBRTBS	1/2" Drive Advanced Short Hex Driver 13	55mm
4MMRBRTBS	1/2" Drive Advanced Short Hex Driver 14	55mm
5MMRBRTBS	1/2" Drive Advanced Short Hex Driver 15	55mm
6MMRBRTBS	1/2" Drive Advanced Short Hex Driver 16	55mm
7MMRBRTBS	1/2" Drive Advanced Short Hex Driver 17	55mm
8MMRBRTBS	1/2" Drive Advanced Short Hex Driver 18	55mm
9MMRBRTBS	1/2" Drive Advanced Short Hex Driver 19	55mm



TORQUE CONTROL

CONTENTS:

TORQUE

SPECIALITY TORQUE TOOLS

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

LINKS Click the contents to move around the catalogue

MACTOOLS.CO.UK 0114 291 7266



SPECIALITY TORQUE TOOLS

NOTES

OC.

ROUND-HEAD MICRO Adjustable torque wrenches

COMMON FEATURES:

- Micrometer torque wrenches come on strong for ongoing torquing operations, providing uniform accuracy and repeatability over the full range of settings
- +/-4% Clockwise
- Design places less stress on individual components
- so wrenches last and stay calibrated longer
- Round-head design
- Non-slip knurled handle
- Easy-to-read and set for error-free adjustments
- Automatic locking torque adjustment
- No risk of accidental release
- Ergonomic-design handle with knurled design for safety
- Increased length for improved torque transfer and accuracy

PRODUCT #	DRIVE SIZE	DESCRIPTION
TWN1-5NM	1/4"	1-5 Nm Torque Wrench
TWX5-25NM	3/8"	5-25 Nm Torque Wrench
TWX20-100NM	3/8"	20-100 Nm Torque Wrench
TWV70-340NM	1/2"	70-340 Nm Torque Wrench

ROUND-HEAD Micro Adjustable Flex-head torque wrenches

- Torques accurately where working space is limited or obstructed
- 17° Flex in each direction
- +/-4% Clockwise

PRODUCT #	DRIVE SIZE	DESCRIPTION
TWX20-100NMF	3/8"	20-100 Nm Torque Wrench With Flexible Head
TWV70-340NMF	1/2"	70-340 Nm Torque Wrench With Flexible Head

TM281

TORQUE ANGLE METER

 For all torque-to-yield fastener applications
 Commonly used for tightening head bolts and other bolts where a torque angle is required
 Use with 1/2" drive



PI	RODUCT #	SIZE In. / Mm	OVERALL LENGTH In. / Mm
	XB210MMR	10	2-5/8" / 66.7
	XB211MMR	11	2-5/8" / 66.7
	XB212MMR	12	2-3/4" / 69.9
	XB213MMR	13	2-3/4" / 69.9
мм	XB214MMR	14	2-3/4" / 69.9
	XB215MMR	15	2-3/4" / 69.9
	XB216MMR	16	2-3/4" / 69.9
	XB217MMR	17	2-7/8" / 73
	XB218MMR	18	2-7/8" / 73
	XB219MMR	19	2-7/8" / 73

SXBM102H

10 PIECE 3/8" DRIVE METRIC BOX END Torque Adapter Set

2" Centre-to-centre

1	64



	05
/	
······	
/	
·····	
and the second	



SCREWDRIVERS - KEY - BITS

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

LINKS Click the contents to move around the catalogue




CONTENTS:

SCREWDRIVERS

SOFT-GRIP [™] SCREWDRIVERS AND SETS
MAC-GRIP [™] LONG SCREWDRIVERS AND SETS
MACSIMIZER [™] SCREWDRIVERS AND SETS
SCREWDRIVERS AND SETS
PRECISION AND POCKET SCREWDRIVERS
HEX BIT DRIVERS
BITS AND SETS
HEX BIT DRIVERS AND SETS
HEX & TORX KEYS
R.B.R.T. [™] KEYS AND SETS
KEYS AND SETS
SPEED KEYS AND SETS

MASTER SETS

MACTOOLS.CO.UK 0114 291 7266





TOOLS

SOFT-GRIP[™] COMBINATION SCREWDRIVER SETS

- 360° Ergonomic textured grip for maximum comfort for high torque applications
- Moulded slotted and Phillips[®] tip ID for easy recognition of tip type in the vertical position
- High-quality alloy-steel bar with hex bolster for additional torque application

SOFT-GRIP[™] SCREWDRIVER FEATURES:

- Quad-lobular design provides superior handle ergonomics
- Precision grip zone provides additional comfort and control for fine torque applications
- 360° Chemical resistant textured grip provides maximum comfort and grip
- High torque zone provides increased ergonomic benefit for high torque applications
- Speed zone grip design provides increased speed and control
- Moulded tip ID and brand easily identify the type of tip

SDB12DO-S

PRODUCT #	TIP TYPE	BOLSTER	TIP SIZE	TIP Thickness	SHANK	BAR LENGTH In. / MM
SDB12D(R,G,O)-S	12 Piece M	ac-Grip™ Co	mbination	Screwdriver Se	et Soft Grip	(Red, Green, Orange)
SDB8D(R,G,O)-S	8 Piece Ma	c-Grip [™] Con	nbination S	crewdriver Set	Soft Grip (F	Red, Green, Orange)
SDB6D(R,G,O)-S	6 Piece Ma	c-Grip™ Con	nbination S	crewdriver Set	Soft Grip (F	Red, Green, Orange)
PNR1D(R,G,O)	Keystone		1/4"	0.037"	Round	1-1/2" / 38
PHRB3D(R,G,O)-S	Keystone	•	3/16"	0.030"	Round	3" / 76
PNRB4D(R,G,O)-S	Keystone	•	1/4"	0.037"	Round	4" / 102
PJRB6D(R,G,O)-S	Keystone	•	5/16"	0.042"	Round	6" / 152
PKRB8D(R,G,O)-S	Keystone	•	3/8"	0.050"	Round	8" / 203
PKRB12D(R,G,O)-S	Keystone	•	3/8"	0.050"	Round	12" / 305
P3012D(R,G,O)	Phillips®		#2	-	Round	1-1/2" / 38
PB2031D(R,G,O)-S	Phillips®	•	#1	-	Round	3" / 76
PB2042D(R,G,O)-S	Phillips®	•	#2	-	Round	4" / 102
PB2063D(R,G,O)-S	Phillips®	•	#3	-	Round	6" / 152
PB2082D(R,G,O)-S	Phillips®	•	#2	-	Round	8" / 203
PB2084D(R,G,O)-S	Phillips®	•	#4	-	Round	8" / 203

168



Nylon-alloy handle that's chemically resistant to gasoline, disk brake cleaner, brake fluid, motor oil, hydraulic fluid, ethylene glycol, and acetone

Shot blasted tips for added protection against corrosion and improved gripping force



OVERALL LENGTH In. / Mm		SETS		
3-1/2" / 83		•	•	
7-1/4" / 184	•	•	•	
8-1/2" / 216	•	•	•	
10-3/4" / 273	•	•	•	
13" / 330	•	•	•	
17" / 432			۰	
3-1/2" / 83		•	٠	
7-1/4" / 184	•	•	•	
8-1/2" / 216	•	•	•	
10-3/4" / 273			•	
12-1/2" / 317.5			•	
13" / 330			•	
			•	









PRODUCT #	TIP TYPE	BOLSTER	TIP SIZE	TIP Thickness	SHANK	BAR LENGTH In. / MM	OVERALL LENGTH In. / Mm	SET
SDL8D(R,G,O)-S	8 Piece Mac	8 Piece Mac-Grip™ Long Combination Screwdriver Set Soft-Grip™						
PH6D(R,G,O)-S	Cabinet		3/16"	0.030"	Round	6" / 152.4	10-1/4" / 260.35	•
PN12D(R,G,O)-S	Cabinet		1/4"	0.037"	Round	12" / 381	16-1/2" / 419.1	•
PH15D(R,G,O)-S	Cabinet		3/16"	0.030"	Round	15" / 304.8	19-1/4" / 488.95	•
PN18D(R,G,O)-S	Keystone		1/4"	0.037"	Round	18" / 457.2	22-1/2" / 533.81	•
PB2081D(R,G,O)-S	Phillips [®]	•	#1	-	Round	8" / 203.2	12-1/2" / 317.5	•
PB2082D(R,G,O)-S	Phillips®	•	#2	-	Round	8" / 203.2	12-1/2" / 317.5	•
P2122D(R,G,O)-S	Phillips®		#2	-	Round	12" / 304.8	16-1/2" / 419.1	•
P2182D(R,G,O)-S	Phillips®		#2	-	Round	18" / 457.2	22-1/2" / 533.81	•







SDL7TPR-S 7 PIECE MAC-GRIP™ TAMPER-RESISTANT TORX® SCREWDRIVER SET SOFT-GRIP™

RODUCT #	TIP TYPE	TIP Size	SHANK Shape	BAR LENGTH In. / Mm	OVERALL LENGTH In. / Mm	SET
L7TPR-S	7 Piece Mac-Grip™ Tamp	per-Resista	ant Torx® S	Screwdriver Set	Soft-Grip™	
P8CR-S	Tamper-Resistant Torx®	TP8	Round	8" / 203.2	12-1/4" / 311.5	•
P10CR-S	Tamper-Resistant Torx®	TP10	Round	8" / 203.2	12-1/4" / 311.5	•
P15CR-S	Tamper-Resistant Torx®	TP15	Round	8" / 203.2	12-1/4" / 311.5	٠
P20CR-S	Tamper-Resistant Torx®	TP20	Round	8" / 203.2	12-1/4" / 311.5	•
P25CR-S	Tamper-Resistant Torx®	TP25	Round	8" / 203.2	12-1/4" / 311.5	•
P27CR-S	Tamper-Resistant Torx®	TP27	Round	8" / 203.2	12-1/2" / 317.5	•
P30CR-S	Tamper-Resistant Torx®	TP30	Round	8" / 203.2	12-1/2" / 317.5	•

SD9TDR-S

9 PIECE MAC-GRIP[™] TORX[®] Screwdriver set soft-grip[™]

RODUCT #	TIP TYPE	TIP SIZE	SHANK Shape	BAR LENGTH In. / Mm	OVERALL LENGTH In. / Mm	SET						
9TDR-S	9 Piece Mac-Grip [™] Torx [®] Screwdriver Set Soft-Grip [™]											
BCR-S	Torx®	T8	Round	3-1/4" / 82.6	7-1/2" / 190.5	٠						
IOCR-S	Torx®	T10	Round	3-1/4" / 82.6	7-1/2" / 190.5	٠						
ISCR-S	Torx®	T15	Round	3-1/4" / 82.6	7-1/2" / 190.5	•						
20CR-S	Torx®	T20	Round	3-1/4" / 82.6	7-1/2" / 190.5	•						
25CR-S	Torx®	T25	Round	3-1/4" / 82.6	7-1/2" / 190.5	٠						
27CR-S	Torx®	T27	Round	4" / 101.6	8-1/2" / 215.9	٠						
BOCR-S	Torx®	T30	Round	4" / 101.6	8-1/2" / 215.9	•						
IOCR-S	Torx®	T40	Round	6" / 152.4	10-3/4" / 273.1	•						
15CR-S	Torx®	T45	Round	6" / 152.4	10-3/4" / 273.1	•						

SCREWDRIVERS MAC-GRIP™ SCREWDRIVERS AND SETS



MACSIMIZER[™] SCREWDRIVERS AND SETS







SD9TDR-S 9-PIECE MAC-GRIP[™] TORX[™] **SCREWDRIVER SET**

- 360° Ergonomic textured grip for maximum comfort for high torque applications
- Moulded tip ID for easy recognition of tip type in the vertical position
- Nylon-alloy Soft-Grip[™] handle is chemically resistant to gasoline, disk brake cleaner, brake fluid, motor oil, hydraulic fluid, ethylene glycol, and acetone
- Vapour-blasted tips for added protection against corrosion and improved gripping force
- High-quality alloy-steel bar
- Sizes: T8 T45

SNDF7DR-S

7 PIECE MAC-GRIP[™] SAE NUT DRIVER SET SOFT-GRIP[™]

PRODUCT #	TIP Size	SHANK Shape	BAR LENGTH IN. / MM	OVERALL LENGTH In. / Mm	COLOUR	SET
SNDF7DR-S	7 Piece I	Mac-Grip™ \$	SAE Nut Driver Set So	ft-Grip™		
PNDF14DR-S	1/4"	Deep	4" / 101.6	8-1/2" / 215.9	Red	٠
PNDF932DR-S	9/32"	Deep	4" / 101.6	8-1/2" / 215.9	Orange	•
PNDF516DR-S	5/16"	Deep	4" / 101.6	8-3/4" / 222.3	Yellow	•
PNDF1132DR-S	11/32"	Deep	4" / 101.6	8-3/4" / 222.3	Green	•
PNDF38DR-S	3/8"	Deep	4" / 101.6	8-3/4" / 222.3	Blue	•
PNDF716DR-S	7/16"	Deep	4" / 101.6	9" / 228.6	Brown	•
PNDF12DR-S	1/2"	Deep	4" / 101.6	9" / 228.6	Red	٠

SNDM9DR-S

9 PIECE MAC-GRIP[™] METRIC NUT DRIVER SET SOFT-GRIP[™]

PRODUCT #	TIP SIZE	SHANK Shape	BAR LENGTH In. / Mm	OVERALL LENGTH In. / Mm	COLOUR	SET
SNDM9DR-S	9 Piece I	Mac-Grip [™] I	Metric Nut Driver Set	Soft-Grip™		
PNDM4DR-S	4	Deep	4" / 101.6	8-1/2" / 215.9	Red	٠
PNDM5DR-S	5	Deep	4" / 101.6	8-1/2" / 215.9	Black	٠
PNDM55DR-S	5.5	Deep	4" / 101.6	8-1/2" / 215.9	Brown	٠
PNDM7DR-S	7	Deep	4" / 101.6	8-1/2" / 215.9	Orange	٠
PNDM8DR-S	8	Deep	4" / 101.6	8-3/4" / 222.3	Yellow	٠
PNDM9DR-S	9	Deep	4" / 101.6	8-3/4" / 222.3	Green	٠
PNDM10DR-S	10	Deep	4" / 101.6	9" / 228.6	Blue	۰
PNDM11DR-S	11	Deep	4" / 101.6	9" / 228.6	Brown	٠
PND12M-S	12	Deep	4" / 101.6	9" / 228.6	Red	•

PN24DR-S

MAC-GRIP[™] KEYSTONE SCREWDRIVER 24" x 1/4"







SSTM8IB







MACSIMIZER[™] PRECISION SCREWDRIVER SETS

- Bi-material handle for comfortable non-slip grip
- Colour-coded handles for easy identification
- Overall length: 7" (177.8mm)

1.151										
PRODUCT #	TIP TYPE	TIP SIZE	COLOUR		SET					
SDRM32IB		32 Piece Macsimizer™ Precision Screwdriver Set								
SDRM8IB	8 Piece Macsimizer™ Precision Phillips®/Slotted Screwdriver Set									
SSTM8IB	8 Piece Macsin Torx® Screwdr									
SDRM31	Slotted	3/32"	Red		•	٠				
SDRM4.5I	Slotted	9/64"	Red		•	٠				
SDRM4I	Slotted	1/8"	Red		•	٠				
SDRM5I	Slotted	5/32"	Red		•	•				
SDRM6I	Slotted	3/16"	Red		•	•				
SDRMHB1.5I	Speed Hex	3/64"	Yellow			•				
SDRMHB2.5I	Speed Hex	5/64"	Yellow			•				
SDRMHB2I	Speed Hex	1/16"	Yellow			٠				
SDRMHB3.51	Speed Hex	7/64"	Yellow			٠				
SDRMHB3I	Speed Hex	3/32"	Yellow			٠				
SDRMHB4.51	Speed Hex	9/64"	Yellow			•				
SDRMHB4I	Speed Hex	1/8"	Yellow			•				
SDRMHB5I	Speed Hex	5/32"	Yellow			٠				
SDRMND2.5I	Nut Driver	5/64"	Yellow			٠				
SDRMND3.5I	Nut Driver	7/64"	Yellow			٠				
SDRMND3I	Nut Driver	3/32"	Yellow			•				
SDRMND4I	Nut Driver	1/8"	Yellow			•				
SDRMND5I	Nut Driver	5/32"	Yellow			•				
SDRMND6I	Nut Driver	3/16"	Yellow			٠				
SDRMND7I	Nut Driver	7/32"	Yellow			٠				
SDRMND8I	Nut Driver	1/4"	Yellow			٠				
SDRMPOOI	Phillips®	#00	Blue		•	٠				
SDRMPOI	Phillips®	#0	Blue		•	٠				
SDRMP1I	Phillips®	#1	Blue		•	•				
SDRMT5HI	Torx®	T5	Green	•		•				
SDRMT6HI	Torx®	Τ6	Green	•		٠				
SDRMT7HI	Torx®	T7	Green	•		•				
SDRMT8HI	Torx®	T8	Green	•		٠				
SDRMT9HI	Torx®	Т9	Green	•		•				
SDRMT10HI	Torx®	T10	Green	•		•				
SDRMT15HI	Torx®	T15	Green	•		•				
SDRMT20HI	Torx®	T20	Green	•		•				

MACSIMIZER[™] SCREWDRIVERS AND SETS



MACSIMIZER[™] TORX[®] SCREWDRIVERS

PRODUCT #	TIP TYPE	TIP SIZE	TIP Thickness	SHANK	BAR LENGTH In. / MM	OVERALL LENGTH In. / Mm
ST10N(G,0)	Torx®	T10		Round	3" / 76.2	8" / 203.2
ST15N(G,0)	Torx®	T15		Round	3" / 76.2	8" / 203.2
ST2ON(G,O)	Torx®	T20		Round	6" / 152.4	11" / 279.4
ST25N0	Torx®	T25		Round	6" / 152.4	11" / 279.4

SCREWDRIVERS







PHILLIPS SCREWDRIVERS

SIZE
PH1 x 3"
PH1 x 6"
PH2 x 1.5"
PH2 x 4"
PH2 x 6"
PH2 x 8"
PH3 x 6"
PH4 x 8"

SLOTTED SCREWDRIVERS

PRODUCT #	SIZE
PHRB3(R,NG,NO)	Slotted 7/32" x 3"
PJRB6(R,NG,NO)	Slotted 5/16" x 6"
PKRB8(R,NG,NO)	Slotted 3/8" x 8"
PKRB10(R,NG,NO)	Slotted 3/8" x 10"
PNRB1(R,NG,NO)	Slotted 1/4" x 1.5"
PNRB4(R,NG,NO)	Slotted 1/4" x 4"

TORX[®] SCREWDRIVERS

PRODUCT #	SIZE
PT8C(R,NG,NO)-S	T8 x 80mm
PT10C(R,NG,NO)-S	T10 x 80mm
PT15C(R,NG,NO)-S	T15 x 80mm
PT20C(R,NG,NO)-S	T20 x 80mm
PT25C(R,NG,NO)-S	T25 x 80mm
PT27C(R,NG,NO)-S	T27 x 100mm
PT30C(R,NG,NO)-S	T30 x 100mm
PT40C(R,NG,NO)-S	T40 x 150mm
PT45C(R,NG,NO)-S	T45 x 150mm

SBD9RBRTD

9 PIECE STRIKABLE EXTRACTION Multi-bit set

- R.B.R.T.™ extraction bit technology designed to help remove fasteners rounded up to 96%
- Steel strike cap and core for striking and driving into locked and rusted fasteners
- O-ring retention locks bit securely during use
- Lifetime warranty

INCLUDES:

- 8 x 7" Extraction Bits: Phillips® ACR Bit #1, Phillips® ACR Bit - #2, Slotted ACR Bit - 1/4", Slotted ACR Bit - 9/32", R.B.R.T.™ Torx™ Bit - T20, R.B.R.T.™ Torx™ Bit - T25, R.B.R.T.™ Hex Bit - 1/4", 7" R.B.R.T.™ Hex Bit - 3/16"
- 1 x Strikable Multi-Bit Screwdriver,
- 1 x Storage Pouch Storage Box



SDRB6FN0



SDRB6F(R,NG,NO) 6 PIECE SCREWDRIVER

SET IN FOAM • Chrome plated bar with black oxide tip for

 Chrome plated bar with black oxide tip for enhanced durability and corrosion protection

INCLUDES:

- PH1 x 3", PH2 x 4", PH2 x 8" and PH3 x 6"
- SL 1/4" x 4" and SL 5/16" x 6"





SDRB12F(R,NG,NO) 12 PIECE SCREWDRIVER SET IN FOAM

 Chrome plated bar with black oxide tip for enhanced durabilty and corrosion protection

INCLUDES:

- PH1 x 3", PH2 x 1.5", PH2 x 4", PH2 x 6", PH2 x 8", PH3 x 6" and PH4 x 8"
- SL 7/32" x 3", SL 1/4" x 1.5", SL 1/4" x 4", SL 5/16" x 6" and SL 3/8" x 10"

SDRB9FR



SDRB9F(R,NG,NO)

9 PIECE SCREWDRIVER Set in Foam

 Chrome plated bar with black oxide tip for enhanced durabilty and corrosion protection

INCLUDES:

- PH1 x 3", PH2 x 1.5", PH2 x 4" and PH3 x 6"
- SL 7/32" x 3", SL 1/4" x 1.5", SL 1/4" x 4", SL 5/16" x 6" and SL 3/8" x 8"

SGRAMINERS AND SETS

SDRPBM6FNG



SDRPBM6F(R,NG,NO) 6 PIECE PHILLIPS® SCREWDRIVER SET IN FOAM

- Chrome bar and black oxide tip for added protection
 against corrosion and gripping strength
- Soft, tri-lobe, bi-material handle for better grip and transfer of torgue fasteners
- Hex bolster for extra torque with wrench
 Durable, EVA foam tray for convenient storage

INCLUDES:

 PH1 x 3", PH1 x 6", PH2 x 4", PH2 x 8", PH3 x 6", and PH3 x 8"





SDRST7F(R,NG,NO) 7 PIECE TORX® SCREWDRIVER SET IN FOAM

- Chrome bar and black oxide tip for added protection against corrosion and gripping strength
 Soft, tri-lobe, bi-material handle for better grip
- and transfer of torque fasteners
- Hex bolster for extra torque with wrench
 Durable, EVA foam tray for convenient storage

INCLUDES:

• T10 x 4", T15 x 4", T20 x 4", T25 x 4", T27 x 4", T30 x 4", and T40 x 6"

MMOD-SD1KIT MAC SCREWDRIVER FOAM MODULE KIT

• Module size: 568 x 418 x 45mm

INCLUDES:

- SDB12DR-S 12 Piece Combination Screwdriver Set Mac Grip
- SDP4DR 4 Piece Mini Combination Screwdriver Set Mac Grip
- SDL7TPR-S 7 Piece Long Tamper Proof Torx Screwdriver Set Mac Grip
- MMOD-SD1 Mac Screwdriver Foam Module

MMOD-SD2KIT

MAC TORX SCREWDRIVER Foam module kit

• Module size: 188 x 418 x 45mm

INCLUDES:

• SD9TDR-S - 9 Piece Torx Screwdriver Set - Mac Grip

• MMOD-SD2 - Mac Torx Screwdriver Foam Module

SGRANDRIVERS AND SETS

SBDR41SN

41 PIECE DUAL RATCHETING SCREW AND NUT DRIVER SET

- 3-in-1 screwdriver, T-Handle, and stubby for the ultimate in versatility
- Innovative dual ratcheting design delivers speed and power
- High-quality 45-tooth ratchet for strength and reliability
- Traditional ratcheting action for high-speed screw driving
- Use as power ratcheting T-handle for higher torque applications
- Use removable stubby cap when access is limited
- Lifetime warranty

INCLUDES:

- 10 x 7" Double Ended Blades: Phillips® Ph1 + Ph2, Slotted - 3/16" + 1/4", Hex - 3/16" Standard + Ball, Hex - 5/32" Standard + Ball, Hex - 1/4" Standard + Ball, Hex - 4M Standard + Ball, Hex - 5M Standard + Ball, Hex - 6M Standard + Ball, Torx[™] - T20 + T25, Torx[™] - T30 + T40
- 10 x 1/4" Sockets + 2 x Adapters: 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, Short Drive Bit Adapter, Long Drive Bit Adapter
- 8 x 70mm Bits: Phillips[®] ACR Bit #1, Phillips[®] ACR Bit - #2, Slotted ACR Bit - 1/4", Slotted ACR Bit - 3/16", Torx[™] Bit 1" - T20, Torx[™] Bit - T25, Square Bit - #1, Square Bit - #2
- Dual Ratcheting Screwdriver
- Storage Box

SBDR17SS

17 PIECE RATCHETING STUBBY SCREWDRIVER SET

- Compact ratcheting design helps improve access and drive speed
- High-quality 45-tooth ratchet offers strength and reliability
- Low-arc ratcheting makes driving screws easy in limited access situations
- Lifetime warranty

INCLUDES:

- (8) 67mm Double-Ended Bits: Phillips® ACR - #0 + #1, Phillips® ACR - #2 + #2, Slotted ACR - 1/8" + 5/32", Slotted ACR - 3/16" + 1/4", Torx™ - T10 + T15, Torx™ - 720 + T25, Hex - 1/8" + 5/32", Hex - 3/16" + 1/4"
- Ratcheting Stubby Screwdriver
- Storage Pouch





SCREWDRIVERS AND SETS



SBD4V6S

6 PIECE 4V CORDLESS SCREWDRIVER SET

INCLUDES:

- 1 x 4V Screwdriver
- * $1 \times 1/4$ " Quick-Change Locking Bit Adapter
- 6 x 1" Bits (Phillips[®]: Ph1, Ph2; Slotted: 3/16", ¼"; Torx[®]: T15, T25)
- 1 x USB-C Charging Cable (Wall Adapter Not Included)



....

MAL



- 300 RPM for high-speed screw driving (up to 4x faster*)
- 70-minute quick charge
- IP54 for dust and water protection
- Forward/reverse push buttons
- 3-stage LED charge indicator / works with USB-C cables and connections**
- 5-LED workspace illumination
- Quick-change locking collet
- 0.9Nm/300 RPM
- 3-year warranty





MAC-GRIP[™] PRECISION COMBINATION SCREWDRIVER SETS

- 360° Ergonomic textured grip for maximum comfort for high torque applications
- Moulded tip ID for easy recognition of tip type in the vertical position
- Nylon-alloy handle that is chemically resistant to gasoline, disk brake cleaner, brake fluid, motor oil, hydraulic fluid, ethylene glycol, acetone
- High-quality alloy-steel bar
- High-polished chrome finish

-	PRODUCT #	TIP TYPE	TIP SIZE	TIP THICKNESS	SHANK Shape	BAR LENGTH In. / Mm	OVER						
	SDP4DR	4 Piece Mac-Grip™ Precision Combination Screwdriver Set											
	SDP2DR	2 Piece Mac-Grip™ Precision Combination Screwdriver Set											
	PPG2DR	Cabinet	1/8"	0.020"	Round	2" / 50.8	5-1/4						
1	PPG3DR	Cabinet	1/8"	0.020"	Round	3" / 76.2	6-1/4						
	PPH3DR	Cabinet	3/16"	0.030"	Round	3" / 76.2	6-1/4						
	PP3020DR	Phillips®	#0	-	Round	2" / 50.8	5-1/4						
į	PP3030DR	Phillips®	#0	-	Round	3" / 76.2	6-1/4						
	PP2031DR	Phillips®	#1	-	Round	3" / 76.2	6-1/4						

SBD4V52S 52 PIECE 4V CORDLESS SCREWDRIVER SET

INCLUDES:

- 1 x 4V Screwdriver
- 48 x 1" Premium S2 Steel Bits; Phillips®: Ph0, Ph1, Ph2, Ph3, Ph4; Pozidriv®: #1, #2, #3; Slotted: 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", Torx®: T6, T7, T8, T10, T15, T20, T25, T27, T30, T40, T45; Tamper Resistant Torx®: T20, T25; Tamper-Resistant Hex: SAE: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"; Metric: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm; Ball End-Hex: SAE:1/8", 3/16", 1/4"; Metric: 3mm, 4mm, 5mm; Square: #1, #2, #3
- 3 x Bit Extenders Male Bit Adapter: 1", 2"; Female Bit Coupler
- 1 x USB-C Charging Cable (Wall Adapter Not Included)















SDP2(G,0) 2 PIECE 1/8" POCKET SCREWDRIVER SET

- Made of solid core Acetate plastic that is chemical resistant
- $\ensuremath{ 4 \mbox{-Sided}}$ quad-lobular design with textured grip for comfort and torque

PRODUCT #	TIP TYPE	(A) TIP SIZE	TIP THICKNESS	SHANK Shape	BAR LENGTH In. / Mm	OVERALL LENGTH In. / MM		SET				
SDP2	2 Piece 1/8"	2 Piece 1/8" Pocket Screwdriver Set - Red										
SDP2G	2 Piece 1/8"	2 Piece 1/8" Pocket Screwdriver Set - Green										
SDP20	2 Piece 1/8"	2 Piece 1/8" Pocket Screwdriver Set - Orange										
PN2B(G,0)	Cabinet	1/8"	0.020"	Square	2" / 50.8	4-1/2" / 114.3	•	•	•			
PN2C(G,0)	Pry Bar	1/8"	0.020"	Square	2" / 50.8	4-1/2" / 114.3	•	•	•			



SBDR2

SBDT12

MAGNET T-HANDLE 1/4" HEX BIT DRIVER

• Overall length: 12"

MAC-GRIP[™] STUBBY RATCHETING 1/4" HEX BIT SCREWDRIVER

• Screwdriver end cap with bit holder

SBDR8 MAC-GRIP™ RATCHETING 1/4" HEX BIT 9" SCREWDRIVER

SBDR13

MAC-GRIP[™] RATCHETING 1/4" HEX BIT 18" SCREWDRIVER

- 45-Tooth gear for precision ratcheting
- Forward-lock-reverse switch mechanism
- Four-sided ergonomic design handle with storage compartment at base of handle
- Screwdriver end cap with bit holder
- Bi-material non-slip grip
- Knurled chrome driver

PRODUCT #	3/16" SLOTTED Bit	1/4" Slotted Bit	1/4" SOCKET Square drive	#1 Phillips® Bit	#2 Phillips® Bit	T20 Torx® Bit
SBDR2	1	1	1	1	1	1
SBDR8	1	1	1	1	1	1
SBDR13	1	1	1	1	1	1
SBD8	1	1	1	1	1	1





SBDT5 MAC-GRIP™ T-HANDLE 1/4" HEX BIT DRIVER

• Length: 5-1/2"

SBD8 MAC-GRIP™ MAGNETIC 1/4" HEX BIT DRIVER

• Screwdriver end cap with bit holder

T25 Torx® Bit	LENGTH
1	3-1/2"
1	9"
1	18"
1	8"



RBRT[™] RATCHETING SCREWDRIVER AND BIT SETS

- Magnetic drive end holds bit securely in place and holds ferrous fasteners to bit
- 45-Tooth gear for precision ratcheting
- Forward-lock-reverse switch mechanism
 Four-sided ergonomic design handle with storage compartment at base of handle
- Screwdriver end cap with bit holder
- Bi-material non-slip grip
- Knurled shaft for ease-of-use when trying to spin shaft by hand
- Bi-directional design allows removal and re-insertion of fasteners
- Anti-Slip design resists rounding of fasteners
- Unique geometry designed to insert and remove good or compromised/ rounded fasteners
- Designed to replace standard hex drive tools
 Discrete tracted for actimum a
- Bits made from S2 steel, heat-treated for optimum strength and durability, and coated with zinc phosphate to prevent rust

SBDR121RBRT

121 PIECE MAC-GRIP[™] RBRT[™] RATCHETING SCREWDRIVER AND T-HANDLE DRIVER BIT SET

> SBDB77RBRT 77 PIECE RBRT™ BIT SET

PRODUCT #	TIP TYPE	TIP SIZE	OVERALL LENGTH In. / MM	SE	TS
DR121RBRT	121 Piece Mac-Grip™ Driver Bit Set	RBRT [™] Ratchetin	ng Screwdriver and	T-Handle	
DB77RBRT	77 Piece RBRT [™] Bit S	at			
IX1.5MRBRT	Hex	1.5	1" / 25		
IX1.JMRBRT	Hex	2	1"/25		
IX2.5MRBRT	Hex	2.5	1" / 25		•
IX3MRBRT	Hex	3	1"/25		•
IX4MRBRT	Hex	4	1" / 25		•
IX5MRBRT	Hex	5	1"/25		•
IX5.5MRBRT	Hex	5.5	1" / 25	•	•
IX6MRBRT	Hex	6	1" / 25	•	•
X8MRBRT	Hex	8	1" / 25	•	•
IX10MRBRT	Hex	10	1"/2	•	•
IX564RBRT	Hex	5/64"	1" / 25	•	•
IX332RBRT	Hex	3/32"	1" / 25	•	•
IX764RBRT	Hex	7/64"	1" / 25	•	•
IX18RBRT	Hex	1/8"	1" / 25	•	•
IX532RBRT	Hex	5/32"	1" / 25	•	•
IX316RBRT	Hex	3/16"	1" / 25	•	•
X732RBRT	Hex	7/32"	1" / 25	•	•
X14RBRT	Hex	1/4"	1" / 25	•	•
PHX2MRBRT	Security Hex	2	1" / 25	•	•
PHX2.5MRBRT	Security Hex	2.5	1" / 25	•	•
PHX3MRBRT	Security Hex	3	1" / 25	•	•
PHX4MRBRT	Security Hex	4	1" / 25	•	•
PHX5MRBRT	Security Hex	5	1" / 25	•	•
PHX6MRBRT	Security Hex	6	1" / 25	•	•
HX564RBRT	Security Hex	5/64"	1" / 25	•	•
PHX332RBRT	Security Hex	3/32"	1" / 25	•	•
PHX764RBRT	Security Hex	7/64"	1" / 25	•	•
PHX18RBRT	Security Hex	1/8"	1" / 25	•	•
PHX532RBRT	Security Hex	5/32"	1" / 25	•	•
PHX316RBRT	Security Hex	3/16"	1" / 25	•	•
HX732RBRT	Security Hex	7/32"	1" / 25	•	•
HX14RBRT	Security Hex	1/4"	1" / 25	•	•
PHX516RBRT	Security Hex	5/16"	1" / 25	•	•
HX38RBRT	Security Hex	3/8"	1" / 25	•	•
PHX4MRBRT	Ball Hex	4	1" / 25	•	•
PHX5MRBRT	Ball Hex	5	1" / 25	•	•
PHX5.5MRBRT	Ball Hex	5.5	1" / 25	•	•
PHX6MRBRT	Ball Hex	6	1" / 25	•	•
PHX2.5MRBRT	Ball Hex	2.5	1" / 25	•	•
PHX3MRBRT	Ball Hex	3	1" / 25	•	•
PHX18RBRT	Ball Hex	1/8	1" / 25	•	•
PHX532RBRT	Ball Hex	5/32"	1" / 25	•	•
PHX316RBRT	Ball Hex	3/16"	1" / 25	•	•
PHX732RBRT	Ball Hex	7/32"	1" / 25	•	•
PHX14RBRT	Ball Hex	1/4"	1" / 25	•	•
L18RBRT	ACR Slotted	1/8"	1" / 25		•
532RBRT	ACR Slotted	5/32"	1" / 25		•
316RBRT	ACR Slotted	3/16"	1" / 25		•
.732RBRT	ACR Slotted	7/32"	1" / 25		
14RBRT	ACR Slotted	1/4"	1" / 25		•
L932RBRT	ACR Slotted	9/32"	1" / 25		•
	ACR Slotted	3	1" / 25		
L4MRBRT	ACR Slotted	4	1" / 25		•
L4.5MRBRT	ACR Slotted	4.5	1" / 25		
L5MRBRT	ACR Slotted ACR Slotted	5	1" / 25		
L5.5MRBRT		5.5	1" / 25		
LGMRBRT	ACR Slotted				•
L6.5MRBRT	ACR Slotted ACR Slotted	6.5 7	1" / 25 1" / 25		
LIMRBRI	ACR Slotted	8	1 / 25		





NormalThe NameThe SameNur MMSETSRBRTACR Philips®#011/25RBRTACR Philips®#111/25RBRTACR Philips®#311/25RBRTACR Philips®#311/25RBRTACR Pozidriv#011/25RBRTACR Pozidriv#111/25RBRTACR Pozidriv#111/25RBRTACR Pozidriv#111/25RBRTACR Pozidriv#311/25RBRTACR Pozidriv#311/25RBRTACR Pozidriv#411/25RBRTTors®T611/25RBRTTors®T1011/25RBRTTors®T2011/25RBRTTors®T3011/25RBRTTors®T3011/25RBRTTors®T4511/25RBRTTors®T4511/25RBRTTors® PlusIP1011/25RBRTTors® PlusIP1011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTTors® PlusIP2011/25RBRTSq				OVERALL LENGTH		
RBRTACR Philips®#111/25RBRTACR Philips®#211/25RBRTACR Philips®#311/25RBRTACR Poidriv#011/25RBRTACR Poidriv#111/25RBRTACR Poidriv#111/25RBRTACR Poidriv#211/25RBRTACR Poidriv#411/25RBRTACR Poidriv#411/25RBRTACR Poidriv#411/25RBRTTore®T1011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore®T2011/25RBRTTore® PlusIP1011/25RBRTTore® PlusIP2011/25RBRTTore® PlusIP2011/25RBRTTore® PlusIP2011/25RBRTTore® PlusIP4011/25RBRTSquare / Robertson#311/25RBRTSquare / Robertson#311/25RBRTSquare / Robertson#311/25RBRTTore>Spanner611/25RBRTSquare / Robertson#3 <th>PRODUCT #</th> <th>TIP TYPE</th> <th>TIP SIZE</th> <th></th> <th>SE</th> <th>TS</th>	PRODUCT #	TIP TYPE	TIP SIZE		SE	TS
RBRTACR Philips®#21'/25RBRTACR Philips®#31'/25RBRTACR Poidriv#01'/25RBRTACR Poidriv#11'/25RBRTACR Poidriv#31'/25RBRTACR Poidriv#31'/25RBRTACR Poidriv#31'/25RBRTACR Poidriv#31'/25RBRTACR Poidriv#31'/25RBRTTor*®T61'/25RBRTTor*®T151'/25RBRTTor*®T201'/25RBRTTor*®T301'/25RBRTTor*®T301'/25RBRTTor*®T501'/25RBRTTor*®T201'/25RBRTTor*® PlusIP101'/25RBRTTor*® PlusIP201'/25RBRTTor*® PlusIP201'/25RBRTTor*® PlusIP201'/25RBRTTor*® PlusIP201'/25RBRTTor*® PlusIP201'/25RBRTTor*® PlusIP201'/25RBRTTor*® PlusIP201'/25RBRTSquare / Robertson#11'/25RBRTSquare / Robertson#11'/25RBRTSquare / Robertson#11'/25RBRTSquare / Robertson#11'/25RBRTToripe Square51'/25RBRTTriple Square51'/25RBRTTri	RBRT	ACR Philips®	#0	1" / 25		•
RBRTACR Philips®#311'/25RBRTACR Poilips®#41'/25RBRTACR Poilips®#41'/25RBRTACR Poilips®#11'/25RBRTACR Poilips®#31'/25RBRTACR Poilips®#31'/25RBRTACR Poilips®TB1'/25RBRTACR Poilips®TB1'/25RBRTTors®TB1'/25RBRTTors®TB1'/25RBRTTors®TD1'/25RBRTTors®TD1'/25RBRTTors®TD1'/25RBRTTors®TD1'/25RBRTTors®TSO1'/25RBRTTors® TSO1'/25RBRTTors® PlusPP10Tors® PlusPP101'/25RBRTTors® PlusPP20RBRTTors® PlusPP20RBRTTors® PlusPP20RBRTTors® PlusPP20RBRTTors® PlusPP20RBRTSquare / Robertson#3Tors® PlusPP30RBRTSquare / Robertson#1Tors% PlusPP20RBRTSquare / Robertson#1RBRTSquare / RobertsonRBRTSquare / RobertsonRBRTSquare / RobertsonRBRTSquare / RobertsonRBRTTirleSquareRBRTTirleSquareRBRTTirleSquareRBRTTirleSquare <t< th=""><th>RBRT</th><th>ACR Philips®</th><th>#1</th><th>1" / 25</th><th></th><th>•</th></t<>	RBRT	ACR Philips®	#1	1" / 25		•
RBRTACR Philips*#41'/25RBRTACR Pozidriv#01'/25RBRTACR Pozidriv#11'/25RBRTACR Pozidriv#31'/25RBRTACR Pozidriv#41'/25RBRTACR Pozidriv#41'/25RBRTTor*T61'/25RBRTTor*T101'/25SRBRTTor*T101'/25SRBRTTor*T201'/25SRBRTTor*T201'/25SRBRTTor*T301'/25SRBRTTor*T301'/25SRBRTTor*T501'/25SRBRTTor*T501'/25SRBRTTor*T201'/25SRBRTTor*T201'/25SRBRTTor*T201'/25SRBRTTor*T201'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTTor*P101'/25SRBRTSquare / Robertson#21'/25	RBRT	ACR Philips®	#2	1" / 25		•
RBRTACR Pozidriv#01'/25RBRTACR Pozidriv#11'/25RBRTACR Pozidriv#21'/25RBRTACR Pozidriv#41'/25RBRTACR Pozidriv#41'/25RBRTTore®T61'/25RBRTTore®T101'/25RBRTTore®T101'/25RBRTTore®T201'/25RBRTTore®T201'/25RBRTTore®T201'/25RBRTTore®T301'/25RBRTTore®T301'/25RBRTTore®T301'/25RBRTTore®T601'/25RBRTTore®T201'/25RBRTTore®T201'/25RBRTTore®T201'/25RBRTTore® PlusIP101'/25RBRTTore® PlusIP101'/25RBRTTore® PlusIP201'/25RBRTTore® PlusIP201'/25RBRTTore® PlusIP201'/25RBRTSquare / Robertson#11'/25RBRTSquare / Robertson#21'/25RBRTSquare / Robertson#21'/25RBRTSquare / Robertson#31'/25RBRTSquare / Robertson#11'/25RBRTToreSt61'/25RBRTToreSt61'/25RBRTToreSt61'/25	RBRT					٠
RBRTACR Pazidriv#11"/25RBRTACR Pazidriv#21'/25RBRTACR Pazidriv#41'/25RBRTACR Pazidriv#41'/25RBRTACR Pazidriv#41'/25RBRTTox®T61'/25RBRTTox®T101'/25RBRTTox®T101'/25RBRTTox®T101'/25RBRTTox®T201'/25RBRTTox®T271'/25RBRTTox®T401'/25RBRTTox®T401'/25RBRTTox®T61'/25RBRTTox®T601'/25RBRTTox®T601'/25RBRTTox®T201'/25RBRTTox®T201'/25RBRTTox® PlusIP81'/25RBRTTox® PlusIP81'/25RBRTTox® PlusIP201'/25RBRTTox® PlusIP201'/25RBRTTox® PlusIP201'/25RBRTTox® PlusIP201'/25RBRTTox® PlusIP401'/25RBRTTox® PlusIP401'/25RBRTTox® PlusIP401'/25RBRTSquare / Robertson#11'/25RBRTSquare / Robertson#31'/25RBRTSquare / Robertson#11'/25RBRTSquare / Robertson#31'/25RB	RBRT					•
RBRTACR Pozidriv#21*/25RBRTACR Pozidriv#31*/25RBRTACR Pozidriv#41*/25RBRTTox®T61*/25RBRTTox®T81*/25RBRTTox®T101*/25RBRTTox®T101*/25RBRTTox®T201*/25RBRTTox®T201*/25RBRTTox®T271*/25RBRTTox®T271*/25RBRTTox®T301*/25RBRTTox®T441*/25RBRTTox®T601*/25RBRTTox®T601*/25RBRTTox®T81*/25RBRTTox®T81*/25RBRTTox®T81*/25RBRTTox®T201*/25RBRTTox®T201*/25RBRTTox®P101*/25RBRTTox®P101*/25RBRTTox®P101*/25RBRTTox®P121*/25RBRTTox®P131*/25RBRTTox® PlusIP201*/25RBRTTox® PlusIP201*/25RBRTSquare / Robertson#11*/25RBRTSquare / Robertson#11*/25RBRTSquare / Robertson#31*/25RBRTSquare / Robertson#31*/25RBRTSquare / Robertson#31*/25 <th>RBRT</th> <th></th> <th></th> <th></th> <th></th> <th>٠</th>	RBRT					٠
RBRTACR Pozidriv#31*/25RBRTACR Pozidriv#41*/25•RBRTTox®T61*/25•RBRTTox®T81*/25•RBRTTox®T101*/25•SRBRTTox®T151*/25•SRBRTTox®T201*/25•SRBRTTox®T271*/25•SRBRTTox®T271*/25•SRBRTTox®T301*/25•SRBRTTox®T501*/25•SRBRTTox®T501*/25•SRBRTTox®T501*/25•SRBRTTox®T501*/25•SRBRTTom®T501*/25•SRBRTTom®T501*/25•SRBRTTom® PlusIP101*/25•SRBRTTon? PlusIP101*/25•SRBRTTon? PlusIP201*/25•SRBRTTon? PlusIP201*/25•SRBRTTon? PlusIP301*/25•SRBRTTon? PlusIP401*/25•SRBRTSquare / Robertson#11*/25•SRBRTSquare / Robertson#11*/25•SRBRTSquare / Robertson#31*/25•SRBRTSquare / Robertson#31*/25•SRBRTTrivNing#11*/25• <t< th=""><th></th><th></th><th></th><th></th><th></th><th>•</th></t<>						•
RBRTACR Pozidriv#41*'/25.RBRTTox®T61'/25.RBRTTox®T101'/25.RBRTTox®T151'/25.RBRTTox®T151'/25.RBRTTox®T201'/25.RBRTTox®T201'/25.RBRTTox®T201'/25.RBRTTox®T301'/25.RBRTTox®T401'/25.RBRTTox®T501'/25.RBRTTox®T81'/25.RBRTTox®T81'/25.RBRTTox®T81'/25.RBRTTox® PlusIP101'/25.RBRTTox® PlusIP201'/25.RBRTTox® PlusIP201'/25.RBRTTox® PlusIP201'/25.RBRTTox® PlusIP271'/25.RBRTTox® PlusIP271'/25.RBRTSquare / Robertson#01'/25.RBRTSquare / Robertson#11'/25.RBRTSquare / Robertson#11'/25.RBRTSquare / Robertson#31'/25.RBRTSquare / Robertson#31'/25.RBRTTor,Set101'/25.RBRTTor,Set101'/25.RBRT						•
RBRTTox®T61*/25.RBRTTox®T81'/25.SRBRTTox®T101*/25.SRBRTTox®T151'/25.SRBRTTox®T201'/25.SRBRTTox®T271'/25.SRBRTTox®T271'/25.SRBRTTox®T301'/25.SRBRTTox®T441''25.SRBRTTox®T451''25.SRBRTTox®T601''25.SRBRTTox®T801''25.SRBRTTox®T201''25.SRBRTTox®T201''25.SRBRTTox® PlusIP101''25.SRBRTTox® PlusIP101''25.SRBRTTox® PlusIP201''25.SRBRTTox® PlusIP201''25.SRBRTTox® PlusIP201''25.SRBRTTox® PlusIP201''25.SRBRTTox® PlusIP401''25.SRBRTTox® PlusIP401''25.SRBRTTox® PlusIP401''25.SRBRTSquare / Robertson#11''25.SRBRTSquare / Robertson#11''25.SRBRTTor_Set61''25.SRBRTTor_Set81''25.SRBRT <th></th> <th></th> <th></th> <th></th> <th></th> <th>•</th>						•
RBRTTox*T81*/25.SRRTTox*T101*/25.SRRTTox*T151*/25.SRRTTox*T201*/25.SRRTTox*T201*/25.JRRTTox*T271*/25.SRRTTox*T301*/25.JRRTTox*T451*/25.SRRTTox*T501*/25.SRRTTox*T501*/25.SRRTTox*T501*/25.SRRTTamperprof Tox*T201*/25.SRRTTamperprof Tox*T201*/25.SRRTTox*P101*/25SRRTTox*P101*/25SRRTTox*P1151*/25SRRTTox*P1151*/25SRRTTox*P1251*/25SRRTTox*P1251*/25SRRTTox*P1251*/25SRRTTox*P1251*/25SRRTTox*P1251*/25SRRTTox*P1251*/25SRRTTox*P1251*/25SRRTTox*P1251*/25SRRTTox*#125SRRTTox*						•
DRBRTTox®T101'/25.SRBRTTox®T151'/25SRBRTTox®T201'/25SRBRTTox®T251'/25SRBRTTox®T271'/25SRBRTTox®T301'/25SRBRTTox®T401'/25SRBRTTox®T401'/25SRBRTTox®T501'/25SRBRTTamperprof Tox®T201'/25SRBRTTamperprof Tox®T251'/25SRBRTTox® PlusIP101'/25SRBRTTox® PlusIP101'/25SRBRTTox® PlusIP201'/25SRBRTTox® PlusIP271'/25SRBRTTorx® PlusIP271'/25SRBRTTorx® PlusIP271'/25SRBRTTorx® PlusIP401'/25SRBRTSquare / Robertson#11'/25SRBRTSquare / Robertson#21'/25SRBRTSquare / Robertson#31'/25SRBRTTorq-Set61'/25SRRTSpanner41'/25SRRTTorq-Set						_
SRBRTTox®T151'/25'SRBRTTox®T201'/25'SRBRTTox®T271'/25'SRBRTTox®T271'/25'SRBRTTox®T301'/25'SRBRTTox®T401'/25'SRBRTTox®T501'/25'SRBRTTox®T501'/25'SRBRTTox®T81'/25'SRBRTTamperprofTox®T251'/25'SRBRTTamperprofTox®T251'/25'SRBRTTors® PlusIP101'/25'SRBRTTors® PlusIP201'/25'SRBRTTors® PlusIP201'/25'SRBRTTors® PlusIP201'/25'SRBRTTors® PlusIP201'/25'SRBRTTors® PlusIP401'/25'SRBRTSquare / Robertson#11'/25'SRBRTSquare / Robertson#21'/25'RBRTSquare / Robertson#31'/25'RBRTSquare / Robertson#31'/25'RBRTSquare / Robertson#11'/25'RBRTSpanner61'/25'RRRTTorq-Set61'/25'RRRTTord-Set101'/25'RBRTTri-Wing#31'/25'RBRTTri-Wing						
DRBRTTorx®T201*/25.SRBRTTorx®T251*/25SRBRTTorx®T271*/25JRBRTTorx®T301*/25JRBRTTorx®T451*/25JRBRTTorx®T501*/25JRBRTTamperprof Torx®T81*/25JRBRTTamperprof Torx®T251*/25JRBRTTamperprof Torx®T251*/25JRBRTTorx® PlusIP101*/25JRBRTTorx® PlusIP201*/25JRBRTTorx® PlusIP201*/25JRBRTTorx® PlusIP201*/25JRBRTTorx® PlusIP271*/25JRBRTTorx® PlusIP401*/25JRBRTSquare / Robertson#11*/25JRBRTSquare / Robertson#11*/25RBRTSquare / Robertson#11*/25JRBRTTorq-Set61*/25RRTSquare / Robertson#31*/25JRBRTTorq-Set101*/25RRTTorq-Set61*/25RRTTord-Set101*/25RRTTord						•
SRBRTTox®T251'/25.IRBRTTox®T271'/25SRBRTTox®T301'/25SRBRTTox®T401'/25SRBRTTox®T501'/25SRBRTTox®T501'/25SRBRTTamperproof Tox®T81'/25SRBRTTamperproof Tox®T201'/25SCRBRTTamperproof Tox®T201'/25SRBRTTors® PlusIP101'/25SRBRTTors® PlusIP101'/25SRBRTTors® PlusIP271'/25SRBRTTors® PlusIP271'/25SRBRTTors® PlusIP451'/25SRBRTTors® PlusIP451'/25SRBRTSquare / Robertson#11'/25SRBRTSquare / Robertson#11'/25SRBRTSpanner61'/25SRBRTTorq-Set101'/25SRBRTTorq-Set101'/25SRBRTTorq-Set101'/25SRBRTTorq-Set101'/25SRBRTTorq-Set101'/25 </th <th></th> <th></th> <th></th> <th></th> <th>•</th> <th>•</th>					•	•
RBRTTox®T271*/25.DRBRTTox®T301*/25DRBRTTox®T401*/25DRBRTTox®T451*/25DRBRTTox®T501*/25DRBRTTamperproof Tox®T201*/25K20RBRTTamperproof Tox®T251*/25C25RBRTTamperproof Tox®P101*/25DRBRTTorx® PlusIP101*/25DRBRTTorx® PlusIP101*/25DRBRTTorx® PlusIP201*/25DRBRTTorx® PlusIP201*/25DRBRTTorx® PlusIP201*/25DRBRTTorx® PlusIP201*/25DRBRTTorx® PlusIP401*/25DRBRTSquare / Robertson#01*/25RBRTSquare / Robertson#11*/25RBRTSpanner61*/25RBRTSpanner61*/25RBRTTorq-Set101*/25RBRTTorq-Set101*/25RBRTTorq-Set101*/25RBRTTri-Wing#11*/25RBRTTri-Wing#3<	5RBRT				•	•
DRBRTTorx®T301*/25•DRBRTTorx®T401*/25••DRBRTTorx®T451*/25••DRBRTTorx®T501*/25••DRBRTTamperproof Torx®T81*/25••C20RBRTTamperproof Torx®T201*/25••Tamperproof Torx®T201*/25•••C20RBRTTamperproof Torx®T201*/25••DRBRTTamperproof Torx®IP251*/25••DRBRTTorx® PlusIP101*/25••DRBRTTorx® PlusIP201*/25••DRBRTTorx® PlusIP201*/25••DRBRTTorx® PlusIP201*/25••DRBRTTorx® PlusIP201*/25••DRBRTTorx® PlusIP401*/25••DRBRTTorx® PlusIP401*/25••DRBRTSquare / Robertson#11*/25••RBRTSquare / Robertson#11*/25••RBRTSquare / Robertson#11*/25••RBRTSpanner41*/25••MRBRTSpanner61*/25••RBRTTorq-Set81*/25••RBRTTri-Wing#11*/25•• <tr< th=""><th>7RBRT</th><th></th><th></th><th></th><th>•</th><th>•</th></tr<>	7RBRT				•	•
SRBRTTox®T451*/25.DRBRTTox®T501*/25.CRBRTTamperproof Tox®T81*/25C20RBRTTamperproof Tox®T201*/25C20RBRTTamperproof Tox®T251*/25C20RBRTTox® PlusIP101*/25DRBRTTox® PlusIP101*/25DRBRTTox® PlusIP151*/25DRBRTTox® PlusIP201*/25DRBRTTox® PlusIP201*/25DRBRTTox® PlusIP201*/25DRBRTTox® PlusIP201*/25DRBRTTox® PlusIP201*/25DRBRTTox® PlusIP401*/25DRBRTTox® PlusIP401*/25DRBRTTox® PlusIP401*/25DRBRTSquare / Robertson#11*/25RBRTSquare / Robertson#11*/25RBRTSquare / Robertson#31*/25RBRTSpanner61*/25RGGMRBRTTorq-Set81*/25RGGMRBRTTorq-Set101*/25RRTTri-Wing#11*/25RBRTClutch3/16"1*/25RBRTClutch3/16"1*/25RBRTClutch3/16"1*/25RBRTTriple Square61*/25RBRTClutch3/16"1*/25RBRTTriple Square61*/25RBRTTriple Square<	ORBRT				•	•
DRBRTTox®T501*/25.K8RBTTamperproof Tox®T81*/25.K20RBRTTamperproof Tox®T201*/25.K20RBRTTamperproof Tox®T201*/25.K20RBRTTorx® PlusIP81*/25.DRBRTTorx® PlusIP151*/25.DRBRTTorx® PlusIP151*/25.DRBRTTorx® PlusIP201*/25.SRBRTTorx® PlusIP251*/25.DRBRTTorx® PlusIP201*/25.SRBRTTorx® PlusIP401*/25.DRBRTTorx® PlusIP401*/25.SRBRTTorx® PlusIP401*/25.SRBRTSquare / Robertson#11*/25.RBRTSquare / Robertson#21*/25.RBRTSquare / Robertson#31*/25.RBRTSpanner61*/25.RGMRBRTTorq-Set101*/25.RQBMRBRTTorq-Set101*/25.RDMBRTTorq-Set101*/25.RDMBRTTri-Wing#11*/25.RDMRBRTTri-Wing#41*/25.RDMRBRTTri-Wing#41*/25.RDMRBRTTri-Wing#41*/25.RDRTClutch3/16*1*/25.RDRTClutch3/16*1*/25<	ORBRT	Torx®	T40	1" / 25	•	•
KBRRTTamperproof Tox®T81*/25.K20RBRTTamperproof Tox®T201*/25.K20RBRTTamperproof Tox®T251*/25.K20RBRTTox® PlusIP101*/25.BRRTTox® PlusIP101*/25.SRBRTTox® PlusIP151*/25.SRBRTTox® PlusIP251*/25.DRBRTTox® PlusIP271*/25.DRBRTTox® PlusIP271*/25.DRBRTTox® PlusIP401*/25.DRBRTTox® PlusIP401*/25.DRBRTTox® PlusIP451*/25.DRBRTTox® PlusIP451*/25.DRBRTSquare / Robertson#11*/25.RBRTSquare / Robertson#11*/25.RBRTSpanner61*/25.MRBRTSpanner61*/25.MRBRTSpanner101*/25.RGMMBRTTorq-Set101*/25RRTTri-Wing#31*/25RBRTClutch5/32"1*/25SRBRTClutch5/32"1*/25SRBRTTri-Wing#41*/25SRBRTClutch3/16"1*/25SRBRTTri-Wing#41*/25SRBRTClutch3/16"1*/25SRBRTTri-Wing#41*/25SRBRTClut	5RBRT	Torx®	T45	1" / 25	•	•
K20RBRTTamperproof Torx®T201" / 25.K25RBRTTamperproof Torx®T251" / 25RBRTTorx® PlusIP101" / 25DRBRTTorx® PlusIP101" / 25SRBRTTorx® PlusIP201" / 25DRBRTTorx® PlusIP401" / 25DRBRTTorx® PlusIP401" / 25DRBRTSquare / Robertson#11" / 25RRRTSquare / Robertson#11" / 25RBRTSquare / Robertson#31" / 25RBRTSpanner61" / 25MRBRTSpanner81" / 25RGMRBRTTorq-Set101" / 25RRRTTri-Wing#11" / 25RBRTTri-Wing#11" / 25RBRTTri-Wing#11" / 25RBRTTri-Wing#11" / 25RBRTClutch3/16"1" / 25RBRTClutch3/16"1" /	ORBRT	Torx®	T50	1" / 25	•	•
K2SRBRTTamperproof Torx®T251 " / 25RBRTTorx® PlusIP81" / 25DRBRTTorx® PlusIP101" / 25DRBRTTorx® PlusIP201" / 25DRBRTTorx® PlusIP201" / 25<	X8RBRT	Tamperproof Torx®	T8		•	•
RBRTTorx® PlusIP81" / 25.DRBRTTorx® PlusIP101" / 25SRBRTTorx® PlusIP201" / 25DRBRTTorx® PlusIP201" / 25SRBRTTorx® PlusIP271" / 25DRBRTTorx® PlusIP271" / 25DRBRTTorx® PlusIP401" / 25DRBRTTorx® PlusIP401" / 25DRBRTTorx® PlusIP451" / 25DRBRTSquare / Robertson#11" / 25RBRTSquare / Robertson#21" / 25RBRTSquare / Robertson#31" / 25MRBRTSpanner41" / 25MRBRTSpanner61" / 25MRBRTSpanner81" / 25RGMRBRTTorq-Set101" / 25RGMRBRTTorq-Set101" / 25RRTTri-Wing#11" / 25RBRTClutch5/32"1" / 25RBRTClutch3/16"1" / 25RBRTClutch3/16"1" / 25RBRTClutch3/16"1" / 25RBRTClutc	X2ORBRT				•	•
DRBRTTorx® PlusIP101" / 25ISRBRTTorx® PlusIP201" / 25IDRBRTTorx® PlusIP251" / 25ISRBRTTorx® PlusIP271" / 25IDRBRTTorx® PlusIP301" / 25IDRBRTTorx® PlusIP401" / 25IDRBRTTorx® PlusIP401" / 25IDRBRTTorx® PlusIP451" / 25IDRBRTSquare / Robertson#01" / 25ISRBRTSquare / Robertson#11" / 25IRBRTSquare / Robertson#31" / 25IRBRTSquare / Robertson#31" / 25IRBRTSpanner61" / 25IMRBRTSpanner81" / 25IRUGMRBRTTorq-Set61" / 25IRUGMRBRTTorq-Set101" / 25IRUGMRBRTTorq-Set101" / 25IRRTTri-Wing#11" / 25IRBRTTri-Wing#31" / 25IRUGMRBRTTriple Square51" / 25IRBRTClutch3/16"1" / 25IRBRTClutch3/16"1" / 25IRBRTClutch3/16"1" / 25IRBRTTriple Square81" / 25IRBRTTiple Square51" / 25IRBRTTiple Squa	X25RBRT				•	٠
SRBRTTorx® PlusIP151" / 25.DRBRTTorx® PlusIP201" / 25.SRBRTTorx® PlusIP271" / 25.DRBRTTorx® PlusIP201" / 25.DRBRTTorx® PlusIP401" / 25.DRBRTTorx® PlusIP401" / 25.DRBRTTorx® PlusIP451" / 25.SRBRTSquare / Robertson#01" / 25.RBRTSquare / Robertson#11" / 25.RBRTSquare / Robertson#31" / 25.RBRTSquare / Robertson#31" / 25.RBRTSquare / Robertson#31" / 25.MRBRTSpanner61" / 25.MRBRTSpanner61" / 25.OMRBRTTorq-Set61" / 25RRGTTorq-Set101" / 25RBRTTri-Wing#11" / 25RBRTTri-Wing#31" / 25RBRTTri-Wing#31" / 25RBRTClutch3/16"1" / 25SZRBRTClutch3/16"1" / 25MRBRTTriple Square61" / 25SZRBRTClutch3/16"1" / 25MRBRTTriple Square61" / 25SZRBRTClutch1/4"-IGRRTTriple Square61" / 25MRBRTTriple Square61" / 25	RBRT					•
DRBRTTorx® PlusIP201"/25.SRBRTTorx® PlusIP251"/25DRBRTTorx® PlusIP201"/25DRBRTTorx® PlusIP401"/25DRBRTTorx® PlusIP451"/25DRBRTSquare / Robertson#01"/25SRBRTSquare / Robertson#11"/25RBRTSquare / Robertson#11"/25RBRTSquare / Robertson#31"/25RBRTSquare / Robertson#31"/25RBRTSquare / Robertson#31"/25MRBRTSpanner61"/25MRBRTSpanner61"/25MRBRTTorq-Set61"/25RQMRBRTTorq-Set101"/25RBRTTri-Wing#11"/25RBRTTri-Wing#31"/25RBRTTri-Wing#31"/25RBRTClutch3/16"1"/25RBRTClutch3/16"1"/25RBRTTri-Wing#41"/25RBRTClutch3/16"1"/25RBRTClutch1/4"RBRTTriple S	ORBRT					•
SRBRTTorx® PlusIP251" / 25.7RBRTTorx® PlusIP271" / 250RBRTTorx® PlusIP401" / 250RBRTTorx® PlusIP451" / 250RBRTSquare / Robertson#01" / 250RBRTSquare / Robertson#11" / 250RBRTSquare / Robertson#11" / 250RBRTSquare / Robertson#31" / 250RBRTSquare / Robertson#31" / 25RBRTSquare / Robertson#31" / 25MRBRTSquare / Robertson#31" / 25MRBRTSpanner61" / 25MRBRTSpanner101" / 25RQGMRBRTTorq-Set61" / 25RDTTorq-Set101" / 25RBRTTri-Wing#11" / 25RBRTTri-Wing#31" / 25RBRTClutch5/32"1" / 25S2RBRTClutch5/32"1" / 25RBRTTriple Square61" / 25MMRBRTTriple Square51" / 25RBRTMirg Nut </th <th>5RBRT</th> <th></th> <th></th> <th></th> <th></th> <th>-</th>	5RBRT					-
TRBRTTox® PlusIP271"/25DRBRTTox® PlusIP401"/25DRBRTTox® PlusIP451"/25SRBRTTox® PlusIP451"/25RRTSquare / Robertson#11"/25RBRTSquare / Robertson#21"/25RBRTSquare / Robertson#31"/25RBRTSquare / Robertson#31"/25MRBRTSpanner61"/25MRBRTSpanner61"/25MRBRTSpanner101"/25RQGMRBRTTorq-Set61"/25 <th></th> <th></th> <th></th> <th></th> <th>-</th> <th>•</th>					-	•
DRBRTTox® PlusIP301"/25•DRBRTTox® PlusIP401"/25•SRBRTTox® PlusIP451"/25•RRTSquare / Robertson#01"/25•RBRTSquare / Robertson#11"/25•RBRTSquare / Robertson#21"/25•RBRTSquare / Robertson#31"/25•RBRTSquare / Robertson#31"/25•MRBRTSpanner41"/25•MRBRTSpanner61"/25•MRBRTSpanner61"/25•MRBRTSpanner101"/25•RQGMRBRTTorq-Set61"/25•RQBRRTTorq-Set101"/25•RBRTTri-Wing#11"/25•RBRTTri-Wing#31"/25•RBRTClutch5/32"1"/25•StarBRTClutch3/16"1"/25•StarBRTClutch1/4"1'/25•StarBRTClutch1/4"-•StarBRTTriple Square61"/25•StarBRTTriple Square51"/25•StarBRTTriple Square61"/25•StarBRTTriple Square61"/25•StarBRTTriple Square61"/25•StarBRTTriple Square61"/25• <t< th=""><th></th><th></th><th></th><th></th><th></th><th>•</th></t<>						•
DRBRTTox® PlusIP401"/25•SRBRTTox® PlusIP451"/25•RRTSquare / Robertson#01"/25•RBRTSquare / Robertson#11"/25•RBRTSquare / Robertson#21"/25•RBRTSquare / Robertson#31"/25•RBRTSquare / Robertson#31"/25•RBRTSquare / Robertson#31"/25•MRBRTSpanner41"/25•MRBRTSpanner61"/25•MRBRTSpanner61"/25•MRBRTSpanner101"/25•RQGMRBRTTorq-Set61"/25RRTTri-Wing#11"/25RBRTTri-Wing#31"/25RBRTTri-Wing#41"/25S2RBRTClutch5/32"1"/25IGRBRTClutch3/16"1"/25S2RBRTClutch1/4"1"/25MMRBRTTriple Square61"/25MMRBRTTriple Square81"/25MMRBRTTriple Square81"/25MRBRTJ/4"-•IRBRT1/4"-IRBRT1/4"-Screwdriver50-RBRT1/4"50RBRT1/4"-Screwdriver60-RBRT1/4"-RBRT1/4"					•	•
SRBRTTox® PlusIP451"/25•RBRSquare / Robertson#01"/25•RBRTSquare / Robertson#11"/25•RBRTSquare / Robertson#21"/25•RBRTSquare / Robertson#31"/25•RBRTSquare / Robertson#31"/25•RBRTSquare / Robertson#31"/25•MRBRTSpanner41"/25•MRBRTSpanner61"/25•MRBRTSpanner101"/25•RGGMRBRTTorq-Set61"/25•RQBMRBRTTorq-Set101"/25•RBRTTri-Wing#11"/25•RBRTTri-Wing#31"/25•RBRTTri-Wing#31"/25•RBRTClutch5/32"1"/25•S2RBRTClutch3/16"1"/25•MRBRTTriple Square61"/25•MMRBRTTriple Square61"/25•MMRBRTTriple Square81"/25•MRBRTI/4"1/4"-•LRBRT1/4"1/4"-•LRBRT1/4"1/4"-•RRT1/4"50-•RRT1/4"60-•RRTScrewdriver60-•RRT1/4"60-Tooth-						
RBRTSquare / Robertson#01" / 25•RBRTSquare / Robertson#11" / 25•RBRTSquare / Robertson#21" / 25•RBRTSquare / Robertson#31" / 25•RBRTSquare / Robertson#31" / 25•MRBRTSpanner41" / 25•MRBRTSpanner61" / 25•MRBRTSpanner81" / 25•MRBRTSpanner101" / 25•RGMRBRTTorq-Set61" / 25RQMRBRTTorq-Set101" / 25RBRTTri-Wing#11" / 25RBRTTri-Wing#31" / 25RBRTTri-Wing#41" / 25S2RBRTClutch5/32"1" / 25S2RBRTClutch3/16"1" / 25MRBRTTriple Square61" / 25MRBRTTriple Square61" / 25MRBRTTriple Square81" / 25MRBRTTriple Square61" / 25MRBRTTriple Square81" / 25MRBRTTriple Square51" / 25MRBRTJ/4" Drive Adapter25-2RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50<						-
RBRTSquare / Robertson#11" / 25•RBRTSquare / Robertson#21" / 25•RBRTSquare / Robertson#31" / 25•MRBRTSpanner41" / 25•MRBRTSpanner61" / 25•MRBRTSpanner81" / 25•MRBRTSpanner101" / 25•MRBRTSpanner101" / 25•MRBRTTorq-Set61" / 25•RQSMRBRTTorq-Set101" / 25RBRTTri-Wing#11" / 25RBRTTri-Wing#31" / 25RBRTTri-Wing#41" / 25S2RBRTClutch5/32"1" / 25ISRBRTTriple Square51" / 25MRBRTTriple Square61" / 25MRBRTTriple Square61" / 25MRBRTTriple Square81" / 25MRBRTTriple Square51" / 25MRBRTTriple Square61" / 25MRBRTTriple Square81" / 25MRBRTI/4" Drive Adapter25-IRBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter60-	RBRT					•
RBRTSquare / Robertson#21" / 25•RBRTSquare / Robertson#31" / 25MRBRTSpanner41" / 25MRBRTSpanner61" / 25MRBRTSpanner81" / 25MRBRTSpanner101" / 25MRBRTSpanner101" / 25MRBRTTorq-Set61" / 25RQBMRBRTTorq-Set101" / 25RRTTri-Wing#11" / 25RBRTTri-Wing#31" / 25RBRTTri-Wing#41" / 25RBRTTri-Wing#41" / 25S2RBRTClutch5/32"1" / 25IGRBRTClutch3/16"1" / 25MRBRTTriple Square61" / 25MRBRTTriple Square61" / 25MRBRTTriple Quare81" / 25MRBRTTriple Quare81" / 25MRBRTJ1/4" Drive Adapter25-2RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRT1/4" Drive Adapter50-RBRTScrewdriver60RBRTScrewdriver60	RBRT				•	•
RBRT Square / Robertson #3 1" / 25 • • MRBRT Spanner 4 1" / 25 • • • MRBRT Spanner 6 1" / 25 • • • • MRBRT Spanner 8 1" / 25 •	RBRT				•	•
MRBRT Spanner 4 1" / 25 MRBRT Spanner 6 1" / 25 MRBRT Spanner 8 1" / 25 MRBRT Spanner 10 1" / 25 MRBRT Spanner 10 1" / 25 RQGMRBRT Torq-Set 6 1" / 25 RQTOMRBRT Torq-Set 8 1" / 25 RQTOMRBRT Torq-Set 10 1" / 25 RBRT Torq-Set 10 1" / 25 RBRT Tri-Wing #1 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 S2RBRT Clutch 5/32" 1" / 25 S2RBRT Clutch 3/16" 1" / 25 MRBRT Triple Square 5 1" / 25 MRBRT Triple Square 6 1" / 25 MRBRT Triple Square 8 1" / 25 MRBRT Ming Nut 1/4 -	RBRT				•	•
MRBRT Spanner 8 1" / 25 OMRBRT Spanner 10 1" / 25 RQGMRBRT Torq-Set 6 1" / 25 RQBMRBRT Torq-Set 8 1" / 25 RQIOMRBRT Torq-Set 10 1" / 25 RQTOMRBRT Torq-Set 10 1" / 25 RRT Tri-Wing #1 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 RBRT Tri-Wing #4 1" / 25 S2RBRT Clutch 5/32" 1" / 25 S2RBRT Clutch 3/16" 1" / 25 S4RBRT Triple Square 5 1" / 25 MRBRT Triple Square 6 1" / 25 MMRBRT Triple Square 8 1" / 25 MRBRT Triple Square 8 1" / 25 MRBRT Triple Square 8 1" / 25 MRBRT I/4" Drive Adapter 25	MRBRT		4	1" / 25		•
DMRBRT Spanner 10 1" / 25 RQGMRBRT Torq-Set 6 1" / 25 RQBMRBRT Torq-Set 8 1" / 25 RQIOMRBRT Torq-Set 10 1" / 25 RQTOMRBRT Torq-Set 10 1" / 25 RBRT Torq-Set 10 1" / 25 RBRT Tri-Wing #1 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 RBRT Clutch 5/32" 1" / 25 S2RBRT Clutch 3/16" 1" / 25 S2RBRT Clutch 1/4" 1" / 25 S4RBRT Triple Square 5 1" / 25 MMRBRT Triple Square 6 1" / 25 MMRBRT Triple Square 8 1" / 25 MMRBRT Triple Square 8 1" / 25 MMRBRT Triple Square 8 1" / 25 MRBRT I/4" Drive Adapter 50	MRBRT	Spanner	6	1" / 25		•
RQGMRBRT Torq-Set 6 1" / 25 RQBMRBRT Torq-Set 8 1" / 25 RQIOMRBRT Torq-Set 10 1" / 25 RBRT Tri-Wing #1 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 RBRT Tri-Wing #4 1" / 25 RBRT Clutch 5/32" 1" / 25 32RBRT Clutch 3/16" 1" / 25 Strengt Clutch 1/4" 1" / 25 MRBRT Triple Square 5 1" / 25 • MMRBRT Triple Square 8 1" / 25 • MMRBRT Triple Square 8 1" / 25 • MMRBRT Bit Coupler 1/4" - • VIRBRT Bit Coupler 1/4" - • RRBRT 1/4" Drive Adapter 50 - • RBRT 1/4" Drive Adapter 50 - • <th>MRBRT</th> <th>Spanner</th> <th>8</th> <th>1" / 25</th> <th></th> <th>•</th>	MRBRT	Spanner	8	1" / 25		•
RQBMRBRT Torq-Set 8 1" / 25 RQ10MRBRT Torq-Set 10 1" / 25 RBRT Tri-Wing #1 1" / 25 RBRT Tri-Wing #2 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 S2RBRT Clutch 5/32" 1" / 25 32RBRT Clutch 3/16" 1" / 25 S32RBRT Clutch 3/16" 1" / 25 S4RBRT Triple Square 5 1" / 25 S4RBRT Triple Square 6 1" / 25 MMRBRT Triple Square 8 1" / 25 MMRBRT Triple Square 8 1" / 25 MMRBRT Triple Square 8 1" / 25 MRBRT Bit Coupler 1/4" - PLRBRT Bit Coupler 1/4" - PLRBRT 1/4" Drive Adapter 50	OMRBRT		10			•
R110MRBRT Torq-Set 10 1" / 25 RBRT Tri-Wing #1 1" / 25 RBRT Tri-Wing #2 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 RBRT Tri-Wing #4 1" / 25 SZRBRT Clutch 5/32" 1" / 25 15RBRT Clutch 3/16" 1" / 25 4RBRT Clutch 1/4" 1" / 25 MRBRT Triple Square 5 1" / 25 MRBRT Triple Square 6 1" / 25 MRBRT Triple Square 8 1" / 25 MRBRT Triple Square 1/4" VERBT Wing Nut 1/4 PLRRBRT Bit Coupler 1/4" RBRT 1/4" Drive Adapter 50	RQ6MRBRT	Torq-Set				٠
RBRT Tri-Wing #1 1" / 25 RBRT Tri-Wing #2 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 RBRT Tri-Wing #4 1" / 25 32RBRT Clutch 5/32" 1" / 25 15RBRT Clutch 3/16" 1" / 25 4RBRT Clutch 1/4" 1" / 25 4RBRT Clutch 1/4" 1" / 25 MRRBRT Triple Square 5 1" / 25 MMRBRT Triple Square 6 1" / 25 MRRBRT Triple Square 8 1" / 25 MRBRT Triple Square 8 1" / 25 MRBRT Triple Square 8 1" / 25 MRBRT Bit Coupler 1/4" - PLRRBRT Bit Coupler 1/4" - RBRT 1/4" Drive Adapter 50 - RBRT 1/4" Drive Adapter 50 <td< th=""><th>RQ8MRBRT</th><th></th><th></th><th></th><th></th><th>•</th></td<>	RQ8MRBRT					•
RBRT Tri-Wing #2 1" / 25 RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 32RBRT Clutch 5/32" 1" / 25 16RBRT Clutch 3/16" 1" / 25 16RBRT Clutch 3/16" 1" / 25 4RBRT Clutch 1/4" 1" / 25 MMRBRT Triple Square 5 1" / 25 • MMRBRT Triple Square 6 1" / 25 • MMRBRT Triple Square 8 1" / 25 • MMRBRT Dit Coupler 1/4" - • PLRRBRT Bit Coupler 1/4" - • RBRT<						•
RBRT Tri-Wing #3 1" / 25 RBRT Tri-Wing #4 1" / 25 32RBRT Clutch 5/32" 1" / 25 32RBRT Clutch 3/16" 1" / 25 16RBRT Clutch 3/16" 1" / 25 4RBRT Clutch 1/4" 1" / 25 MMRBRT Triple Square 5 1" / 25 MMRBRT Triple Square 6 1" / 25 MMRBRT Triple Square 8 1" / 25 VMRBRT Triple Square 8 1" / 25 VIRT Bit Coupler 1/4" - VIRBRT 1/4" Drive Adapter 25 - 2RBRT 1/4" Drive Adapter 50 - RBRT 1/4" Quick Connect Chuck		-				
RBRT Tri-Wing #4 1" / 25 32RBRT Clutch 5/32" 1" / 25 16RBRT Clutch 3/16" 1" / 25 16RBRT Clutch 1/4" 1" / 25 4RBRT Clutch 1/4" 1" / 25 MMRBRT Triple Square 5 1" / 25 WMRBRT Triple Square 6 1" / 25 MMRBRT Triple Square 8 1" / 25 VMRBRT Triple Square 8 1" / 25 VMRBRT Triple Square 8 1" / 25 VIRBRT Bit Coupler 1/4" - VIRBRT Bit Coupler 1/4" - VIRBRT 1/4" Drive Adapter 25 - 2RBRT 1/4" Drive Adapter 50 - RBRT 1/4" Quick Connect Chuck 60 - 8 Ratcheting Screwdriver 1/4" -		-				•
32RBRT Clutch 5/32" 1" / 25 16RBRT Clutch 3/16" 1" / 25 16RBRT Clutch 3/16" 1" / 25 4RBRT Clutch 1/4" 1" / 25 MMRBRT Triple Square 5 1" / 25 MMRBRT Triple Square 6 1" / 25 MMRBRT Triple Square 8 1" / 25 VMRBRT Bit Coupler 1/4" - VIRBRT Bit Coupler 1/4" - VIRBRT 1/4" Drive Adapter 25 - 2RBRT 1/4" Quick Connect Chuck 60 - 8 Ratcheting Screwd		-				•
16RBRT Clutch 3/16" 1" / 25 4RBRT Clutch 1/4" 1" / 25 4RBRT Triple Square 5 1" / 25 MMRBRT Triple Square 6 1" / 25 MMRBRT Triple Square 8 1" / 25 MMRBRT Triple Square 8 1" / 25 VMRBRT Triple Square 8 1" / 25 * • • • MRBRT Triple Square 8 1" / 25 * • • • VRBRT Wing Nut 1/4 - * • • • * Bit Coupler 1/4" - * • • • * 1/4" Drive Adapter 25 - * • • • * 1/4" Quick Connect Chuck 60 - * • • • * 8 Ratcheting Screwdriver 1/4" -		-				
ARBRTClutch1/4"1"/25•MMRBRTTriple Square51"/25••MMRBRTTriple Square61"/25••MMRBRTTriple Square81"/25••MMRBRTTriple Square81"/25••VRBRTWing Nut1/4-•PLRRBRTBit Coupler1/4"-•IRBRT1/4" Drive Adapter25-•2RBRT1/4" Drive Adapter50-•RBRT1/4" Quick Connect Chuck60-•8Ratcheting Screwdriver1/4" 60-Tooth-•						
MMRBRTTriple Square51" / 25••MMRBRTTriple Square61" / 25••MMRBRTTriple Square81" / 25••MMRBRTTriple Square81" / 25••MMRBRTBit Coupler1/4"-••PLRRBRTBit Coupler1/4"-••1RBRT1/4" Drive Adapter25-••2RBRT1/4" Drive Adapter50-••RBRT1/4" Quick Connect Chuck60-••8Ratcheting Screwdriver1/4" 60-Tooth-••						•
MMRBRTTriple Square61" / 25•MMRBRTTriple Square81" / 25•(RBRTWing Nut1/4-•*LRRBRTBit Coupler1/4"-•1RBRT1/4" Drive Adapter25-•2RBRT1/4" Drive Adapter50-•RBRT1/4" Quick Connect Chuck60-•8Ratcheting Screwdriver1/4" 60-Tooth-•	MMRBRT				•	•
MMRBRT Triple Square 8 1"/25 • • (RBRT Wing Nut 1/4 - • • • PLRRBRT Bit Coupler 1/4" - • • • • 1RBRT 1/4" Drive Adapter 25 - • • • • 2RBRT 1/4" Drive Adapter 50 - • • • • RBRT 1/4" Quick Connect Chuck 60 - • • • 8 Ratcheting Screwdriver 1/4" - • • •	MMRBRT				•	•
YRBRT Wing Nut 1/4 PLRRBRT Bit Coupler 1/4" IRBRT 1/4" Drive Adapter 25 2RBRT 1/4" Drive Adapter 50 2RBRT 1/4" Quick Connect Chuck 60 8 Ratcheting Screwdriver 1/4"	MMRBRT				•	•
PLRRBRT Bit Coupler 1/4" IRBRT 1/4" Drive Adapter 25 2RBRT 1/4" Drive Adapter 50 2RBRT 1/4" Urive Adapter 50 RBRT 1/4" Quick Connect Chuck 60 8 Ratcheting Screwdriver 1/4"	YRBRT		1/4			•
2RBRT 1/4" Drive Adapter 50 - RBRT 1/4" Quick Connect Chuck 60 - 8 Ratcheting Screwdriver 1/4" 60-Tooth -	PLRRBRT		1/4"	_		•
RBRT 1/4" Quick Connect Chuck 60 - 8 Ratcheting Screwdriver 1/4" 60-Tooth -	1RBRT	1/4" Drive Adapter	25	-		•
KEKI Chuck 50 - 8 Ratcheting Screwdriver 1/4" 60-Tooth -	2RBRT		50	_		•
8 Ratcheting 1/4" - •	RBRT		60	_		•
Screwdriver 60-Tooth -			1/4"			
5RBRT T-Handle 1/4" – •	8	Screwdriver	60-Tooth	_		•
	5RBRT	T-Handle	1/4"	-		•



06

183

BITS AND SETS

SCREWDRIVERS

MAC-GRIP[™] BIT SETS

- Mac-Grip[™] handle magnetic screwdriver
- Bits made of S2 steel for long lasting durability



TOOLS

PRODUCT # SBDR123SA	TIP TYPE 123 Piece Mac-Grip™ Ra	TIP SIZE					ET	
SBDR49SA	49 Piece Mac-Grip [™] Rat							
SBDR455A SBD29SA	29 Piece Mac-Grip [™] 1/4	-		manifer oel				
SBD233A SBDR42SA	42 Piece Mac-Grip [™] Rat			er Set				
BPHO	Phillips®	#0	1/4"	1"		•	•	•
BPH1	Phillips®	#1	1/4"	1"				
BPH1L2	Phillips®	#1	1/4"	2"				
BPH1L6	Phillips®	#1	1/4"	6"				
BPH2	Phillips®	#2	1/4"	1"				
BPH2L2	Phillips®	#2	1/4"	2"		-		-
BPH2L6		#2	1/4"	6"			•	
BPH2L0 BPH3	Phillips® Phillips®			0				
		#3	1/4"				•	
BPH4	Phillips®	#4	1/4"	1"				•
BPPHOOO	Phillips®	#000	1/8"	1-1/8"	•			
BPPHOO	Phillips®	#00	1/8"	1-1/8"	•			
BPPHO	Phillips®	#0	1/8"	1-1/8"	•			
BPPH1	Phillips®	#1	1/8"	1-1/8"	•			
BSL18	Slotted	1/8"	1/4"	1"			•	•
BSL532	Slotted	5/32"	1/4"	1"			•	•
BSL316	Slotted	3/16"	1/4"	1"			•	•
BSL316L2	Slotted	3/16"	1/4"	2"			٠	
BSL732	Slotted	7/32"	1/4"	1"			•	•
BSL14	Slotted	1/4"	1/4"	1"			•	•
BSL14L2	Slotted	1/4"	1/4"	2"			•	
BSL14L6	Slotted	1/4"	1/4"	6"			•	
BSL932	Slotted	9/32"	1/4"	1"				•
BSL3M	Slotted	3mm	1/4"	1"		•		•
BSL4M	Slotted	4mm	1/4"	1"		•		•
BSL4.5MM	Slotted	4.5mm	1/4"	1"				•
BSL5M	Slotted	5mm	1/4"	1"		•		•
BSL5.5MM	Slotted	5.5mm	1/4"	1"				•
BSLGM	Slotted	6mm	1/4"	- 1"		•		•
BSL6.5MM	Slotted	6.5mm	1/4"	1"				
BSL7MM	Slotted	7mm	1/4"	1"				
BSL8M	Slotted	8mm	1/4"	1"				
BSLOM BPSL1MM	Slotted	1mm	1/4	1-1/8"				-
BPSL1MM BPSL1.5MM	Slotted	1.5mm	1/4"		•			
				1-1/8"				
BPSL2MM	Slotted	2mm	1/4"	1-1/8"	•			
BPSL2.5MM	Slotted	2.5mm	1/4"	1-1/8"	•			
BPSL3MM	Slotted	3mm	1/4"	1-1/8"	•			
BPSL4MM	Slotted	4mm	1/4"	1-1/8"	•			
BPTX4	Torx®	T4	1/8"	1-1/8"	٠			
BPTX5	Torx®	T5	1/8"	1-1/8"	•			
BPTX6	Torx®	T6	1/8"	1-1/8"	٠			
BPTX7	Torx®	T7	1/8"	1-1/8"	•			
BPTX8	Torx®	T8	1/8"	1-1/8"	•			
BPTX9	Torx®	T9	1/8"	1-1/8"	•			
BPTX10	Torx∞	T10	1/8"	1-1/8"	•			
BPTX15	Torx®	T15	1/8"	1-1/8"	•			
BPTX20	Torx®	T20	1/8"	1-1/8"	٠			
BTX6	Torx®	T6	1/4"	1"	•			•
BTX7	Torx®	17	1/4"	1"				•
BTX8	Torx®	T8	1/4"	1"				•
BTX10	Torx®	T10	1/4"	1"				•
BTX15	Torx®	T15	1/4"	1"				•
BTX20	Torx®	T20	1/4"	1"				
BTX25	Torx®	T25	1/4"	1"				
BTX25L6	Torx®	T25	1/4	6"				
				6" 1"				
BTX27	Torx®	T27	1/4"					•
BTX30	Torx®	T30	1/4"	1"				•
BTX40	Torx®	T40	1/4"	1"				•
BTX45	Torx®	T45	1/4"	1"				•

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH		S	et	
SBDR123SA	123 Piece Mac-Grip™ Rate	heting 1/4"	Hex Bit Drive	er Set				
SBDR49SA	49 Piece Mac-Grip™ Ratch	eting 1/4" H	ex Bit Screw	driver Set				
SBD29SA	29 Piece Mac-Grip™ 1/4" H	lex Bit Drive	r Set					
SBDR42SA	42 Piece Mac-Grip™ Ratch	et Precision	Screwdrive	r Set				
BSQO	Square	#0	1/4"	1"		٠	•	
BSQ1	Square	#1	1/4"	1"		•	•	
BSQ2	Square	#2	1/4"	1"		•	•	
BSQ3	Square	#3	1/4"	1"		•		
BDSQ3	Double Square	#2	1/4"	1"				F
BSP4MM	Spanner	4mm	1/4"	1"				-
BSP6MM	Spanner	6mm	1/4"	1"				
BSP8MM	Spanner	8mm	1/4"	1"				
BSP10MM		10mm	1/4	1"				
BTPTX6	Spanner	T6H	1/4	1"			•	-
	Tamper-Resistant Torx®							
BTPTX7	Tamper-Resistant Torx®	T7H	1/4"	1"			•	
BTPTX8	Tamper-Resistant Torx®	T8H	1/4"	1"			•	
BTPTX9	Tamper-Resistant Torx®	T9H	1/4"	1"			•	
BTPTX10	Tamper-Resistant Torx®	T10H	1/4"	1"		•	•	
BTPTX15	Tamper-Resistant Torx®	T15H	1/4"	1"		•	•	
BTPTX20	Tamper-Resistant Torx®	T20H	1/4"	1"		•	•	
BTPTX25	Tamper-Resistant Torx®	T25H	1/4"	1"		•	•	
BTPTX27	Tamper-Resistant Torx®	T27H	1/4"	1"			•	
BTPTX30	Tamper-Resistant Torx®	T30H	1/4"	1"		•	•	
BTPTX40	Tamper-Resistant Torx®	T40H	1/4"	1"		•	•	
BTW1	Tri-Wing	#1	1/4"	1"				f
BTW2	Tri-Wing	#2	1/4"	1"				
BTW3	Tri-Wing	#3	1/4"	1"				
BTW4	Tri-Wing	#4	1/4"	1"				
BHX564	Hex	5/64"	1/4"	1"		•		+
BHX332				1"		•	•	
внх 332 ВНХ 764	Hex	3/32"	1/4"			•	•	
	Hex	7/64"	1/4"	1"		•	•	
BHX18	Hex	1/8"	1/4"	1"		•	•	
BHX964	Hex	9/64"	1/4"	1"		•	•	
BHX532	Hex	5/32"	1/4"	1"				
BHX316	Hex	3/16"	1/4"	1"				
BHX732	Hex	7/32"	1/4"	1"				
BHX14	Hex	1/4"	1/4"	1"				
BHX1.5MM	Hex	1.5mm	1/4"	1"				
BHX2MM	Hex	2mm	1/4"	1"				
BHX2.5MM	Hex	2.5mm	1/4"	1"				
внхзмм	Hex	3mm	1/4"	1"			•	
BHX4MM	Hex	4mm	1/4"	1"				
BHX5MM	Hex	5mm	1/4"	1"				
BHX5.5MM	Hex	5.5mm	1/4"	1"				
			1/4	1"				
BHX6MM	Hex	6mm						
BHX8MM	Hex	8mm	1/4"	1"				
BHX10MM	Hex	10mm	1/4"	1"				
BPHX0.7MM	Hex	0.7mm	1/8"	1-1/8"	•			
BPHX0.9MM	Hex	0.9mm	1/8"	1-1/8"	•			
BPHX1.3MM	Hex	1.3mm	1/8"	1-1/8"	٠			
BPHX1.5MM	Hex	1.5mm	1/8"	1-1/8"	•			
BPHX2MM	Hex	2mm	1/8"	1-1/8"	•			
BPHX2.5MM	Hex	2.5mm	1/8"	1-1/8"	•			
BPHX3MM	Hex	3mm	1/8"	1-1/8"	•			
BPHX4MM	Hex	4mm	1/8"	1-1/8"	•			
BHTORQ6MM	Torq-Set®	6mm	1/4"	1"				f
BHTORQ8MM	Torq-Set®	8mm	1/4"	1"				
BHTORQ10MM	Torq-Set®	10mm	1/4	1"				
BPPZO	Pozidriv®	#0	1/8"	1-1/8"	•			
BPPZ1	Pozidriv®	#1	1/8"	1-1/8"	•			
BPZO	Pozidriv®	#0	1/4"	1"		•	•	
BPZ1	Pozidriv®	#1	1/4"	1"		•	•	
BPZ2	Pozidriv®	#2	1/4"	1"			•	
BPZ3	Pozidriv®	#3	1/4"	1"			•	
BPZ4	Pozidriv®	#4	1/4"	1"				

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH		S	T	
SBDR123SA	123 Piece Mac-Grip™ Ratc							
SBDR49SA	49 Piece Mac-Grip [™] Ratch							
SBD29SA	29 Piece Mac-Grip™ 1/4" H	ex Bit Driver	Set					
SBDR42SA	42 Piece Mac-Grip™ Ratch	et Precision S	Screwdrive	r Set				
BSPLM5	Spline	M5	1/4"	1"				•
BSPLM6	Spline	M6	1/4"	1"				•
BSPLM8	Spline	M8	1/4"	1"				•
BCL532	Clutch	5/32"	1/4"	1"				•
BCL316	Clutch	3/16"	1/4"	1"				•
BCL14	Clutch	1/4"	1/4"	1"				•
BPND332	Nut	3/32"	1/8"	1-1/8"	•			
BPND18	Nut	1/8"	1/8"	1-1/8"	•			
BPND964	Nut	9/64"	1/8"	1-1/8"	•			
BPND532	Nut	5/32"	1/8"	1-1/8"	•			
BPND316	Nut	3/16"	1/8"	1-1/8"	•			
BPND2.5MM	Nut	2.5mm	1/8"	1-1/8"	•			
BPND3MM	Nut	3mm	1/8"	1-1/8"	•			
BPND3.5MM	Nut	3.5mm	1/8"	1-1/8"	•			
BPND4 5MM	Nut	4mm	1/8"	1-1/8"	•			
BPND4.5MM BPND5MM	Nut	4.5mm	1/8"	1-1/8"	•			
BSPHX18		5mm 1/8"		1-1/6	•			
BSPHX18 BSPHX532	Speed Hex	5/32"	1/4"	1"				•
BSPHX332 BSPHX316	Speed Hex Speed Hex	3/16"	1/4"	1"				
BSPHX310 BSPHX732	Speed Hex	7/32"	1/4	1"				
BSPHX132	Speed Hex	1/4"	1/4"	1"				•
BSPHX2.5MM	Speed Hex	2.5mm	1/4"	1"				•
BSPHX3MM	Speed Hex	3mm	1/4"	1"				•
BSPHX4MM	Speed Hex	4mm	1/4"	1"				•
BSPHX5MM	Speed Hex	5mm	1/4"	1"				•
BSPHX5.5MM	Speed Hex	5.5mm	1/4"	1"				•
BSPHX6MM	Speed Hex	6mm	1/4"	1"				•
BTPHX564	Tamper-Resistant Hex	5/64"	1/4"	1"				•
BTPHX332	Tamper-Resistant Hex	3/32"	1/4"	1"				•
BTPHX764	Tamper-Resistant Hex	7/64"	1/4"	1"				•
BTPHX18	Tamper-Resistant Hex	1/8"	1/4"	1"				•
BTPHX964	Tamper-Resistant Hex	9/64"	1/4"	1"				•
BTPHX532	Tamper-Resistant Hex	5/32"	1/4"	1"				•
BTPHX316	Tamper-Resistant Hex	3/16"	1/4"	1"				•
BTPHX732	Tamper-Resistant Hex	7/32"	1/4"	1"				•
BTPHX14	Tamper-Resistant Hex	1/4"	1/4"	1"				•
BTPHX932	Tamper-Resistant Hex	9/32"	1/4"	1"				•
BTPHX516	Tamper-Resistant Hex	5/16"	1/4"	1"				•
BTPHX38	Tamper-Resistant Hex	3/8"	1/4"	1"				٠
BTPHX2MM	Tamper-Resistant Hex	2mm	1/4"	1"				•
BTPHX2.5MM	Tamper-Resistant Hex	2.5mm	1/4"	1"				•
BTPHX3MM	Tamper-Resistant Hex	3mm	1/4"	1"				•
BTPHX4MM	Tamper-Resistant Hex	4mm	1/4"	1"				•
BTPHX5MM	Tamper-Resistant Hex	5mm	1/4"	1"				•
BTPHX6MM	Tamper-Resistant Hex	6mm	1/4"	1"				•
BADT1 PADT2	Bit Adapter	-	1/4"	1"		•	•	•
BADT2	Bit Adapter	-	1/4"	2"			•	•
BEXT2 BPFLEXT8	Magnetic Bit Extension	-	1/4"	2"		•		
	Flexible Extension	-	1/8"	8"	•			
BSKTADT14	Socket Adapter	-	1/4"	2-10/27"				•
BQCC BWNY	Quick Change Chuck	-		2-10/2/"				
SBD8	Wing Nut/Y Bit Screwdriver	-	1/4"	8"				
	Bit Ratcheting	_						
SBDR5	Screwdriver	-	1/8"	5-1/4"	•			
SBDR8	Bit Ratcheting	-	1/4"	9"				
SBDT5	Screwdriver Bit T-Handle Driver		1/4"	5-1/2"				•
99019	Dit i-naliule Driver	-	1/4	J=1/Z				•

06

SCREMDRIVERS BITS AND SETS

BIT DRIVER SETS

- Full-polish, mini-ratcheting bit driver included (MR5BD)
 72-Tooth mini-ratchet ideal for work in tight places
- Wide range of bit styles included for multiple applications
- Five extended length bits included for greater access
 Magnetic bit holder included for added reach
- Blow-moulded case



PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH		
SBDR69K	69 Piece Bit Driv	er Set				
SBDR32K	32 Piece Bit Driv	er Set				
BHX14	Hex	1/4"	1/4"	1" / 25		٠
BHX18	Hex	1/8"	1/4"	1"/25		٠
BHX316	Hex	3/16"	1/4"	1" / 25		•
BHX332	Hex	3/32"	1/4"	1"/25		٠
BHX532	Hex	5/32"	1/4"	1"/25		٠
BHX564	Hex	5/64"	1/4"	1" / 25		٠
BHX732	Hex	7/32"	1/4"	1" / 25		•
BHX764	Hex	7/64"	1/4"	1" / 25		٠
BHX964	Hex	9/64"	1/4"	1" / 25		٠
BHX1.5MM	Hex	1.5mm	1/4"	1" / 25		•
BHX2MM	Hex	2mm	1/4"	1" / 25		•
BHX2.5MM	Hex	2.5mm	1/4"	1" / 25	٠	٠
BHX3MM	Hex	3mm	1/4"	1" / 25	•	•
BHX4MM	Hex	4mm	1/4"	1" / 25	٠	٠
BHX5MM	Hex	5mm	1/4"	1"/25	٠	٠
BHX6MM	Hex	6mm	1/4"	1" / 25	٠	٠
BPHO	Phillips	#0	1/4"	1"/25	٠	•
BPH1	Phillips	#1	1/4"	1"/25	٠	٠
BPH1L3	Phillips	#1	1/4"	3" / 75		٠
BPH1L5	Phillips	#1	1/4"	5" / 125		٠
BPH2	Phillips	#2	1/4"	1"/25		•
BPH2L3	Phillips	#2	1/4"	3" / 75	٠	٠
BPH2L5	Phillips	#2	1/4"	5" / 125	٠	•
BPH3	Phillips	#3	1/4"	1" / 25	٠	٠
BPZO	Pozidriv	#0	1/4"	1" / 25	•	•
BPZ1	Pozidriv	#1	1/4"	1"/25	٠	٠
BPZ2	Pozidriv	#2	1/4"	1" / 25	٠	٠
BPZ23L	Pozidriv	#2	1/4"	3" / 75		٠
BPZ3	Pozidriv	#3	1/4"	1" / 25		٠
BSL3M	Slotted	3mm	1/4"	1"/25	٠	٠
BSL4M	Slotted	4mm	1/4"	1" / 25		•
BSL5M	Slotted	5mm	1/4"	1" / 25	٠	٠
BSL5M3	Slotted	5mm	1/4"	3" / 75		•
BSL5M5	Slotted	5mm	1/4"	5" / 125		٠
BSL6M	Slotted	6mm	1/4"	1" / 25	٠	•
BSL7MM	Slotted	7mm	1/4"	1"/25		٠
BSL8M	Slotted	8mm	1/4"	1" / 25		•

TOOLS

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SI	T
SBDR69K	69 Piece Bit Drive	r Set				
SBDR32K	32 Piece Bit Drive	r Set				
BSPLM5	Spline	M5	1/4"	1" / 25		٠
BSPLM6	Spline	M6	1/4"	1" / 25		٠
BSPLM8	Spline	M8	1/4"	1" / 25		٠
BSQO	Square	#0	1/4"	1" / 25		٠
BSQ1	Square	#1	1/4"	1" / 25	•	•
BSQ2	Square	#2	1/4"	1" / 25	٠	٠
BSQ3	Square	#3	1/4"	1" / 25		٠
BTPTX10	Tamper-Res. Star	T10	1/4"	1" / 25		٠
BTPTX15	Tamper-Res. Star	T15	1/4"	1" / 25		•
BTPTX20	Tamper-Res. Star	T20	1/4"	1" / 25		٠
BTPTX25	Tamper-Res. Star	T25	1/4"	1" / 25		٠
BTPTX27	Tamper-Res. Star	T27	1/4"	1" / 25		٠
BTPTX30	Tamper-Res. Star	T30	1/4"	1" / 25		٠
BTPTX40	Tamper-Res. Star	T40	1/4"	1" / 25		٠
BTPTX8	Tamper-Res. Star	T8	1/4"	1" / 25		٠
BTX10	Star	T10	1/4"	1" / 25	٠	•
BTX15	Star	T15	1/4"	1" / 25	٠	٠
BTX20	Star	T20	1/4"	1" / 25	•	•
BTX20L3	Star	T20	1/4"	3" / 75	٠	٠
BTX20L5	Star	T20	1/4"	5" / 125		•
BTX25	Star	T25	1/4"	1" / 25	٠	٠
BTX25L3	Star	T25	1/4"	3" / 75	•	•
BTX25L5	Star	T25	1/4"	5" / 125		•
BTX27	Star	T27	1/4"	1" / 25	•	•
BTX30	Star	T30	1/4"	1" / 25	•	٠
BTX30L3	Star	T30	1/4"	3" / 75	•	•
BTX30L5	Star	T30	1/4"	5" / 125		•
BTX40	Star	T40	1/4"	1" / 25	•	•
BTX8	Star	T8	1/4"	1" / 25		•
MR5BD	Ratcheting	g Bit Driv	er	5" / 125		•
BADT1	Bit Ad	lapter		1" / 25	•	•
BMBH	Magnetic	Bit Holde	r	1/4" / 65	•	•

SBDR6



PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SI	ET
SD60KL	60 Piece Long Bi	t Driver S	et			
SD33KL	33 Piece Long Bi	t Driver S	et			
BHM2.5L3	Hex	2.5mm	1/4"	3" / 75		•
BHM3L3	Hex	3mm	1/4"	3" / 75		•
BHM4L3	Hex	4mm	1/4"	3" / 75		٠
BHM5L3	Hex	5mm	1/4"	3" / 75		•
BHM6L3	Hex	6mm	1/4"	3" / 75		•
BHM8L3	Hex	8mm	1/4"	3" / 75		•
BHS3.5L3	Hex	7/64"	1/4"	3" / 75		•
BHS3L3	Hex	3/32"	1/4"	3" / 75		•
BHS4.5L3	Hex	9/64"	1/4"	3" / 75		•
BHS4L3	Hex	1/8"	1/4"	3" / 75		•
BHS5L3	Hex	5/32"	1/4"	3" / 75		•
BHS6L3	Hex	3/16"	1/4"	3" / 75		•
BHS8L3	Hex	1/4"	1/4"	3" / 75		•
BPH1L1	Phillips	#1	1/4"	1-1/4" / 32		٠
BPH1L3	Phillips	#1	1/4"	3" / 75	•	•
BPH1L6-2	Phillips	#1	1/4"	6" / 150	•	•
BPH2L1	Phillips	#2	1/4"	1-1/4"		•
BPH2L3-2	Phillips	#2	1/4"	3" / 75	•	•
BPH2L6-2	Phillips	#2	1/4"	6" / 150	•	•
BPH3L1	Phillips	#3	1/4"	1-1/4"		•
BPH3L3	Phillips	#3	1/4"	3" / 75	•	•
BPH3L6	Phillips	#3	1/4"	6" / 150	•	•
BPZ1L3	Pozidriv	#1	1/4"	3" / 75	•	•
BPZ1L6	Pozidriv	#1	1/4"	6" / 150	•	•
BPZ2L3	Pozidriv	#2	1/4"	3" / 75	•	•
BPZ2L6	Pozidriv	#2	1/4"	6" / 150	•	•
BPZ3L3	Pozidriv	#3	1/4"	3" / 75	•	•
BPZ3L6	Pozidriv	#3	1/4"	6" / 150	•	•
BSOL3	Square	#0	1/4"	3" / 75		•
BS1L3	Square	#1	1/4"	3" / 75		•
BS2L3	Square	#2	1/4"	3" / 75		٠





	all a second					
PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SI	ET
SD60KL	60 Piece Long Bi	t Driver S	et			
SD33KL	33 Piece Long Bi	t Driver S	et			
BTX10L1	Star	T10	1/4"	1-1/4" / 32		٠
BTX10L3	Star	T10	1/4"	3" / 75	•	٠
BTX10L6	Star	T10	1/4"	6" / 150	•	٠
BTX15L1	Star	T15	1/4"	1-1/4"		٠
BTX15L3	Star	T15	1/4"	3" / 75	•	•
BTX15L6	Star	T15	1/4"	6" / 150	•	٠
BTX20L1	Star	T20	1/4"	1-1/4"		•
BTX20L3-2	Star	T20	1/4"	3" / 75	•	٠
BTX20L6	Star	T20	1/4"	6" / 150	•	•
BTX25L1	Star	T25	1/4"	1-1/4"		•
BTX25L3-2	Star	T25	1/4"	3" / 75	•	•
BTX25L6-2	Star	T25	1/4"	6" / 150	•	٠
BTX27L1	Star	T27	1/4"	1-1/4"		•
BTX27L3	Star	T27	1/4"	3" / 75	٠	•
BTX27L6	Star	T27	1/4"	6" / 150	•	•
BTX30L1	Star	T30	1/4"	1-1/4"		•
BTX30L3-2	Star	T30	1/4"	3" / 75	٠	•
BTX30L6-2	Star	T30	1/4"	6" / 150	٠	•
BTX40L1	Star	T40	1/4"	1-1/4" / 32		٠
BTX40L3	Star	T40	1/4"	3" / 75		٠
BTX40L6	Star	T40	1/4"	6" / 150		٠
NSS8	Nut Setter	1/4"	1/4"	2" / 50		•
NSS10	Nut Setter	5/16"	1/4"	2" / 50		٠
NSS12	Nut Setter	3/8"	1/4"	2" / 50		•
NSM8MM	Nut Setter	8mm	1/4"	2" / 50	•	٠
NSM10MM	Nut Setter	10mm	1/4"	2" / 50	•	•
NSM12MM	Nut Setter	12mm	1/4"	2" / 50	•	٠
BADIT2	Ad	apter		2" / 50	•	•
BADIT3	Ad	apter		2" / 50	•	•

SCREWDRIVERS BITS AND SETS





SBR39SB

39 PIECE RATCHET AND STUBBY BIT SET

• Low profile, double ended mini ratchet wrench

- 8" Long with dual thumb wheels for ease of operation and close quarters work
 Works with all 1/4" and 5/16" hex bits and 1/4" square drive sockets
- Half-cut bits for increased strength
- Short 5/8" (16mm) bits made from S2 steel for strength
- Ideal for close quarters work

PRODUCT #	TIP TYPE	TIP SIZE	DRIVE Size	OVERALL LENGTH In. / Mm	SET
SBR39SB	39 Piece Ratchet and St	ubby Bit Set			_
BADT3	Hex / Square Adapter	5/16"	1/4"	5/8" / 16	•
BHX10MMSB	Hex	10mm	5/16"	5/8" / 16	•
BHX14SB	Hex	1/4"	1/4"	5/8" / 16	•
BHX18SB	Hex	1/8"	1/4"	5/8" / 16	•
BHX2.5MMSB	Hex	2.5mm	1/4"	5/8" / 16	•
3HX2MMSB	Hex	2mm	1/4"	5/8" / 16	•
BHX316SB	Hex	3/16"	1/4"	5/8" / 16	•
BHX38SB	Hex	3/8"	5/16"	5/8" / 16	•
3HX3MMSB	Hex	3mm	1/4"	5/8" / 16	•
BHX4MMSB	Hex	4mm	1/4"	5/8" / 16	•
BHX516SB	Hex	5/16"	5/16"	5/8" / 16	•
BHX532SB	Hex	5/32"	1/4"	5/8" / 16	•
BHX5MMSB	Hex	5mm	1/4"	5/8" / 16	٠
3HX6MMSB	Hex	6mm	1/4"	5/8" / 16	•
3HX732SB	Hex	7/32"	1/4"	5/8" / 16	٠
3HX7MMSB	Hex	7mm	5/16"	5/8" / 16	•
BHX8MMSB	Hex	8mm	5/16"	5/8" / 16	٠
BHX964SB	Hex	9/64"	1/4"	5/8" / 16	•
3HX9MMSB	Hex	9mm	5/16"	5/8" / 16	٠
BPH1SB	Phillips®	#1	1/4"	5/8" / 16	•
BPH2SB	Phillips®	#2	1/4"	5/8" / 16	٠
BTX10SB	Torx®	T10	1/4"	5/8" / 16	•
BTX15SB	Torx®	T15	1/4"	5/8" / 16	•
BTX20SB	Torx®	T20	1/4"	5/8" / 16	•
STX25SB	Torx®	T25	1/4"	5/8" / 16	•
STX27SB	Torx®	T27	1/4"	5/8" / 16	•
BTX30SB	Torx®	T30	1/4"	5/8" / 16	•
BTX40SB	Torx®	T40	5/16"	5/8" / 16	•
STX45SB	Torx®	T45	5/16"	5/8" / 16	•
BTX47SB	Torx®	T47	5/16"	5/8" / 16	•
BTX50SB	Torx®	T50	5/16"	5/8" / 16	•
BXZN10SB	Triple Square	10mm	5/16"	5/8" / 16	•
BXZN4SB	Triple Square	4mm	1/4"	5/8" / 16	•
SXZN5SB	Triple Square	5mm	1/4"	5/8" / 16	•
BXZN6SB	Triple Square	6mm	1/4"	5/8" / 16	•
BXZN7SB	Triple Square	7mm	1/4"	5/8" / 16	•
BXZN8SB	Triple Square	8mm	5/16"	5/8" / 16	•
BXZN9SB	Triple Square	9mm	5/16"	5/8" / 16	•
BW8SB	8" Bit Ratchet Wrench	1/4" & 5/16"	1/4"	8" / 200	•

SD46K

46 PIECE 1/4" HEX POWERBIT SET

• Bits made of S2 steel for long lasting durability

PRODUCT #	TIP TYPE	TIP SIZE	OVERALL LENGTH In. / Mm	SE
SD46K	46 Piece 1/4" Hex Powe	rbit Set		
BHX14	Hex	1/4"	1" / 25	•
BHX18	Hex	1/8"	1" / 25	•
BHX316	Hex	3/16"	1" / 25	•
BHX332	Hex	3/32"	1" / 25	
BHX3MM	Hex	3mm	1" / 25	•
BHX4MM	Hex	4mm	1" / 25	
BHX532	Hex	5/32"	1" / 25	•
BHX564	Hex	5/64"	1" / 25	
BHX5MM	Hex	5mm	1" / 25	
BHX6MM	Hex	6mm	1" / 25	
BHX732	Hex	7/32"	1" / 25	
BHX764	Hex	7/64"	1" / 25	
врно	Phillips®	#0	1" / 25	
BPH1	Phillips®	#1	1" / 25	
BPH2	Phillips®	#2	1"/25	
BPH3	Phillips®	#3	1"/25	
BPZO	Pozidriv®	#0	1"/25	
BPZ1	Pozidriv®	#1	1"/25	
BPZ2	Pozidriv®	#2	1"/25	
BPZ3	Pozidriv®	#2	1"/25	
BSL14	Slotted	1/4"	1"/25	
BSL14 BSL18	Slotted	1/4	1"/25	
BSL10 BSL316	Slotted		1 / 25	
		3/16"		-
BSL532	Slotted	5/32"	1" / 25	
BSL732	Slotted	7/32"	1" / 25	
BSL932	Slotted	9/32"	1" / 25	
BSQO	Square	#0	1" / 25	
BSQ1	Square	#1	1" / 25	•
BSQ2	Square	#2	1" / 25	
BSQ3	Square	#3	1" / 25	
BTPTX6	Tamper-Resistant Star	T6H	1" / 25	
BTPTX7	Tamper-Resistant Star	T7H	1" / 25	4
BTPTX8	Tamper-Resistant Star	T8H	1" / 25	
BTPTX9	Tamper-Resistant Star	T9H	1" / 25	
BTPTX10	Tamper-Resistant Star	T10H	1" / 25	
BTPTX15	Tamper-Resistant Star	T15H	1" / 25	
BTPTX20	Tamper-Resistant Star	T20H	1" / 25	
BTPTX25	Tamper-Resistant Star	T25H	1" / 25	
BTPTX27	Tamper-Resistant Star	T27H	1" / 25	
BTPTX30	Tamper-Resistant Star	T30H	1" / 25	
BTPTX40	Tamper-Resistant Star	T40H	1" / 25	
BADT2	1/4" Square Drive Mal	e Bit Adapter	2" / 50	
BQCC	Quick-Change (Chuck	2-3/8" / 60	





MAC100BIT **100 PIECE SCREWDRIVER BIT SET**

• All bits made from S2 quality steel Comprehensive 100 piece bit set gives the right fit for any job
Includes multiple size bits in Slotted, Pozidriv, Phillips, Hex (metric & imperial), Tamper Proof Hex, Torx, Tamper Proof Torx, Spline, Butterfly, Tri-Wing, Square & a range of accessories



SBDR3S

3 PIECE RATCHETING BIT DRIVER SET

- Low profile
- 60-Tooth gear

PRODUCT #	DESCRIPTION	DRIVE SIZE	LENGTH	SET
SBDR3S	3 Piece Ratcheting Bit D	Iriver Set		
MBDE4	Knurled Extension	1/4" Hex	4"	•
MRBD4	Bit Ratchet	1/4" Hex	4-1/2"	•
MRBD4F	Flexible Bit Ratchet	1/4" Hex	5"	•





BWS7B 7 PIECE RATCHETING 1/4" HEX BIT SCREWDRIVER SET

- Three different angled ratcheting
- wrenches: flat, 65°, and 25° offsets
- Magnetic bit holder designed to fit any 1/4" hex bit

PRODUCT #	DESCRIPTION	SET
BWS7B	7 Piece Ratcheting 1/4" Hex Bit Screwdrive	er Set
BWS7BF	1/4" Flat Fine Tooth Wrench	٠
BWS7B0	1/4" Offset Fine Tooth Wrench	•
BWS7BR0	1/4" Reverse Offset Fine Tooth Wrench	•
BWS7B-670	#1 Phillips® Bit	•
BWS7B-671	#2 Phillips® Bit	٠
BWS7B-674	6-8 Slotted 1/4" Bit	•
BWS7B-675	8 – 10 Slotted 9/32" Bit	•
	BWS7B BWS7BF BWS7B0 BWS7BR0 BWS7B-670 BWS7B-671 BWS7B-674	BWS7B7 Piece Ratcheting 1/4" Hex Bit ScrewdriveBWS7BF1/4" Flat Fine Tooth WrenchBWS7B01/4" Offset Fine Tooth WrenchBWS7BR01/4" Reverse Offset Fine Tooth WrenchBWS7B-670#1 Phillips® BitBWS7B-671#2 Phillips® BitBWS7B-6746 - 8 Slotted 1/4" Bit

BD908-03 3 PIECE 1/4" HEX BIT DRIVER SET

- Allows easy access in tight areas
- Heavy-duty mini driver uses 1/4" drive
- and generates substantial torque
- Slotted and Phillips[®] head bits



SBW9K 9 PIECE 1/4" HEX BIT

FLEX SQUARE DRIVER SET

- Unique flex-square hinge design provides double offset at hinge
- 72-Tooth drive gear provides 5° arc swing
- Lightweight aluminium handle helps reduce fatigue
- 1/4" Hex Right-angle drive works great for those confined spaces

INCLUDES:

- 7 x Bits: 1/8", 1/4", 5/16", P1, P2, P3, and T15
- 1 x 1/4" Square Drive Adapter

SHMB25-R

1/4" BIT - MAGNETIC SOCKET HOLDER

- Holds thirty-six different bits and one socket driver
- Red





SHKTT7RBRT 7 PIECE R.B.R.T.™ TORX® T-HANDLE SET

PRODUCT #	SIZE
SHKTT7RBRT	7 Piece R.B.R.T.™ Torx® T-Handle S
HKTT10RBRT	T10
HKTT15RBRT	T15

SET

	140	
HKTT40RBRT	T40	
HKTT30RBRT	T30	•
HKTT27RBRT	T27	•
HKTT25RBRT	T25	٠
HKTT20RBRT	T20	•
HKTT15RBRT	T15	•
IIKITTUKDKI	110	

SHKTM8RBRT (NOT SHOWN) 8 PIECE R.B.R.T.™ METRIC HEX T-HANDLE SET

PRODUCT #	SIZE	SET
SHKTM8RBRT	8 Piece R.B.R.T.™ Metric Hex T-Handle	Set
HKT2MMRBRT	2mm	•
HKT2.5MMRBRT	2.5mm	•
HKT3MMRBRT	3mm	•
HKT4MMRBRT	4mm	•
HKT5MMRBRT	5mm	•
HKTGMMRBRT	6mm	•
HKT8MMRBRT	8mm	•
HKT10MMRBRT	10mm	•





R.B.R.T .™ KEYS FEATURES:

- Rounded Bolt Removal Technology (R.B.R.T.™) designed to prevent the rounding of star fasteners
- Anti-slip dual-directional star driver is effective at removing compromised star fasteners
- S2 tool steel bars are precision machined for use on standard or compromised star fasteners
- Bi-directional: works for both loosening and tightening star fasteners
- Meets or exceeds ANSI specifications
- Single piece bar (through the T-Handle) for superior strength
- Ergonomic bi-material handle for better comfort and grip
- Hang hole for better storage
- Short end driver for high-torque applications, and long end or easy access in tight areas
- Zinc-oxide coating for superior rust resistance
- Large size markings for easy identification

SHKL13RBRT

13 PIECE R.B.R.T.™ SAE HEX L-KEY SET

PRODUCT #	SIZE	SET
SHKL13RBRT	13 Piece R.B.R.T. $^{\text{\tiny TM}}$ SAE Hex L-Key Set	
HKL3RBRT	.05"	•
HKL4RBRT	1/16"	•
HKL5RBRT	5/64"	•
HKLGRBRT	3/32"	•
HKL7RBRT	7/64"	•
HKL8RBRT	1/8"	•
HKL9RBRT	9/64"	•
HKL10RBRT	5/32"	•
HKL11RBRT	3/16"	•
HKL12RBRT	7/32"	•
HKL13RBRT	1/4"	•
HKL14RBRT	5/16"	•
HKL15RBRT	3/8"	٠



HEX KEY WRENCH FEATURES:

- Chamfered tips for faster insertion and full tool engagement in the screw head
- Made with Protanium[®] steel which is heat-treated for up to 20% more strength and twice the durability over standard grades of steel



SHKML9RBRT 9 PIECE R.B.R.T.™ METRIC HEX L-KEY SET

PRODUCT #	SIZE	SET
SHKML9RBRT	9 Piece R.B.R.T.™ Metric Hex L-Key Set	
HKLM1.5RBRT	1.5mm	•
HKLM2RBRT	2mm	•
HKLM2.5RBRT	2.5mm	•
HKLM3RBRT	3mm	•
HKLM4RBRT	4mm	•
HKLM5RBRT	5mm	•
HKLMGRBRT	6mm	•
HKLM8RBRT	8mm	•
HKLM10RBRT	10mm	•

SHKTBM8RBRT (NOT SHOWN) 8 PIECE R.B.R.T.™ METRIC HEX T-HANDLE SET

PRODUCT #	SIZE	SE
SHKTBM8RBRT	8 Piece R.B.R.T.™ Metric Hex T-Handle	Set
HKTB2MMRBRT	2mm	•
HKTB2.5MMRBRT	2.5mm	•
HKTB3MMRBRT	3mm	•
HKTB4MMRBRT	4mm	•
HKTB5MMRBRT	5mm	•
HKTB6MMRBRT	6mm	•
HKTB8MMRBRT	8mm	•
HKTB10MMRBRT	10mm	•



SHKM9ABA 9 PIECE METRIC SHORT ARM Hex L-Key Wrench Set

- Black finish
- Size stamped on each part
- Two working ends with short and long shank for versatility
- Manufactured from special steel
- to rigid specifications
- Comes in convenient pouch

a hadden	14. 7.2		1
PRODUCT #	SIZE	OVERALL LENGTH In. / MM	SET
SHKM9APA	9 Piece Me Wrench Se	etric Short Arm Hex Key t in Pouch	
HKM1.5B	1.5mm	1-3/4" / 44.5	•
HKM2B	2mm	2" / 50.8	•
HKM2.5B	2.5mm	2-1/4" / 57.15	•
НКМЗВ	3mm	2-1/2" / 63.5	•
HKM4B	4mm	2-3/4" / 69.85	•
HKM5B	5mm	3-1/8" / 79.38	•
HKM6B	6mm	3-1/2" / 88.9	•
HKM8B	8mm	4" / 101.6	•
HKM10B	10mm	4-3/8" / 111.13	•



SHKL13APA

13 PIECE SAE LONG ARM HEX KEY WRENCH SETS

SHKML9APA

9 PIECE METRIC LONG ARM HEX KEY WRENCH SETS

	PRODUCT #	SIZE	OVERALL LENGTH In. / Mm	SET
	SHKL13APA	13 Piece S with Case	AE Long Arm Hex Key Set	
	HKL3B	3/64"	2-13/16" / 72	•
	HKL4B	1/16"	3-1/16" / 77.8	•
	HKL5B	5/64"	3-3/16" / 81	•
1	HKL6B	3/32"	3-3/8" / 85.7	•
	HKL7B	7/64"	3-1/2" / 88.9	•
	HKL8B	1/8"	3-3/4" / 95.3	•
	HKL9B	9/64"	3-7/8" / 98.4	•
	HKL10B	5/32"	4-1/8" / 104.8	•
	HKL11B	3/16"	4-1/2" / 114.3	•
	HKL12B	7/32"	4-7/8" / 123.8	•
	HKL13B	1/4"	5-1/4" / 133.4	•
-	HKL14B	5/16"	6" / 152.4	•
	HKL15B	3/8"	6-3/4" / 171.5	•
	HKL16B	7/16"	7-1/2" / 190.5	
	HKL17B	1/2"	8-1/4" / 209.6	

	PRODUCT #	SIZE	OVERALL LENGTH In. / Mm	SET
	SHKML9APA	9 Piece Me with Case	tric Long Arm Hex Key Set	
1	HKLM1.5B	1.5mm	3" / 76.2	•
	HKLM2B	2mm	3-1/8" / 79.4	•
	HKLM2.5B	2.5mm	3-1/2 / 88.9	•
2	HKLM3B	3mm	4" / 101.6	٠
	HKLM4B	4mm	4-1/8" / 104.8	•
1	HKLM5B	5mm	4-1/2" / 114.3	•
	HKLM6B	6mm	5-1/2" / 139.7	٠
	HKLM8B	8mm	6-1/4" / 158.8	٠
	HKLM10B	10mm	6-3/4" / 171.5	٠
	HKLM12B	12mm	8-3/8" / 212.7	





STKL6PA 8 PIECE LONG ARM TORX® KEY SET WITH CASE

• Size stamped on each part

• Two working ends with short

and long shank for versatility

SIZE	OVERALL LENGTH In. / MM	SET
8 Piece Lon	g Arm Torx® Key Set with Case	
Т9	3" / 76.2	•
T10	3-1/4" / 82.6	•
T15	3-1/2" / 88.9	•
T20	3-3/4" / 95.3	•
T25	4" / 101.6	٠
T27	4-3/8" / 111.1	٠
T30	4-3/4" / 120.7	٠
T40	5-1/8" / 130.2	٠
	8 Piece Lon T9 T10 T15 T20 T25 T27 T27 T30	SIZE IN. / MM 8 Piece Lorg Arm Torx® Key Set with Case T9 3" / 76.2 T10 3-1/4" / 82.6 T15 3-1/2" / 88.9 T20 3-3/4" / 95.3 T25 4" / 101.6 T27 4-3/8" / 111.1 T30 4-3/4" / 120.7





STK10PA 10 PIECE SHORT ARM TORX® KEY SET

• Size stamped on each part

 Two working ends with short and long shank for versatility

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
STK10PA	10 Piece Sh in Plastic Po	ort Arm Torx® Key Set buch	
TK10A	T10	2-1/8" / 54	٠
TK15A	T15	2-1/4" / 57.2	٠
TK20A	T20	2-7/16" / 61.9	•
TK25A	T25	2-9/16" / 65.1	•
TK27A	T27	2-11/16" / 68.3	•
TK30A	T30	2-15/16" / 74.6	٠
TK40A	T40	3-1/4" / 82.6	•
TK45A	T45	3-9/16" / 90.5	•
TK50A*	T50	4-1/8" / 104.8	•
TK55A	T55	4-11/16" / 119.1	٠

*Not available as an individual SKU.

HEX STORX® KEYS KEYS AND SETS



CHROME TORX® KEY SETS

- Pivot-head Torx[®] wrenches allow user to pivot around obstacles without removing tool from socket
- Heat-treated high quality industrial tool steel
- Long handles for extra reach

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
SHKTX7WR	7 Piece To	orx® Wrench Set T20-T50	
TK20WR	T-20	3.6 / 92	•
TK25WR	T-25	3.6 / 92	•
TK27WR	T-27	3.6 / 92	•
TK30WR	T-30	3.6 / 92	•
TK40WR	T-40	4.2 / 107	•
TK45WR	T-45	4.9 / 124	•
TK50WR	T-50	4.9 / 124	•

TOOLS



SHKSMF34 34 PIECE SAE AND METRIC HEX SET

- Keys can be inserted in a socket screw at up to a 20° angle without binding
- Ergonomic design comfortable grip
- Composite handle
- Extra torque 8650 chrome nickel alloy steel
 Finished set to resist rust

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SEI
SHKSMF34	34 Piece SAE	and Metric Hex Set	
HKSOEA	0.05"	3-1/4" / 82.6	•
HKS1EA	1/16"	3-1/4" / 82.6	•
HKS2EA	5/64"	3-1/4" / 82.6	•
HKS2.2EA	3/32"	3-1/2" / 88.9	•
HKS7EA	7/64"	3-5/8" / 92.1	•
HKS8EA	1/8"	3-7/8" / 98.4	•
HKS9EA	9/64"	4" / 101.6	•
HKS10EA	5/32"	4-1/4" / 108	•
HKS11EA	3/16"	4-3/4" / 120.7	•
HKS12EA	7/32"	4-7/8" / 123.8	•
HKS13WA	1/4"	5" / 127	•
HKS14EA	5/16"	6-1/2" / 165.1	•
HKS15EA	3/8"	7" / 177.8	•
HKS1.5MMEA	1.5mm	3-1/4" / 82.6	•
HKS2MMEA	2mm	3-1/4" / 82.6	•
HKS2.5MMEA	2.5mm	3-1/2" / 88.9	•
HKS3MMEA	3mm	4" / 101.6	•
HKS4MMEA	4mm	4-1/4" / 108	•
HKS5MMEA	5mm	4-7/8" / 123.8	•
HKS6MMEA	6mm	5-1/2" / 139.7	•
HKS8MMEA	8mm	6-1/2" / 165.1	•
HKS10MMEA	10mm	7" / 177.8	•

T-HANDLE METRIC HEX KEYS

KEYS AND SETS

Cushioned, curved handle increases comfort and reduces fatigue
Handle is welded directly to blade

- Handle is were directly to brade for a tool that will last a lifetime
 Handles are designed to match torque capacity of blade
- The slight downward angle of the handles is ergonomically superior to a straight T-Handle for comfort and functionality
- The mass of the T-Handle enables a flywheel affect, allowing screws to be quickly spun in or out



HEX & TORX® KEYS



BI-MATERIAL T-HANDLE METRIC HEX KEYS

 Comfortable, bi-material handle provides a non-slip grip
 Dual drive ends on end of shaft and side of handle for maximum versatility

PRODUCT #	SIZE
HKTCG2MM	2mm
HKTCG2.5MM	2.5mm
HKTCG3MM	3mm
HKTCG4MM	4mm
HKTCG5MM	5mm
HKTCG6MM	6mm

orx[®] is a trademark of Acument Intellectual Properties, LL



BI-MATERIAL T-HANDLE SAE HEX KEYS

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility

PRODUCT #	SIZE
HKT2.5A	5/64"
HKT3A	3/32"
HKT4A	1/8"
HKT5A	5/32"
HKT6A	3/16"
HKT7A	7/32"
HKT8A	1/4"
HKT10A	5/16"
HKT12A	3/8"



FOLD-UP HEX AND TORX® KEY SETS

- Ergonomic design comfortable grip
- Composite handle
- Extra torque 8650 chrome nickel alloy steel
- Finished set to resist rust



- SHKTX8 8 PIECE FOLD UP TORX[®] SET • 19 – 140
- SHKM7 7 PIECE FOLD UP HEX KEY SET • 1.5mm – 6mm



TOOLS

SPEED HEX KEY SETS

- Lighter inside radius than standard hex keys
- This one tool works in regular as well as tight clearance applications
- Ball-end of tools work up to a 25° angle
- World's best corrosion protection ProGuard[™] Dry Surface Technology
- Chamfered tool tips





SPEED KEYS AND SETS

- Comfortable, bi-material handle provides
 a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility
- Ball-End hex design puts ball end at the end of shaft for access to fastener
- which is restricted to offset angle

PRODUCT #	SIZE	
HKT2MMAB	2mm	
HKT2.5MMAB	2.5mm	
HKT3MMAB	3mm	
HKT4MMAB	4mm	
HKT5MMAB	5mm	
HKT6MMAB	6mm	
HKT8MMAB	8mm	
HKT10MMAB	10mm	

HEX & TORX® KEYS







BI-MATERIAL T-HANDLE SAE SPEED HEX KEYS

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility

PRODUCT #	SIZE
HKT2.5AB	5/64"
HKT3AB	3/32"
HKT4AB	1/8"
HKT5AB	5/32"
HKT6AB	3/16"
HKT7AB	7/32"
HKT8AB	1/4"
HKT12AB	3/8"



SHKML9PH 9 PIECE METRIC PROHOLD® BALL L-KEY SETS

Prohold[®] screw holding technology

- Non-metallic button located on flat of tool
- · Superior Ball-end strength and working angle (Ball-end tools)
- · Ball-end of tools work up to a 25° angle Chamfered tool tips
- Non-magnetic technology

PRODUCT #	SIZE MM	OVERALL LENGTH In. / Mm	SET
SHKML9SB	9 Piece Metric L-Key Set	c Prohold® Stubby Ball	
HKM1.5SB	1.5	3-1/32" / 77	•
HKM2SB	2	3-7/32" / 82	•
HKM2.5SB	2.5	3-15/32" / 88	•
HKM3SB	3	3-27/32" / 98	•
HKM4SB	4	4-5/16" / 110	•
HKM5SB	5	4-11/16" / 119	•
HKM6SB	6	5-15/32" / 139	•
HKM8SB	8	6" / 152	•
HKM10SB	10	6-3/4" / 171	•



SHKTT7PT **7 PIECE T-HANDLE TORX® KEY SET**

- · Comfortable, bi-material handle
- provides a non-slip grip

 Each size T-handle includes Torx[®] (short shaft) and tamper-proof Torx® (long shaft) tips

SIZE	OVERALL LENGTH IN. / MM	SET
7 Piece T-	Handle Torx® Key Set	
T10	5-1/2" / 139.7	•
T15	5-27/32" / 149.6	•
T20	5-27/32" / 149.6	•
T25	7-7/8" / 200	•
T27	7-7/8" / 200	•
T30	7-7/8" / 200	•
T40	9-27/32" / 250	•
	7 Piece T- T10 T15 T20 T25 T27 T30	7 Piece T-Handle Torx® Key Set T10 5-1/2" / 139.7 T15 5-27/32" / 149.6 T20 5-27/32" / 149.6 T25 7-7/8" / 200 T27 7-7/8" / 200 T30 7-7/8" / 200

SHKL13SDB **13 PIECE SAE STUBBY DOUBLE-BALL HEX L-KEY SET**

- Black finish
- Ball end on both sides for use in hard-to-reach areas with limited straight-on access





SHKTBM8PT

8 PIECE METRIC BI-MATERIAL T-HANDLE BALL-END **HEX KEY SET**

MASTER SETS

9 PIECE SAE T-HANDLE HEX KEY SET

· Comfortable, bi-material handle

and side of handle for maximum

Sizes: 5/64", 3/32", 5/32", 7/32",

3/16", 5/16, 1/8", 1/4" and 3/8"

provides a non-slip grip · Dual drive ends on end of shaft

SHKT9PT

versatility

- · Comfortable, bi-material handle provides a non-slip grip
- · Dual drive ends on end of shaft and side of handle for maximum
- versatility • Ball-End hex design puts ball end
- at the end of shaft for access to fastener which is restricted to offset angle Sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm and 10mm

SHKTM8CGPA

HEX & TORX® KEYS

8 PIECE CUSHION GRIP T-HANDLE HEX KEY SET

versatility

- · Cushioned, curved handle increases comfort and reduces fatigue
- · Handle is welded directly to blade for a tool
- that will last a lifetime
- Handles are designed to match torque capacity of blade
- The slight downward angle of the handles is ergonomically superior to a straight T-Handle for comfort and functionality
- · The mass of the T-Handle enables a flywheel affect,
- allowing screws to be quickly spun in or out
- Sizes: 2mm 10mm



DOUBLE-BALL HEX L-KEY SET

Black finish

Black finish

PRODUCT #

HKI 11DB

HKL15DB

HKL3DB

HKI 4DB

HKL5DB

HKL7DB

· Size stamped on each part

• Two working ends with short

and long shank for versatility

with limited straight-on access

SAE DOUBLE-BALL-END

STUBBY HEX L-KEYS

Size stamped on each part

• Two working ends with short

and long shank for versatility

with limited straight-on access

SIZE

3/16"

3/8"

3/64"

1/16"

5/64"

7/64"

· Ball end on both sides for use

in hard-to-reach areas

· Ball end on both sides for use

in hard-to-reach areas

• Size stamped on each part

• Two working ends with short and long shank for versatility

198





SHKTB9PT

9 PIECE SAE BI-MATERIAL T-HANDLE BALL-END **HEX KEY SET**

- · Comfortable, bi-material handle provides a non-slip grip
- · Dual drive ends on end of shaft and side of handle for maximum versatilitv
- Sizes: 5/64", 3/32", 5/32", 7/32", 3/16", 5/16, 1/8", 1/4" and 3/8"





· Comfortable, bi-material handle provides a non-slip grip · Dual drive ends on end of shaft and side of handle for maximum

 Sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm and 10mm







PLIERS -GIRGLIP -LOCK-GRIP

CONTENTS:

PLIERS

C.S.T. PLIERS	a
COMBINATION SETS	2
MINI PLIERS SETS	2
KNIPEX® ADJUSTABLE PLIERS	2
SLIP-JOINT PLIERS	2
PIPE AND SLIP-JOINT PLIERS	2
NEEDLE-NOSE AND LONG REACH PLIERS	a
LOCKING PLIERS	2
SNAP RING PLIERS	2
CUTTING PLIERS	2
TIN SNIPS	2
CRIMPERS AND STRIPPERS	2
WIRE TWISTERS	2

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section


LINKS Click the contents to move around the catalogue

MACTOOLS.CO.UK 0114 291 7266





07



TOOLS



P10WRCST


- 10" C.S.T. PLIERS WRENCH
- Ratchet-lock system allows for fast, easy adjustment in confined spaces without placing your hand by the business end of the pliers
 Anti-fastener drag design: Opening the lower handle slightly
- Anti-fastener drag design: Upening the lower handle slightly between turns allows easy repositioning of the jaws for the next turn without back-spinning the fastener or rounding it off.
- Replace metric or imperial spanners with one convenient tool -Maximum jaw capacity of 2.3" / 58 mm
- Smooth, parallel-opening jaws evenly distribute force on the work piece providing damage-free operation on sensitive surfaces
- Chrome plating for maximum corrosion resistance
- Thin profile design for maximum access into tight spaces
- Laser-marked scale helps preset desired jaw opening and provides caliper functionality













LINEMAN PLIERS

SLIP Joint BENT LONG NOSE



PS58A 5 PIECE 8" PLIERS WITH 12" TONGUE AND GROOVE

Made of high-alloy carbon steel

5 PIECE 6" PLIERS WITH

8" TONGUE AND GROOVE

PS56A

- Drop-forged and heat-treated for strength and durability
- Steel surface polished and polymer-coated for corrosion resistance

TOOLS

· Plastisol-dipped handles for comfort grip

PRODUCT #	DESCRIPTION	OVERALL LENGTH IN. / MM	JAW LENGTH IN. / MM	MAX JAW CAPACITY IN. / MM	ADJUSTMENT Positions	CUTTING CAPABILITY / Capacity	SET
PS56A(R,G,O)	5 Piece 6" Pliers with 8" Tongue and Groov	е					
P6SGA(R,G,O)	Slip-Joint Pliers	6-3/4" / 171.45	1-1/2" / 38.10	2-1/2" / 63.50	2	Yes	•
P8TGA(R,G,O)	Tongue and Groove Pliers	8-1/16" / 204.79	1-1/8" / 28.58	1" / 25.40	4	-	•
P6DCA(R,G,O)	Diagonal Cutter	6-1/4" / 158.75	2" / 50.80	1-5/8" / 41.28	-	Yes	•
P6LNCA(R,G,O)	Long Nose Pliers with Cutter	6-1/16" / 153.99	2" / 50.80	1-3/8" / 34.93	-	Yes	•
P6LBNCA(R,G,O)	Bent Nose Long Nose Pliers with Cutter	6-1/4" / 158.75	3/4" / 19.05	3/8" / 9.53	-	Yes	•
PS58A(R,G,O)	5 Piece 8" Pliers with 12" Tongue and Groo	ve					
P12TGA(R,G,O)	Tongue and Groove Pliers	12" / 304.80	1-1/2" / 38.10	2" / 50.80	6	-	•
P8LMA(R,G,O)	Linesman Pliers	8" / 203.20	5/16" / 7.94	1-1/2" / 38.10	-	Yes	•
P8LNA(R,G,O)	Long Nose Pliers	8" / 203.20	5/32" / 3.99	2-1/4" / 57.15	-	Yes	•
P8SGA(R,G,O)	Slip-Joint Pliers	8-1/4" / 209.55	3/8" / 9.53	3-1/2" / 88.90	2	Yes	•
P75CDCA(R,G,O)	Bent Nose Cutter	7-3/4" / 196.85	1" / 25.40	1-1/2 " / 28.58	-	Yes	•

P3UNIV 3 PIECE UNIVERSAL PLIER SET

All jaws and cutting edges are heat-treated to provide consistent performance

• Forged alloy steel with brushed finish delivers durability

· Non-brushed surfaces are coated to prevent rusting

· Pliers exceed ANSI and ASME standards

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / MM	JAW LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm	ADJUSTMENT Positions	CUTTING CAPABILITY / Capacity	SET
P3UNIV	3 Piece Universal Pliers Set						
P10C	Cobra Pliers	9-7/8" / 250.0	_	2" / 50.8	25	_	•
P20	High-Leverage Diagonal Cutter	7-1/4" / 180.0	13/16" / 20.4	-	-	3/32"	•
P13	Needle-Nose Pliers with Cutter	8" / 203.2	3" / 75.8	-	-	Yes	•

P301998G **10 PLUS 1 PLIER SET**







07







- Push-button setting adjustment
- Functions as locking pliers, pump pliers, pipe wrench, and adjustable wrench
- Self-gripping jaws
- Provides perfect fit on round, square, and hex-shaped workpieces






3 PIECE KNIPEX® COBRA PLIER SET

- Push-button setting adjustment
- Functions as locking pliers, pump pliers, pipe wrench, and adjustable wrench
- Self-gripping jaws
- · Provides perfect fit on round, square,
- and hex-shaped workpieces

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / MM	MAX JAW CAPACITY In. / Mm	ADJUSTMENT Positions	SET
SP3COB	3 Piece Knipex® Cobra Pliers Set				
P5C	Cobra Self-Gripping Pliers 5"	5" / 125	1" / 27	13	
P7C	Cobra Self-Gripping Pliers 7"	7-1/8" / 180	1-1/2" / 42	18	•
P10C	Cobra Self-Gripping Pliers 10"	9-7/8" / 250	2" / 50	25	•
P12C	Cobra Self-Gripping Pliers 12"	12" / 300	2-3/4" / 70	30	•

- For gripping, holding, pressing, and bending workpieces; also for the careful installation of finished-surface fittings
- Fast adjustment at the touch of a
- button with the tool on the workpiece
- · Parallel, smooth jaws with 10:1 lever
- ratio for strong gripping • Box joint design ensures non-slip holding
- OVERALL LENGTH In. / MM MAX JAW CAPACIT DESCRIPTION PRODUCT # 7" Plier Wrenches 7-1/4" / 180 1-3/8" / 35 P7WR



PS10MA **10 PIECE MINI PLIER SET**

- Made of high-alloy carbon steel
- Drop-forged and heat-treated for strength and durability
- Steel surface polished and polymer coated for corrosion resistance
- · Plastisol-dipped handles for comfort grip

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	JAW LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm	CUTTING CAPABILITY / Capacity	SET
PS10MA(G,O)	10 Piece Mini Pliers Set					
PMLBNA(G,O)	Mini Bent Long Nose Pliers	4-7/8" / 123.83	1-1/8" / 28.58	5/8" / 15.88	-	•
PMLNCA(G,O)	Mini Long Nose Pliers with Cutter	4-7/8" / 123.83	1-1/8" / 28.58	5/8" / 15.88	Yes	•
PMDCA(G,O)	Mini Diagonal Pliers	4-3/16" / 106.36	5/8" / 15.88	1/2" / 12.70	Yes	•
PMECA(G,O)	Mini End Cutter	4-1/16" / 103.19	1/4" / 6.35	3/8" / 9.53	Yes	•
PMNNA(G,O)	Mini Needle-Nose Pliers	6" / 152.40	2-1/8" / 53.98	1-3/8" / 34.93	-	•
PMLRBNA(G,O)	Mini Long Reach 22° Bent Nose Pliers	7" / 177.80	2" / 50.80	1-1/8" / 28.58	-	•
PMLRNNA(G,O)	Mini Long Reach Needle-Nose Pliers	7-1/4" / 184.15	2-1/8" / 53.98	1-3/8" / 34.93	-	•
PMLRDCA(G,O)	Mini Long Reach Diagonal Cutter	5-3/4" / 146.05	5/8" / 15.88	1/2" / 12.70	Yes	•
PMLRECA(G,O)	Mini Long Reach End Cutter	5-1/2" / 139.70	1/4" / 6.35	3/8" / 9.53	Yes	•
PMLRNCA(G,O)	Mini Long Reach Long Nose Cutter	6-3/16" / 157.16	1-1/4" / 31.75	5/8" / 15.88	Yes	•



KNIPEX











207





PLIERS PIPE AND SLIP-JOINT PLIERS

CP45 **10" CANNON PLUG PLIERS**

Forged steel construction

- Four-position slip-joint pivot
- Soft jaw pads are easily replaceable

 Ideal for Cannon Plugs, AN connectors, chrome motorcycle components and other sensitive surfaces

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm	ADJUSTMENT Positions
CP45	10" Cannon Plug Pliers	10-3/16" / 254	2-1/2" / 63.5	4



PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm	ADJUSTMENT Positions
M442G	12" Curved Jaw Pliers	12" / 304.8	2-1/4" / 57.2	7
M410G	9-1/2" Self-Gripping Pliers	9-1/2" / 241.3	1-1/8" / 28.6	4
M414G	14" Self-Gripping Pliers	14" / 355.6	2" / 50.8	4



PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	JAW LENGTH In. / Mm	ADJUSTMENT Positions	CUTTING CAPABILITY / Capacity	SET
PS3	3 Piece Slip-Joint Pliers Set					
P26A	Slip-Joint Pliers	6-1/2" / 165.1	1-5/32" / 29.5	2	Yes	•
P28A	Slip-Joint Pliers	8" / 203.2	1-13/32" / 35.7	2	Yes	•
P30AR	Slip-Joint Pliers	10" / 254.0	1-7/16" / 36.6	2	Yes	•
M526G	Slip-Joint Pliers	6-1/2" / 165.0	1" / 25.4	2	Yes	

PS4SJ

4 PIECE SLIP-JOINT PLIERS SET

- Parallel jaw opening for bigger jobs
 Designed with undercut channels and
- reinforced ribs for gripping power
- Undercut tongue and groove design won't slip
- Right-angle, laser heat-treated teeth grip better and last longer
- Reinforcing edge minimizes stress breakage
 High-carbon C1080 steel for superior performance on
- the job and specially coated for ultimate rust prevention

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / MM	JAW LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm	ADJUSTMENT Positions	SET
PS4SJ	4 Piece Slip-Joint Pliers Set					
M424G	Mighty Midget Pliers	4-1/2" / 114.3	1/3" / 8	1/2" / 12.7	3	•
M426G	Slip-Joint Tongue and Groove Pliers	6-1/2" / 165.1	13/16" / 21	7/8" / 22.2	5	•
M420G	Multi-Purpose Pliers	9-1/2" / 241.3	1-1/8" / 28	1-1/2" / 38.1	5	•
M440G	Big Champ Pliers	12" / 304.8	1-1/2" / 38	2-1/4" / 57.2	7	•
M460G	Big Champ Pliers	16" / 406.4	2-9/16" / 65	4-1/2" / 114.3	8	





PS3 **3 PIECE SLIP-JOINT PLIERS SET**

- · Equipped with wire cutters
- Equipped with wire cutters
 Slip-joint plier allows quick adjustments to securely grip objects ranging in thickness
 Drop forged for added strength and durability
 Plastic-dipped handle for increased grip and chemical resistance







LONG REACH NEEDLE-NOSE

The distance from the tip of the tool to the pivot point



LONG REACH GRIPPER

LONG REACH CUTTER

PPN3S

- **3 PIECE PISTOL GRIP NEEDLE-NOSE PLIERS SET**
- All jaws and cutting edges are heat-treated to provide consistent performance
- Forged alloy steel with polished finish delivers durability
- Steel surface polished and polymer coated for corrosion resistance
- Dipped, chemical-resistant handles provide added comfort and grip
- · All pliers exceed ANSI and ASME standards · Pistol-grip design provides more
- powerful gripwith less effort

PPS311LR **3 PIECE PISTOL GRIP** LONG REACH PLIERS

- · Pistol-grip style handles allow user to orient the pliers in multiple directions with minimal wrist bending
- · Drop-forged high carbon steel plus heat treatment maximizes tools strength and durability

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	JAW LENGTH IN. / MM	CUTTING CAPABILITY / Capacity		SET	
PPN3S	3 Piece Pistol Grip Needle-Nose Pliers Set						
PPS311LR	3 Piece Pistol Grip Needle-Nose Pliers Set						
P114SET	3 Piece Python Long Reach Needle-Nose Plie	ers Set					
M718G	Long Reach, Flat Nose Pliers	8" / 203.2	1-11/32" / 34.5				
PPN6	Pistol Grip Needle-Nose Pliers	6" / 152.4	2-7/8" / 60	Yes			•
PPN8	Pistol Grip Needle-Nose Pliers	8" / 203.2	1-27/32" / 47.2	Yes			•
PPN9	Pistol Grip Needle-Nose Pliers	9" / 228.6	2-7/16" / 61.8	Yes			•
PPLR11LN	Pistol Grip Long Reach Long Nose	10-1/2" / 266.70	3" / 76.20			•	
PPLR11DB	Pistol Grip Long Reach Duckbill	10-1/2" / 266.70	3" / 76.20			•	
PPLR11BN	Pistol Grip Long Reach Bent Nose	10-1/2" / 266.70	3" / 76.20			•	
P114S	Python Long Reach Straight Nose	11-1/2" / 292.1	2-1/2" / 63.5		•		
P114BN	Python Long Reach 45° Bent Nose	11-1/2" / 292.1	2-1/2" / 63.5		•		
P114BN90	Python Long Reach 90° Bent Nose	11-1/2" / 292.1	2-1/2" / 63.5		•		

M718G

PS711LRA

7 PIECE 11" LONG REACH PLIERS

- Made of high-alloy carbon steel
- Drop-forged and heat-treated for strength and durability
- · Steel surface, polished and polymer coated for corrosion resistance
- · Plastisol-dipped handles for comfort grip

PRODUCT #	DESCRIPTION	OVERALL LENGTH IN. / MM	JAW LENGTH In. / MM	MAX JAW CAPACITY IN. / MM	CUTTING CAPABILITY / Capacity	SET
PS711LRA(G,O)	7 Piece 11" Long Reach Pliers Set					
P11LRBNA(G,O)	Long Reach 45° Bent Nose Pliers	11" / 279.40	3-1/8" / 79.38	2-1/4" / 57.15	Yes	•
P11LRDBA(G,O)	Long Reach Duckbill Pliers	10-3/4" / 273.05	3" / 76.20	2" / 50.80	-	•
P11LRDCA(G,O)	Diagonal Cutter	11" / 279.40	3-1/8" / 79.38	3" / 76.20	-	•
P11LRGLA(G,O)	Long Reach Gripper - Large	11" / 279.40	3" / 76.20	2-1/8" / 53.98	-	•
P11LRGMA(G,O)	Long Reach Gripper - Medium	10-3/4" / 273.05	2-7/8" / 73.03	1-5/8" / 41.28	-	•
P11LRGSA(G,O)	Long Reach Gripper - Small	10-1/2" / 266.70	2-3/4" / 69.85	1-1/2" / 38.10	-	•
P11LRNCA(G,O)	Long Nose Pliers with Cutter	11" / 279.40	1" / 25.40	5/8" / 15.88	Yes	•

P22

70° BENT NOSE PLIERS

High-quality long nose pliers were designed to work in tight spaces
with a reliable grip and narrow nose profile for extra precision

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	
P22	70° Bent Nose Pliers	8"/ 203.2	













NEEDLE NOSE







DOUBLE-JOINT LONG REACH PLIERS

- Double-joint long-reach design allows for minimal handle opening to access into deep and narrow spaces
- Drop-forged high-carbon steel plus heat treatment maintains tool strength and durability
- All Pliers exceed ANSI and ASME standards


PS313DJ **3 PIECE DOUBLE-JOINT** LONG REACH PLIERS

PPS313DJ **3 PIECE DOUBLE-JOINT** PISTOL GRIP LONG REACH PLIERS

> PS313DJG **3 PIECE DOUBLE-JOINT GRIPPING PLIERS**

PRODUCT #	DESCRIPTION	OVERALL LENGTH IN. / MM	JAW LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm		SET	
PS313DJ	3 Piece Double-Joint Long Reach Pliers				_		
PPS313DJ	3 Piece Double-Joint Pistol Grip Long Reach Pliers						
PS313DJG	3 Piece Double-Joint Gripping Pliers Set						
P13DJLN	Double-Joint Long Reach Long Nose	13" / 330.20	3" / 76.20	1-7/8" / 47.63			•
P13DJBN	Double-Joint Long Reach Bent Nose	13" / 330.20	3" / 76.20	1-7/8" / 47.63			•
P13DJDB	Double-Joint Long Reach Duckbill	13" / 330.20	3" / 76.20	1-7/8" / 47.63			•
PP13DJLN	Double-Joint Pistol Grip Long Reach Long Nose	13" / 330.20	3" / 76.20	1-7/8" / 47.63		•	
PP13DJBN	Double-Joint Pistol Grip Long Reach Bent Nose	13" / 330.20	3" / 76.20	1-7/8" / 47.63		•	
PP13DJDB	Double-Joint Pistol Grip Long Reach Duckbill	13" / 330.20	3" / 76.20	1-7/8" / 47.63		•	
P13DJSG	Double-Joint Grip Gripping Small (1/4")	13" / 330.20	2-7/8" / 73.03	1-7/8" / 47.63	•		
P13DJMG	Double-Joint Grip Gripping Medium (1/2")	13" / 330.20	2-3/4" / 69.85	1-7/8" / 47.63	•		
P13DJLG	Double-Joint Grip Gripping Large (3/4")	13" / 330.20	2-1/2" / 63.50	1-7/8" / 47.63	•		





PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm
SP114	3 Piece 11" Python Long Reach Gripper Set in Pouch	
SP161G	3 Piece 16" Python Long Reach Pliers Set	
P114SG	Python Long Reach Gripper Small (5/16")	11" / 279.4
P114MG	Python Long Reach Gripper Medium (1/2")	11" / 279.4
P114LG	Python Long Reach Gripper Large (3/4")	11" / 279.4
P161SG	Python Long Reach Pliers Small (5/16")	16" / 406.4
P161MG	Python Long Reach Pliers Medium (1/2")	16" / 406.4
P161LG	Python Long Reach Pliers Large (3/4")	16" / 406.4

212





PISTOL GRIP BENT LONG NOSE

3 PIECE 11" PYTHON LONG REACH **GRIPPER SET**


3 PIECE 16" PYTHON LONG REACH GRIPPER SET

S			_
JAW LENGTH In. / Mm	MAX JAW CAPACITY In. / Mm		ET
2-1/4" / 55.0	1.88 / 47.6		•
2-1/4" / 55.0	1.88 / 47.6		•
2-1/4" / 55.0	1.88 / 47.6		•
2-1/4" / 55.0	1.88 / 47.6	•	
2-1/4" / 55.0	1.88 / 47.6	•	
2-1/4" / 55.0	1.88 / 47.6	•	





PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	JAW LENGTH In. / Mm	CUTTING CAPABILITY / Capacity	THROAT DEPTH In. / Mm	THROAT HEIGHT In. / Mm
MLP10SJ	Straight Jaw	10" / 254	1-3/8" / 34.0			
MLP5CJ	Curved Jaw with Wire Cutter	5" / 127.0	7/8" / 21.9	Yes		
MLP7CJ	Curved Jaw with Wire Cutter	7" / 177.8	1-3/32" / 28.0	Yes		
MLP9LN	Long Nose Locking Pliers	9" / 228.6	2-7/32" / 57.0	Yes		
MLP4CCSP	Locking C-Clamps	4" / 101.6			1" / 25.4	1-7/8" / 47.6
MLP6CC	Locking C-Clamps	6" / 152.4			1-3/8" / 34.9	2" / 50.8



PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / MM	CUTTING CAPABILITY / Capacity		SET	
MLP6SET	6 Piece Compact Locking Pliers Set					
MLP3SET	3 Piece Curve/Long Locking Pliers Set					
MLP3SETCMP	3 Piece Curve/Long/C-Clamp Locking Pliers Set					
MLP4CCSP	C-Clamp with Swivel Pads	4" / 101.6		•		
MLP4LN	Locking Pliers Long Nose with Cutter	4" / 101.6	Yes	•		
MLP5CJ	Locking Pliers Curved Jaw with Cutter	5" / 127.0	Yes	•		•
MLP6LN	Locking Pliers Long Nose with Cutter	6" / 152.4	Yes		•	•
MLP7CJ	Locking Pliers Curved Jaw with Cutter	7" / 177.8	Yes		•	•
MLP9LN	Locking Pliers Long Nose with Cutter	9" / 228.6	Yes			•
MLP10SJ	Locking Pliers Straight Jaw	10" / 254.0				•
MLP10CJ	Locking Pliers Curved Jaw with Cutter	10" / 254.0	Yes		•	•



LP4SET

4 PIECE LOCKING PLIERS SET Four of the most commonly used locking pliers in one convenient set

INCLUDES

10" Curved Jaw

• 7" Curved Jaw

• 9" Long Nose 6" Long Nose



PK6 **6 PIECE CAM LOCK**

PLIERS SET

- · One-second conversion from
- internal to external
- Spring return
- Air-pocketed and cushioned Blow-moulded case
- 18° Offset and 90° bent tips in .038", .047", and .070" diameters

EXTERNAL SHAFT 1/4" - 3-1/2" 6.5mm - 89mm

INTERNAL HOUSING O 3/8" - 3" 10mm - 76mm



PRODUCT #	OVERALL LENGTH IN. / MM	TIP ANGLE	TIP SIZE	SEI
PK6	6 Piece Cam Lock Pliers Set			
TPH12	6" / 152.4	18°	0.038"	•
TPH12A	6" / 152.4	90°	0.038"	•
TPH32	6" / 152.4	18°	0.047"	•
TPH32A	6" / 152.4	90°	0.047"	•
TPH34	7" / 177.8	18°	0.070"	•
TPH34A	7" / 177.8	90°	0.070"	•

214





0

0

SR400

4 PIECE MINI SNAP RING PLIERS SET

- Service S-ring and R-ring clips, internal or external, straight or angled
 All pliers have 0.038" (1.0mm) diameter tips
- 3" Overall length

INCLUDES:

- 2 x Internal Snap Ring Pliers (One Straight, One 45°)
- 2 x External Snap Ring Right Pliers (One Straight, One 45°)

07



EXTERNAL SHAFT 1/4" - 3-1/2" 6.5mm - 89mm **INTERNAL HOUSING** 3/8" - 3" 10mm - 76mm 6

0 0

One-Second Conversion From INTERNAL TO EXTERNAL



PK1250

PK1250 **12 PIECE QUARTER-TURN RETAINING RING PLIERS SET**

- Unique "quarter-turn" function allows pliers to convert from internal to external mode quickly and easily
- Internal (Housing) Range: 3/8" 3" (10mm 76mm)
 External (Shaft) Range: 1/4" 3-1/2" (6.5mm 89mm)
- Blow-moulded case

PRODUCT #	CONFIGURATION	OVERALL LENGTH IN. / MM	TIP DIAMETER		SET				
PK1250	12 Piece Quarter-Tu	rn Retaining Ring Plier Set							
PK4Q	4 Piece Snap Ring P	Piece Snap Ring Pliers Set in Plastic Tray							
PK490Q	4 Piece 90° Snap Ri	ng Pliers Plus Set							
TPQ12	Straight	6" / 152.4	0.038"		•	•			
TPQ12-1	45°	6" / 152.4	0.038"			•			
TPQ12A	90°	5-3/4" / 146.1	0.038"	•		•			
TPQ32	Straight	6" / 152.4	0.047"		٠	•			
TPQ32-1	45°	6" / 152.4	0.047"			•			
TPQ32A	90°	5-3/4" / 146.1	0.047"	•		•			
TPQ34	Straight	7-3/4" / 196.9	0.070"		•	•			
TPQ34-1	45°	7-3/4" / 196.9	0.070"			•			
TPQ34A	90°	7-1/2" / 190.5	0.070"	•		•			
TPQ56	Straight	9-1/2" / 241.3	0.090"		٠	•			
TPQ56-1	45°	9-1/4" / 234.9	0.090"			•			
TPQ56A	90°	9" / 228.6	0.090"	•		•			



PK9RRPB

9 PIECE PUSH-BUTTON RETAINING RING PLIERS SET

- · Convertible for internal and external rings
- Quick and easy push-button mechanism for conversion between internal and external operation
- Three sizes (.038", .047", and .070")
- Three different angles (0°, 45°, and 90°)
- Blow-moulded case

PRODUCT #	OVERALL LENGTH IN. / MM	TIP ANGLE	TIP DIAMETER
PK9RRPB	9 Piece Push-Button Retaining Ring Pliers Set		
TPB12	6" / 152.4	0	0.038"
TPB12-1	6" / 152.4	45	0.038"
TPB12A	6" / 152.4	90	0.038"
TPB32	6" / 152.4	0	0.047"
TPB32-1	6" / 152.4	45	0.047"
TPB32A	6" / 152.4	90	0.047"
TPB34	7-1/4" / 184.15	0	0.070"
TPB34-1	7-1/4" / 184.15	45	0.070"
TPB34A	7-1/4" / 184.15	90	0.070"





Push-Button Mechanism for Conversion From INTERNAL TO EXTERNAL

. .

. . MAR TPB34





P21A RIGHT-ANGLE LOCK RING PLIERS

TP7

- · Spreads snap-lock rings found on brakes, transmissions, pedal shifts, clutch shifts, and machine tools
- Spreads piston rings

P22A STRAIGHT LOCK RING PLIERS

- · Straight tip design for spreading snap-lock rings
- Jaw opening: 1-1/2" (38.1mm)
- **COMPOUND SNAP RING PLIERS** · Jaws spread in a parallel plane
 - 1-1/8" Max jaw opening

P35

PRODUCT #	CONFIGURATION	OVERALL LENGTH In. / MM	TIP DIAMETER MM
P35	Compound-Snap Ring Pliers	10" / 254	43
P22A	Straight-Lock Ring Pliers	9" / 228.6	3.05
P21A	Right-Angle-Lock Ring Pliers	9 ^ª / 228.6	3.05

HORSESHOE LOCK RING

- PLIERS • Heavy-duty snap-ring pliers for removal and installation of horseshoe-type
- external retaining rings • Special tip design and
- outside serration on tips

TP16

PR2K

TP15P **OUTPUT CARRIER AND**

SHAFT RETAINING RING PLIERS

- For Ford[®] and GM[®] output shaft work, and immediate carrier work
 - PRODUCT # **TP16** TP15P FI **TP601R** Output Car TP602R Re



TP8 (NOT SHOWN) SUPER-DUTY REPLACEABLE TIP **EXTERNAL SNAP RING PLIERS - 16"**

- For retaining rings up to 6" (152.4mm)
- · Lever-action ratchet locking device in handle
- Comes with interchangeable 0.120" straight tips
- · Configuration: Internal Straight
- · Max opening for the TP7 Internal Pliers centre tip to centre tip 3.5"







TP8AT SUPER-DUTY EXTERNAL

REPLACEMENT TIPS Configuration: 90° External tips

SRPS4

4 PIECE INTERNAL / EXTERNAL SNAP RING PLIERS

- · Recessed spring provides maximum flexibility of use
- Piano wire tips reduce the risk of breakage and provide better retention
- Narrow head and tips for easy access where space is limited
- · Colour-coded for fast and easy identification
- Textured non-slip PVC grip for increased comfort and superior control

PRODUCT #	DESCRIPTION	TIP SIZE	SET	
SRPS4	4 Piece Internal / External Snap Ring Plier S	Set		
SRI1225	Internal Snap Ring Pliers	7/16" x 1"	•	
SRI1960	Internal Snap Ring Pliers	3/4" x 2-3/8"	•	
SR01225	External Snap Ring Pliers	7/16" x 1"	•	
SR01960	External Snap Ring Pliers	3/4" x 2-3/8"	•	



2 PIECE INTERNAL / EXTERNAL

RETAINING RING PLIERS

PK100A REPLACEMENT TIP KIT FOR PK100

PRODUCT #	DESCRIPTION	INTERNAL MAX Jaw Capacity	EXTERNAL MAX JAW CAPACITY	STRAIGHT TIP DIAMETER	BENT 90° TIP Diameter	SET
PR2K	2 Piece Internal / External Retaining Ring Plier	s Set				
PR1	Small Int. / Ext. Retaining Ring Pliers	1/4 - 1" / 7 - 26	1/0 1#/ 2 20	.023" / 0.6	.039" / 1.0	
PR1-TIPS	Replacement Tips for PR1	1/4 - 1 / / - 20	1/8 - 1" / 3 - 26	.039" / 1.0 .047" / 1.2	.047" / 1.2	•
PR2	Medium Int. / Ext. Retaining Ring Pliers	2/01 01/10 51	1/41 01 / 7 51	.039" / 1.0	.039" / 1.0	
PR2-TIPS	Replacement Tips for PR2	3/8" - 2" / 10 - 51	1/4" - 2" / 7 - 51	.047" / 1.2 .074" / 1.9	.047" / 1.2	•





TP601R

FLAT NOSE RETAINING **RING PLIERS**

- For GM[®] output shaft work and 425 chain sprocket work
- Has additional ring applications

TP602R REVERSE BEVEL SNAP RING PLIERS

0_

- Removes/installs snap rings with reverse bevel
- · Spring closure for easy operation

DESCRIPTION	OVERALL LENGTH IN. / MM	MAX JAW CAPACITY In. / Mm
Horseshoe Lock Ring Pliers	13-1/2" / 342.9	2" / 50.8
at Nose Retaining Ring Pliers	7" / 177.8	1-1/4" / 31.8
arrier and Shaft Retaining Ring Pliers	9-1/4" / 234.9	1-1/2" / 38.1
everse Bevel Snap Ring Pliers	8-1/2" / 215.9	1-7/16" / 36.5



PK100

2 PIECE INTERNAL / EXTERNAL TIP SNAP RING PLIERS SET COVERS


 Ring range: External 1/4"-2", Internal 3/8"-2"

INCLUDES:

- 1x Internal Snap Ring Pliers
- 1 x External Snap Ring Pliers
- 16 x Interchangeable Tips







PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / MM	JAW LENGTH IN. / MM	CUTTING CAPACITY / Capability	SETS
P2810KN	2 Piece Knipex [®] High Leverage Cutter Set				
M911G	Cable Cutters	9-1/2" / 241	1.4" / 35.6	13/16"	
P5FDP	Flush Cut Diagonal Pliers - Plastic	5" / 127	13/16" / 21	7/16"	
P208	High Leverage Diagonal Cutter	8" / 203.2			•
P210KN	Bent High Leverage Diagonal Cutter	10" / 250	31/32" / 24.6	1/8"	•



PRODUCT #	DESCRIPTION	OVERALL LENGTH IN. / MM	JAW LENGTH IN. / MM	CUTTING CAPACITY / Capability
BCC796	Battery Cable Cutters	6" / 150	2" / 50.8	2/0"
P11LRDCA	30° Offset Diagonal Cutter	11" / 279.4	27/32" / 21.4	5/16"
M748G	Long Reach End Cutter	8" / 200	1-9/16" / 40	3/32"
P19	Compound Leverage Action Centre Cutter	8" / 200	21/32" / 16.9	3/16"
P21	High Leverage Centre Cutter	10" / 250	3/4" / 18.8	5/32"
M447G	Curved Diagonal Cutting Pliers	7-3/4" / 195	1.02" / 26	9/16"



TIN SNIPS

- Cuts up to 18-gauge cold rolled sheet steel
- Serrated blades
- Plastic-grip handles







PRODUCT #	CUTTING DIRECTION	CUTTING EDGE LENGTH IN. / MM
TS1	Right (Green)	1-3/8" / 34.9
TS2	Left (Red)	1-3/8" / 34.9
TS3	Straight (Yellow)	1-1/2" / 38.1

TS6716AS DEEP SERRATED Long-Cut Aviation SNIP

Cuts straight 3" length
Wide blade opening and six deep serrations per inch to bottom blade for secure grip of soft materials such as rubber, plastic hose, etc.
Forged high-carbon alloy steel blades
Pinch-point wire cutters
Comfortable power-grip handles

recommended for sheet metal



PLIERS **CRIMPERS AND STRIPPERS**

WSC7 / WSC7G / WSC70 WIRE STRIPPER / **CRIMPER / CUTTER**

- Wire cutter and crimper positioned in front for reaching into tight spaces
- Second cutter on inner handle
- Serrated gripping-nose for bending, pulling, and shaping of wire
- · Cast with SCM440 steel providing increased hardness, longer wear, and better corrosion resistance Removes insulation on ware
- 12, 14, 18, and 20 gauge
- · Available in red, green and orange



CONTACT CRIMP TOOL

- Five-cavity, two-jaw tool crimps a wide variety of open barrel contacts
- Tool working components are heat-treated for extended use
- Crimps AWG sizes: 14 24
- Overall length: 8-1/4" (210mm)

TCT18A **WIRE CRIMPER / CUTTER**

- · Insulated and non-insulated terminals
- and splice crimper with wire cutter
- · Pivot joint made of hardened steel bushing
- Black-oxide finish

WSC200B

· Wire cutter

AUTOMATIC WIRE CRIMPER / STRIPPER

Crimps insulated terminals

• Auto ignition terminal crimper

· Self-adjusting automatic wire stripper





TERMINAL WIRE CUTTER / CRIMPER / STRIPPER

· Cuts and strips wire

TCT56EC

· Pliers nose

ERGONOMIC

SUPER STRIPPER

• Stripping stations for both

- Stripping gauge on the back

TCT101A **IGNITION CRIMPER**

- Terminals: 7 and 8mm Ignition terminals High tower Right-angle ignition terminals "W" or "F" crimp distributor terminals
- Right-angle spark plug terminals · Extra-broad blade
- · Insulated support nest for crimping barbed ignition terminals
- Cushion-grip handles

SS6E **6" ELECTRICAL SCISSORS**

- Wire stripping AWG 12, 14, and 16 · Wire crimper

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / Mm	STRIPS SIZES AWG / MM	STRIPS SIZES AWG / MM	CRIMPS SIZES AWG / MM	CRIMPS SIZES Awg / Mm	TYPES OF Connectors
SS6E	6" Electrical Scissors	6" / 152	12, 14, 16	-	-	-	-
TCT101A	Ignition Crimping Tool	9-1/2" / 242	10 - 18	7 - 8	10 - 18	7 - 8	Ignition Terminals
TCT111P	Wire Terminal Tool	9-1/2" / 245	-	-	10 - 22	-	Non-Insulated

TCT747-KIT

MASTER TERMINAL CRIMPER TOOL KIT





PLIERS WIRE TWISTERS

WSC665 **HEAVY-DUTY AUTOMATIC WIRE CRIMPER / STRIPPER**

 Self-adjusts · Micro adjustment knob for wire smaller than 26 AWG







- · Equipped with a separate notch
- for crimping insulation grip

TCT60B





TCT111P WIRE TERMINAL TOOL

- Sturdy construction
- · Includes a wire cutter (copper and aluminium only)





• Manually crimp to factory specifications · Features a precision full-cycle ratchet for accurate, repeatable crimps every cycle



• Overall length: 215.9mm



CONTENTS:

TAPS & DIES

TAPS & DIES -RETHREADERS EXTRACTORS


TAP AND DIE SETS2STOCKS, SOCKETS
AND WRENCHES2RETHREADERS2RETHREADERS AND SETS2EXTRACTORS2R.B.R.T. EXTRACTOR SETS
WITH F.O.R.2TWIST SOCKETS AND SETS2EXTRACTORS AND SETS2STUD REMOVERS AND SETS2

HOW TO NAVIGATE



/

BOOKMARK Click to go back to the beginning of the section



MACTOOLS.CO.UK 0114 291 7266







PRODUCT #	DESCRIPTION	SIZE	DRIVE SIZE	LH/RH	OVERALL LENGTH In. / MM			SET		
D117COMBOS-US	117 Piece Tap and Die / Drill / Extra	ctor Set				_	_	_		
D41SAES-US	41 Piece SAE Tap and Hex Die Set									1
D41METS-US	41 Piece Metric Tap and Hex Die Se	t								
D25SAES-US	25 Piece SAE Tap and Hex Die Set									
D25METS-US	25 Piece Metric Tap and Hex Die Set	*								
112TP	Plug Style Machine Screw Taps	4-40 NC	3/32"		1-15/16" / 48.9					
1121P 118TP	Plug Style Machine Screw Taps	6-32 NC	1/8"	-	2-1/32" / 51.6					
124TP	Plug Style Machine Screw Taps	8-32 NC	1/8"	-	2-3/16" / 55.2				•	
128TP	Plug Style Machine Screw Taps	10-24 NC	5/32"	-	2-7/16" / 61.5					
131TP	Plug Style Machine Screw Taps	10-32 NF	5/32"	-	2-7/16" / 61.5				•	
132TP	Plug Style Machine Screw Taps	12-24 NC	3/16"	-	2-15/32" / 62.5				•	
420TP	Plug Style Fractional Taps	1/4-20 NC	3/16"	-	2-5/8" / 66.5				•	
423TP	Plug Style Fractional Taps	1/4-28 NF	3/16"	-	2-5/8" / 66.5				•	
427TP	Plug Style Fractional Taps	5/16-18 NC	1/4"	-	2-23/32" / 69				•	
429TP	Plug Style Fractional Taps	5/16-24 NF	1/4"	-	2-23/32" / 69				•	
434TP	Plug Style Fractional Taps	3/8-16 NC	9/32"	-	2-15/16" / 74.5				•	
436TP	Plug Style Fractional Taps	3/8-24 NF	9/32"	-	2-15/16" / 74.5				•	
439TP	Plug Style Fractional Taps	7/16-14 NC	1/4"	-	3-5/32" / 80				•	
440TP	Plug Style Fractional Taps	7/16-20 NF	1/4"	-	3-5/32" / 80				•	
444TP	Plug Style Fractional Taps	1/2-13 NC	9/32"	-	3-11/32" / 85				•	
445TP	Plug Style Fractional Taps	1/2-20 NF	9/32"	-	3-11/32" / 85				•	
448TP	Plug Style Fractional Taps	9/16-12 NC	5/16"	-	3-19/32" / 91		•			
449TP	Plug Style Fractional Taps	9/16-18 NF	5/16"	-	3-19/32" / 91		•			
452TP	Plug Style Fractional Taps	5/8-11 NC	11/32"	-	3-25/32" / 96.5		•			
454TP	Plug Style Fractional Taps	5/8-18 NF	11/32"	-	3-25/32" / 96.5		•			
458TP	Plug Style Fractional Taps	3/4-10 NC	7/16"	-	4-1/4" / 108		•			
460TP	Plug Style Fractional Taps	3/4-16 NF	7/16"	-	4-1/4" / 108		•			
461TP	Plug Style Fractional Taps	7/8-9 NC	17/32"	-	4-21/32" / 118.5		•			
463TP	Plug Style Fractional Taps	7/8-14 NF	17/32"	-	4-21/32" / 118.5		•			
465TP	Plug Style Fractional Taps	1-8 NC	19/32"	-	5-1/8" / 130		•			
467TP	Plug Style Fractional Taps	1-14 NS	19/32"	-	5-1/8" / 130		•			
712TP	Plug Style Metric Taps	3-0.50	3/32"	-	2" / 50.5			•		
717TP	Plug Style Metric Taps	4-0.70	1/8"	-	2-3/16" / 55			•		
718TP	Plug Style Metric Taps	4-0.75	1/8"	-	2-3/16" / 55			•		
722TP	Plug Style Metric Taps	5-0.80	1/8"	-	2-7/16" / 61.5			•		
723TP 727TP	Plug Style Metric Taps	5-0.90	5/32"	-	2-7/16" / 61.5			•		
	Plug Style Metric Taps	6-1.00	3/16"	-	2-5/8" / 66.5 2-23/32" / 69.3			•		
731TP 733TP	Plug Style Metric Taps	7-1.00 8-1.00	7/32"	-	2-23/32" / 69.3			•		
733TP 734TP	Plug Style Metric Taps Plug Style Metric Taps	8-1.25	1/4"	-	2-23/32" / 68.9			•		
736TP	Plug Style Metric Taps	9-1.00	7/32"	-	2-15/16" / 74.4			•		
737TP	Plug Style Metric Taps	9-1.25	7/32"	-	2-15/16" / 74.4			•		
739TP	Plug Style Metric Taps	10-1.25	7/32"	-	2-15/16" / 74.4			•		
740TP	Plug Style Metric Taps	10-1.20	7/32"	-	2-15/16" / 74.4			•		
741TP	Plug Style Metric Taps	11-1.50	1/4"	-	3-5/32" / 80			•		
742T	Plug Style Metric Taps	12-1.25	9/32"	-	3-3/8" / 86					
743TP	Plug Style Metric Taps	12-1.50	9/32"	-	3-3/8" / 86			•		
744TP	Plug Style Metric Taps	12-1.75	9/32"	-	3-3/8" / 86			•		
449TP	Plug Style Metric Taps	14-1.25	5/16"	-	3-9/16" / 91.1	•				
750TP	Plug Style Metric Taps	14-1.50	5/16"	-	3-9/16" / 91.3	•				
752TP	Plug Style Metric Taps	14-2.00	5/16"	-	3-9/16" / 90.8	•				
755TP	Plug Style Metric Taps	16-1.50	11/32"	-	3-13/16" / 96.8	•				
756TP	Plug Style Metric Taps	16-2.00	11/32"	-	3-13/16" / 96.7	•				
759TP	Plug Style Metric Taps	18-1.50	13/32"	-	4" / 102.3	•				
761TP	Plug Style Metric Taps	18-2.50	13/32"	-	4" / 101.8	•				
764TP	Plug Style Metric Taps	20-2.50	15/32"	-	4-15/32" / 113.7	•				
765TP	Plug Style Metric Taps	22-1.50	17/32"	-	4-11/16" / 118.7	•				
768TP	Plug Style Metric Taps	24-2.00	9/16"	-	4-7/8" / 124	•				
769TP	Plug Style Metric Taps	24-3.00	9/16"	-	4-9/32" / 124.8	•				
902TPT	Pipe Taps (NPT)	1/8-28 BSP	5/16"	-	2-1/8" / 53.7			•		
902TP	Pipe Taps (NPT)	1/8-27 NPT	5/16"	-	2-1/8" / 54.3				•	
903TP	Pipe Taps (NPT)	1/4-18 NPT	13/32"	-	2-7/16" / 62.2		•			

TD117COMBOS-US 117 PIECE TAP AND DIE / **DRILL / EXTRACTOR SET**

999

 Complete screw machine / fractional and metric threading set with spiral screw extractors and matching high speed steel drill bits • Thirty-six HSS drill bits and five spiral screw extractors

TD41SAES-US 41 PIECE SAE TAP

AND HEX DIE SET TD41METS-US (NOT SHOWN)

41 PIECE METRIC TAP AND HEX DIE SET

Housed in self-hinged unbreakable plastic case with removable tray

TD25SAES-US 25 PIECE SAE TAP AND HEX DIE SET

 Designed for the mechanic who owns the TD41SAES-US or a Super Set (TD76COMBOS-US) and wants larger thread sizes • Packaged in a blow-moulded case

TD25METS-US (NOT SHOWN)

25 PIECE METRIC TAP AND HEX DIE SET

 Designed for the mechanic who owns the TD41METS-US or a Super Set (TD76COMBOS-US) and wants larger thread sizes • Packaged in a blow-moulded case

226



2 2

08



74	PS	8		ES
TAP AI	VD DI	E SET	TS	

PRODUCT #	DESCRIPTION	SIZE	DRIVE SIZE	LH/RH	OVERALL LENGTH IN. / MM			SET		
TD117COMBOS-US	117 Piece Tap and Die / Drill / Extra		DRIVE CIEL	Liviti	10.7 mm		-		_	-
TD41SAES-US	41 Piece SAE Tap and Hex Die Set	0101 001								
TD41METS-US	41 Piece Metric Tap and Hex Die Se	ł								
TD25SAES-US	25 Piece SAE Tap and Hex Die Set	L								
TD25METS-US										
6112DIE	25 Piece Metric Tap and Hex Die Se Machine Screw Hexagonal Dies	4-40	5/8"	-					•	
6118DIE	Machine Screw Hexagonal Dies	6-32	5/8"	-	-					
6124DIE	Machine Screw Hexagonal Dies	8-32	5/8"	-	-					•
6128DIE	Machine Screw Hexagonal Dies	10-24	5/8"	-	-					
6131DIE	Machine Screw Hexagonal Dies	10-32	5/8"	-	-					•
6132DIE	Machine Screw Hexagonal Dies	12-24	5/8"	-	-				•	•
6312DIE	Metric Hexagonal Dies	3-0.50	5/8"	-	-			•		•
6317DIE	Metric Hexagonal Dies	4-0.70	5/8"	-	-			•		•
6318DIE	Metric Hexagonal Dies	4-0.75	5/8"	-	-			•		•
6322DIE	Metric Hexagonal Dies	5-0.80	5/8"	-	-			•		•
6323DIE	Metric Hexagonal Dies	5-0.90	5/8"	-	-			•		•
6327DIE	Metric Hexagonal Dies	6-1.00	5/8"	-	-			•		•
6631DIE	Metric Hexagonal Dies	7-1.00	1"	-	-			•		•
6633DIE	Metric Hexagonal Dies	8-1.00	1"	-	-			•		•
6634DIE	Metric Hexagonal Dies	8-1.25	1"	-	-			٠		•
6636DIE	Metric Hexagonal Dies	9-1.00	1"	-	-			•		٠
6637DIE	Metric Hexagonal Dies	9-1.25	1"	-	-			٠		٠
6639DIE	Metric Hexagonal Dies	10-1.25	1"	-	-			•		٠
6640DIE	Metric Hexagonal Dies	10-1.50	1"	-	-			٠		٠
6641DIE	Metric Hexagonal Dies	11-1.50	1"	-	-			•		٠
6643DIE	Metric Hexagonal Dies	12-1.50	1"	-	-			•		٠
6644DIE	Metric Hexagonal Dies	12-1.75	1"	-	-			•		٠
6949DIE	Metric Hexagonal Dies	14-1.25	1-7/16"	-	-	•				
6950DIE	Metric Hexagonal Dies	14-1.50	1-7/16"	-	-	•				
6952DIE	Metric Hexagonal Dies	14-2.00	1-7/16"	-	-	•				
6955DIE	Metric Hexagonal Dies	16-1.50	1-7/16"	-	-	•				
6956DIE	Metric Hexagonal Dies	16-2.00	1-7/16"	-	-	٠				
6959DIE	Metric Hexagonal Dies	18-1.50	1-7/16"	-	-	•				
6961DIE	Metric Hexagonal Dies	18-2.50	1-7/16"	-	-	•				
8564DIE	Metric Hexagonal Dies	20-2.50	1-13/16"	-	-	•				
8565DIE	Metric Hexagonal Dies	22-1.50	1-13/16"	-	-	•				
8568DIE	Metric Hexagonal Dies	24-2.00	1-13/16"	-	-	•				
8569DIE	Metric Hexagonal Dies	24-3.00	1-13/16"	-	-	•				
6520DIE	Fractional Hexagonal Dies	1/4-20 NC	1"	-	-				•	•
6523DIE	Fractional Hexagonal Dies	1/4-28 NF	1"	-	-				•	•
6527DIE	Fractional Hexagonal Dies	5/16-18 NC	1"	-	-				•	•
6529DIE	Fractional Hexagonal Dies	5/16-24 NF	1"	-	-				•	•
6534DIE	Fractional Hexagonal Dies	3/8-16 NC	1"	-	-				•	•
6536DIE	Fractional Hexagonal Dies	3/8-24 NF	1"	-	-				•	•
6539DIE	Fractional Hexagonal Dies	7/16-14 NC	1" 1"	-	-				•	•
6540DIE	Fractional Hexagonal Dies	7/16-20 NF		-	-				•	•
6544DIE	Fractional Hexagonal Dies	1/2-13 NC	1"	-	-				•	•
6545DIE 6848DIE	Fractional Hexagonal Dies Fractional Hexagonal Dies	1/2-20 NF		-	-		•		•	•
6849DIE	Fractional Hexagonal Dies	9/16-12 NC 9/16-18 NF	1-7/16" 1-7/16"	-	-		•			
6852DIE	Fractional Hexagonal Dies		1-7/16"	-	-		•			
6854DIE	Fractional Hexagonal Dies	5/8-11 NC 5/8-18 NF	1-7/16"	-	-					
6858DIE	Fractional Hexagonal Dies	3/4-10 NC	1-7/16"	-	-		•			
6860DIE	Fractional Hexagonal Dies	3/4-10 NC 3/4-16 NF	1-7/16"	-	-		•			
7003DIE	Fractional Hexagonal Dies	1/4-18 NPT	1-7/16"	-	-					
8461DIE	Fractional Hexagonal Dies	7/8-9 NC	1-13/16"	-	-					
8463DIE	Fractional Hexagonal Dies	7/8-14 NF	1-13/16"	-	-		•			
8465DIE	Fractional Hexagonal Dies	1-8 NC	1-13/16"	-	-		•			
8467DIE	Fractional Hexagonal Dies	1-14 NF	1-13/16"	-	_					
6702HDIE	Fractional Hexagonal Dies	1/8-28 BSP	1"	-	-			•		•
6702DIE	Fractional Hexagonal Dies	1/8-27 NPT	1"	-	-				•	•
HSDBF-564	High Speed Steel Drill Bits	5/64	5/64"	RH	2-1/32" / 51.6					•
	High Speed Steel Drill Bits	7/64	7/64"	RH	2-5/8" / 66.8					•

PRODUCT #	DESCRIPTION	SIZE	DRIVE SIZE	LH/RH	OVERALL LENGTH In. / MM			SET	
TD117COMBOS-US	117 Piece Tap and Die / Drill / Extrac	tor Set				_		_	_
TD41SAES-US	41 Piece SAE Tap and Hex Die Set								
TD41METS-US	41 Piece Metric Tap and Hex Die Set								
TD25SAES-US	25 Piece SAE Tap and Hex Die Set								
TD25METS-US	25 Piece Metric Tap and Hex Die Set								
DBF-532	High Speed Steel Drill Bits	5/32	5/32"	RH	3-1/32" / 77.4				
DBF-14	High Speed Steel Drill Bits	1/4	1/4"	RH	4-1/16" / 103.5				
DBF-1964	High Speed Steel Drill Bits	19/64	19/64"	RH	4-7/16" / 112.6				
DBF-516	High Speed Steel Drill Bits	5/16	5/16"	RH	4-17/32" / 115.1				
DBF-2164	High Speed Steel Drill Bits	21/64	21/64"	RH	4-21/32" / 118.4				
DBF-38	High Speed Steel Drill Bits	3/8	3/8"	RH	5-3/32" / 129.6				
DBF-2564	High Speed Steel Drill Bits	25/64	25/64"	RH	5-3/16" / 131.6				
DBF-1332	High Speed Steel Drill Bits	13/32	13/32"	RH	5-5/16" / 135				
DBF-2764	High Speed Steel Drill Bits	27/64	27/64"	RH	5-15/32" / 138.8				
DBF-2964	High Speed Steel Drill Bits	29/64	29/64"	RH	5-19/32" / 142.3				
TBL-B	High Speed Steel Drill Bits	В	.238"	RH	4-3/32" / 103.7				
TBL-F	High Speed Steel Drill Bits	F	.257"	RH	4-3/16" / 106.2				
TBL-H	High Speed Steel Drill Bits	Н	.266"	RH	4-5/32" / 105.9				
TBL-I	High Speed Steel Drill Bits		.272"	RH	4-7/32" / 106.7				
TBL-J	High Speed Steel Drill Bits	J	.277"	RH	4-7/32" / 107.3				
TBL-0	High Speed Steel Drill Bits	0	.316"	RH	4-9/16" / 115.9				
rbl-q	High Speed Steel Drill Bits	Q	.332"	RH	4-27/32" / 123.3				
TBL-R	High Speed Steel Drill Bits	R	.339"	RH	4-7/8" / 124.1				
TBL-S	High Speed Steel Drill Bits	S	.348"	RH	4-31/32" / 126.0				
TBL-U	High Speed Steel Drill Bits	U	.368"	RH	5-3/32" / 129.7				
TBL-Z	High Speed Steel Drill Bits	Z	.413"	RH	5-11/32" / 135.8				
TBN-3	High Speed Steel Drill Bits	3	.413	RH	3-25/32" / 96.4				
TBN-3 TBN-7	High Speed Steel Drill Bits	7	.213	RH	3-11/16" / 93.3				
TBN-9	High Speed Steel Drill Bits	9	.201	RH	3-11/16" / 93.6	_			
TBN-16		9 16	.190	RH					
	High Speed Steel Drill Bits				3-11/32" / 85.3				
TBN-19	High Speed Steel Drill Bits	19	.166"	RH	3-9/32" / 83.5				
TBN-20	High Speed Steel Drill Bits	20	.161"	RH	3-9/32" / 83.4	_			
TBN-21	High Speed Steel Drill Bits	21	.159"	RH	3-1/8" / 79.3				
TBN-25	High Speed Steel Drill Bits	25	.149"	RH	3-9/32" / 83.3				
TBN-29	High Speed Steel Drill Bits	29	.136"	RH	2-29/32" / 74.1				
TBN-30	High Speed Steel Drill Bits	30	.128"	RH	2-13/16" / 71.3				
TBN-36	High Speed Steel Drill Bits	36	.106"	RH	2-15/32" / 63				
TBN-39	High Speed Steel Drill Bits	39	.099"	RH	2-13/32" / 60.8				
TBN-43	High Speed Steel Drill Bits	43	.089"	RH	2-9/32" / 58				
SPEX1	Spiral Flute Extractors	#1	3/32"	-	1-15/16" / 49.1				
SPEX2	Spiral Flute Extractors	#2	5/32"	-	2-5/16" / 58.7				
SPEX3	Spiral Flute Extractors	#3	3/16"	-	2-21/32" / 67.1				
SPEX4	Spiral Flute Extractors	#4	9/32"	-	2-31/32" / 75.8				
SPEX5	Spiral Flute Extractors	#5	11/32"	-	3-11/32" / 84.6				
3116TPG	Thread Gauges	-	-	-	-			٠	
1201PGA	Thread Gauges	-	-	-	-				
3157DSA	Die Stock Wrenches	5/8"	-	-	4-29/32" / 124.8			٠	
3126DSA	Die Stock Wrenches	1"	-	-	9-15/16" / 252.8			•	
3136DSA	Die Stock Wrenches	1-7/16"	-	-	14-9/32" / 362.3	•	•		
3146DSA	Die Stock Wrenches	1-13/16"	-	-	21-13/32" / 543.4	•	•		
74903SDA	Die Stock Wrenches	-	-	-	3-7/32" / 81.7			•	
3173TWA	Tap Wrenches	#0-#1/4	3/8"	-	3-9/16" / 90.3			•	
3150TWA	Tap Wrenches	#1/4-#1/2	-	-	-				
3188TWA	Tap Wrenches	#0-#1/2	-	-	2-3/8" / 60.3				
3198TSA	Tap Wrenches	#1/4-#1	_	-	18" / 457.2	•			
TD117COMBOS-CAS	idp menuits	+1/4-+1	-		10 / 40/.2				
	-	-	-	-	-				
TD76COMBOS-CASE	-	-	-	-	-				
TD41SAES-CASE	-	-	-	-	-				-
TD41METS-CASE	-	-	-	-	-			•	
TD25SAES-US-CASE	-	-	-	-	-		•		
TD25METS-US-CASE	-	-	-	-	-	•			



2	2	9
		9



TAPS & DIES STOCKS, SOCKETS AND WRENCHES

TAP SOCKET SETS

- · Ideal for use in areas where a T-handle won't fit
- Fits all number and fractional M.C.T.I. standard taps through 1/2"
- Fits 1/8 NPT taps and metric taps through 12mm







RETHREADERS **RETHREADERS AND SETS**



TRCOMBO-48

- US thread pitch 11 to 24

74903SDW **ADJUSTABLE DIE WRENCH SCREWDRIVER**



ADJUSTABLE TAP ADAPTERS

• Allows you to use your 3/8" ratchet or extension to drive any square drive tool including taps, reamers, and extractors These two adapters accommodate taps from #0 to 1/2" using the collet tightened jaws

Stored in a convenient PVC case

PRODUCT #	SIZE
3095001A	Small
3095001B	Large



T-HANDLE TAP WRENCHES

 Sliding handle with spring tension stop · Positive grip knurled nut with 5/8" hex nut

PRODUCT #	SIZE
3101TW	#0 to 1/4"
3102TW	1/4" to 1/2"

ADJUSTABLE HANDLE TAP WRENCHES

CON STREET

· Quickly adjusted by turning knurled threaded handle · Jaws are made of hardened steel for long wear

1.11
SIZE
#0 to 1/2"
1/4" to 1"

DIE STOCKS

- · Maintains positive alignment for accurate threading
- Nickel-plated finish

- 1		1.2		
	-			

PRODUCT #	OVERALL LENGTH	OVERALL LENGTH [MM]	SIZE
3157DSW	4-29/32"	124.6	5/8"
3126DSW	9-15/16"	252.4	1"
3136DSW	14-9/32"	362.7	1-7/16"
3146DSW	21-13/32"	543.7	1-13/16"



SPECIAL 2-IN-1 TAP WRENCH WITH T-HANDLE AND 3/8" SQUARE DRIVE

- 7/8" Hex-style for holding taps 1/4" to 1/2", and extra recess with small hole for holding 1/4" and 5/16" taps
- · Sliding T-handle with spring tension tap
- Removable T-handle to insert ratchet
- Wrench end has 3/8" square drive

3171ATW

T-HANDLE TAP WRENCH

- 5/8" Hex-style for holding taps #0 to 1/4"
- Sliding T-handle with spring tension tap
- · Removable T-handle to insert ratchet

DIE PRODUCT #	TAP PRODUCT #	DESCRIPTION	SIZE	TYPE		SET	
TRCOMBO-48	48 Piece Rethre	ading Set					1
TRMSET	15 Piece Metric	Rethreader Tap, Die, and File So	et				1
TR2579A	8 Piece Spindle	Rethread Set					
TR8CD	TR8CT	Rethreading Die and Tap	1/4" x 20	National Coarse			
TR10CD	TR10CT	Rethreading Die and Tap	5/16" x 18	National Coarse			
TR12CD	TR12CT	Rethreading Die and Tap	3/8" x 16	National Coarse			
TR14CD	TR14CT	Rethreading Die and Tap	7/16" x 14	National Coarse			
TR16CD	TR16CT	Rethreading Die and Tap	1/2" x 13	National Coarse			
TR18CD	TR18CT	Rethreading Die and Tap	9/16" x 12	National Coarse			
TR20CD	-	Rethreading Die	5/8" x 11	National Coarse			
TR8FD	TR8FT	Rethreading Die and Tap	1/4" x 28	National Fine			
TR10FD	TR10FT	Rethreading Die and Tap	5/16" x 24	National Fine			
TR12FD	TR12FT	Rethreading Die and Tap	3/8" x 24	National Fine			
TR14FD	TR14FT	Rethreading Die and Tap	7/16" x 20	National Fine			
TR16FD	TR16FT	Rethreading Die and Tap	1/2" x 20	National Fine			
TR18FD	TR18FT	Rethreading Die and Tap	9/16" x 18	National Fine			
TR20FD	-	Rethreading Die	5/8" x 18	National Fine			
TRM6D	TRM6T	Rethreading Die and Tap	6mm x 1mm	Metric		•	
TRM8D	TRM8T	Rethreading Die and Tap	8mm x 1.25mm	Metric		•	
TRM10-1D	TRM10-1T	Rethreading Die and Tap	10mm x 1mm	Metric			
TRM10-25D	TRM10-25T	Rethreading Die and Tap	10mm x 1.25mm	Metric		•	
TRM10D	TRM10T	Rethreading Die and Tap	10mm x 1.5mm	Metric		•	
TRM11D	TRM11T	Rethreading Die and Tap	11mm x 1.5mm	Metric			
TRM12-25D	TRM12-25T	Rethreading Die and Tap	12mm x 1.25mm	Metric		•	
TRM12-50D	TRM12-50T	Rethreading Die and Tap	12mm x 1.5mm	Metric		•	
TRM12D	TRM12T	Rethreading Die and Tap	12mm x 1.75mm	Metric		•	
TRM14D	TRM14T	Rethreading Die and Tap	14mm x 1.5mm	Metric			
LNG54-2677	-	Spindle	13/16" x 20	SAE	•		
LNG54-2676	-	Spindle	3/4" x 20	SAE	•		
54-2673-0005	-	Spindle	20mm x 1.25mm	Metric	•		
54-2678-0005	-	Spindle	20mm x 1.5mm	Metric	•		
54-2674-0005	-	Spindle	22mm x 1mm	Metric	•		
54-2679-0005	-	Spindle	22mm x 1.5mm	Metric	•		
LNG54-2675-0005	-	Spindle	24mm x 1.5mm	Metric	•		
54-2680-0005	-	Spindle	24mm x 2.0mm	Metric	•		
TR1	-	Thread Restoring File Kit	11, 12, 13, 14, 16, 18, 20, and 24 TPI	Files			
TR2	-	Thread Restoring File Kit	9, 10, 12, 16, 20, 27, 28, and 32 TPI	Files			
TRM8	_	Thread Restoring File Kit	.075, 1, 1.25, 1.5, 1.75, 2, 2.5, and 3mm	Files		•	



21 10/02	545.7
and the second	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1





RETHREADING SET

· Repairs or renews damaged threads - fractional and metric • Taps and dies are highly tempered for strength and durability; hex-shaped for use with a socket or wrench Colour coded for quick visual identification - metric is gold; national fine, black; national coarse, silver

• Metric thread pitch 0.75mm to 3.0mm



TRMSFT

R.B.R.T."EXTRACTOR SETS WITH F.O.R.

R.B.R.T."EXTRACTOR SETS WITH F.O.R.

RBRT

ROUNDED BOLT REMOVAL TECH

RBRT SETS FEATURE

- Rounded Bolt Removal Technology (R.B.R.T.™) designed to prevent the rounding of fasteners
- Can be used to remove rounded or destroyed bolts, nuts, screws, studs and even pipes
- allows for removal and reinsertion of damaged or destroyed fasteners
- Sockets can be driven with a ratchet, wrench, impact, or pliers depending on the accessibility Foreign Object Removal (FOR)
- Poreign object Removal (POR) pusher rod for easy removal of extracted material







SMMPEX9RBRT

9 PIECE 1/4" DRIVE METRIC IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SMMPEX9RBRT	9 Piece 1/4" Drive Metric Impact RBRT Extractor So with F.O.R.	cket Set
MMPEX4RBRT	4mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX5RBRT	5mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX6RBRT	6mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX7RBRT	7mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX8RBRT	8mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX9RBRT	9mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX10RBRT	10mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX11RBRT	11mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MMPEX12RBRT	12mm RBRT FOR Extractor Socket 1/4" Drive	35mm
MEPUSHRBRTFOR	M3.5 1/4" Drive Socket Pusher	55mm
MERUSARBRIFUR	M6 1/4" Drive Socket Pusher	55mm

SMMDPEX9RBRT 9 PIECE 1/4" DRIVE METRIC DEEP IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SMMDPEX9RBRT	9 Piece 1/4" Drive Metric Impact RBRT Extractor Soc with F.O.R. (Deep)	ket Set
MMDPEX4RBRT	4mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX5RBRT	5mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX6RBRT	6mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX7RBRT	7mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX8RBRT	8mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX9RBRT	9mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX10RBRT	10mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX11RBRT	11mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MMDPEX12RBRT	12mm RBRT FOR Deep Extractor Socket 1/4" Drive	60mm
MEDPUSHRBRTFOR	M3.5 1/4" Drive Deep Socket Pusher	85mm
MEDLOSUKRKILOK	M6 1/4" Drive Deep Socket Pusher	85mm







SXMPEX8RBRT

8 PIECE 3/8" DRIVE METRIC IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SXMPEX8RBRT	8 Piece 3/8" Drive Metric Impact R.B.R.T.™ Extractor So with F.O.R.	ocket Set
XPMEX11RBRT	11mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX12RBRT	12mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX13RBRT	13mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX14RBRT	14mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX15RBRT	15mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX16RBRT	16mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX17RBRT	17mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XPMEX18RBRT	18mm RBRT FOR Extractor Socket 3/8" Drive	35mm
XEPUSHRBRTFOR	M9 3/8" Drive Socket Pusher	55mm

SXMDPEX8RBRT 8 PIECE 3/8" DRIVE METRIC DEEP IMPACT R.B.R.T.™ EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SXMDPEX8RBRT	8 Piece 3/8" Drive Metric Impact R.B.R.T.™ Extractor S with F.O.R.	ocket Set
XPDMEX11RBRT	11mm R.B.R.T. $^{\rm \tiny TM}$ FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX12RBRT	12mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX13RBRT	13mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX14RBRT	14mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX15RBRT	15mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX16RBRT	16mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX17RBRT	17mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XPDMEX18RBRT	18mm RBRT FOR Deep Extractor Socket 3/8" Drive	70mm
XEDPUSHRBRTFOR	M9 3/8" Drive Deep Socket Pusher	85mm





SVMPEX7RBRT 7 PIECE 1/2" DRIVE METRIC IMPACT R.B.R.T.[™] EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH
SVMPEX7RBRT	7 Piece 1/2" Drive Metric Impact R.B.R.T.™ Extractor S with F.O.R.	Socket Set
VPMEX19RBRT	19mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX20RBRT	20mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX21RBRT	21mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX22RBRT	22mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX23RBRT	23mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX24RBRT	24mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VPMEX25RBRT	25mm RBRT FOR Extractor Socket 1/2" Drive	50mm
VEPUSHRBRTFOR	M12 1/2" Drive Socket Pusher	75mm

SVMDPEX7RBRT 7 PIECE 1/2" DRIVE METRIC DEEP IMPACT R.B.R.T.[™] EXTRACTOR SOCKET SET WITH F.O.R.

PRODUCT #	DESCRIPTION	LENGTH				
SVMDPEX7RBRT	7 Piece 1/2" Drive SAE Deep Impact R.B.R.T.™ Extractor Socker with F.O.R.					
VPDMEX19RBRT	19mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm				
VPDMEX20RBRT	20mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm				
VPDMEX21RBRT	21mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm				
VPDMEX22RBRT	22mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm				
VPDMEX23RBRT	23mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm				
VPDMEX24RBRT	24mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm				
VPDMEX25RBRT	25mm RBRT FOR Deep Extractor Socket 1/2" Drive	80mm				
VEDPUSHRBRTFOR	M12 1/2" Drive Deep Socket Pusher	105mm				

TWIST SOCKET SETS

- Sockets can be used to remove rounded or damaged fasteners with any head configuration
- Quickly and easily remove damaged or rounded nuts and bolts
- Simply place socket on fastener and turn with impact gun

EXTRACTORS

TWIST SOCKETS AND SETS


- Grip-on fastener tightens as more torque is applied
- No hammering required to install socket over fastener



TWIST SOCKET SET

PRODUCT #	DRIVE SIZE	OPENING SIZE	OVERALL LENGTH In. / MM	SET		PR
SXT10LRA	10 Piece 3/8" Dr	ive Twist Socket Set			1.000	SVT5
X10TA	3/8"	10mm	1-1/4" / 31.7	•		V24T
X11TA	3/8"	11mm	1-1/4" / 31.7	•		V26T
X12TA	3/8"	12mm	1-1/4" / 31.7	•		V28T
X13TA	3/8"	13mm	1-1/4" / 31.7	•		V30T
X14TA	3/8"	14mm	1-1/4" / 31.7	•		V32T
X15TA	3/8"	15mm	1-3/8" / 34.9	•		100
X16TA	3/8"	16mm	1-3/8" / 34.9	٠		
X17TA	3/8"	17mm	1-3/8" / 34.9	•		
X18TA	3/8"	18mm	1-3/8" / 34.9	•	-	
X19TA	3/8"	19mm	1-3/8" / 34.9	•	-	







SXT10LRA 10 PIECE 3/8" DRIVE



APPLICATIONS:

- Oil Pan Drain Plugs • Exhaust Manifold Nuts • Studs
- Pipe Nipples
- Corroded Marine Fasteners

SVT5LRA **5 PIECE 1/2" DRIVE TWIST SOCKET** FASTENER REMOVAL KIT

PRODUCT #	DRIVE SIZE	OPENING SIZE	OVERALL LENGTH In. / Mm	SET
SVT5LRA	5 Piece 1/2" Driv	ve Twist Socket Fastener Re	moval Kit	
V24TA	1/2"	3/4" in. / 19mm	1-5/8" / 41.3	•
V26TA	1/2"	13/16" in.	1-5/8" / 41.3	•
V28TA	1/2"	7/8" in.	1-5/8" / 41.3	•
V3OTA	1/2"	15/16" in.	1-5/8" / 41.3	•
V32TA	1/2"	1" in.	1-5/8" / 41.3	•



20 PIECE SCREW EXTRACTOR SET • Precision tools for screws of 1/4" to 1/2"; maximum 1" depth extraction

• Contains ten matching drill guides

Blow-moulded case

SCEX20S



PRODUCT #	DESCRIPTION	EXTRACTOR Size	DRILL BIT Size	USE DRILL	SCREW Diameter In. / Mm	FLUTE Diameter In. / Mm	MAXIMUM Depth In. / Mm	OVERALL LENGTH In. / MM	
SCEX20S	20 Piece Screw Extractor Set								
SCEXTU1	Screw Extractor with Turnuts	1	-	1/8"	1/4" / 6.35	9/64" / 3.5	1" / 25.4	2-3/8" / 60.78	
SCEXTU2	Screw Extractor with Turnuts	2	-	3/16"	5/16" / 7.94	13/64" / 5.2	1" / 25.4	2-13/16" / 71.86	
SCEXTU3	Screw Extractor with Turnuts	3	-	1/4"	3/8" / 9.53	9/32" / 6.9	1" / 25.4	3-3/16" / 81.15	
SCEXTU4	Screw Extractor with Turnuts	4	-	5/16"	7/16" / 11.11	21/64" / 8.6	1" / 25.4	3-3/8" / 86.20	
SCEXTU5	Screw Extractor with Turnuts	5	-	11/32"	1/2" / 12.7	3/8" / 9.5	1" / 25.4	3-3/4" / 94.45	
DRB1	Drill Bit	-	1/8"	-	-	-	-	2-9/16" / 65.73	
DRB2	Drill Bit	-	3/16"	-	-	-	-	3-7/16" / 86.39	
DRB3	Drill Bit	-	1/4"	-	-	-	-	4" / 101.64	
DRB4	Drill Bit	-	5/16"	-	-	-	-	4-5/8" / 117.59	
DRB5	Drill Bit	-	11/32"	-	-	-	-	5" / 126.21	
DRBG1	Drill Guide	-	-	9/32"	-	-	-	1-3/16" / 30.04	
DRBG2	Drill Guide	-	-	5/16"	-	-	-	1-3/16" / 30.04	
DRBG3	Drill Guide	-	-	11/32"	-	-	-	1-3/16" / 30.04	
DRBG4	Drill Guide	-	-	3/8"	-	-	-	1-3/16" / 30.04	
DRBG5	Drill Guide	-	-	13/32"	-	-	-	1-3/16" / 30.04	
DRBG6	Drill Guide	-	-	7/16"	-	-	-	1-3/16" / 30.04	
DRBG7	Drill Guide	-	-	15/32"	-	-	-	1-3/16" / 30.04	
DRBG8	Drill Guide	-	-	1/2"	-	-	-	1-3/16" / 30.04	
DRBG9	Drill Guide	-	-	17/32"	-	-	-	1-3/16" / 30.04	
DRBG10	Drill Guide	-	-	9/16"	-	-	-	1-3/16" / 30.04	
SCEX20S-CASE	Case	-	-	-	-	-	-	-	

STEX5S **5 PIECE STRAIGHT FLUTE EXTRACTOR SET**

PRODUCT #	DESCRIPTION	EXTRACTOR Size	OVERALL LENGTH In. / Mm	USE DRILL	SET
STEX5S	5 Piece Straight Flute Extra	ictor Set			
STEX1	Straight Flute Extractor	#1	2-7/16" / 61.9	9/64"	•
STEX2	Straight Flute Extractor	#2	2-13/16" / 71.4	3/16"	•
STEX3	Straight Flute Extractor	#3	3-1/8" / 79.4	15/64"	•
STEX4	Straight Flute Extractor	#4	3-3/8" / 85.7	5/16"	•
STEX5	Straight Flute Extractor	#5	3-7/16" / 87.3	3/8"	•
STEX6	Straight Flute Extractor	#6	-	7/16"	
STEX5S- Pouch	Pouch	_	_	_	•

TOOLS



DBLEX5S **5 PIECE DOUBLE-EDGE EXTRACTOR SET**

DESCRIPTION	EXTRACTOR Size	SET
5 Piece Double-Edge Extra	actor Set	
Double-Edge Screw	#1	•
Double-Edge Screw	#2	•
Double-Edge Screw	#3	•
Double-Edge Screw	#4	•
Double-Edge Screw	#5	٠
	5 Piece Double-Edge Extra Double-Edge Screw Double-Edge Screw Double-Edge Screw Double-Edge Screw	DESCRIPTION SIZE 5 Piece Double-Edge Extractor Set #1 Double-Edge Screw #2 Double-Edge Screw #3 Double-Edge Screw #4





SPIRAL FLUTE

· Extractors made of heat-treated chrome-vanadium steel

EXTRACTORS

SPEX1A

SPEX2A

SPEX3A

SPEX4A

SPEX5A



EXTRACTOR AND COBALT DRILL BIT SETS

- Removes bolts and screws up to 5/8" • Packaged in an easy access metal index
- Designed to remove broken screws, bolts, threaded parts, pins and pipes PRODUCT # DESCRIPTION Spiral Flute Extractor #1 - 5/64" Spiral Flute Extractor #2 - 7/64" Spiral Flute Extractor #3 - 5/32" Spiral Flute Extractor #4 - 1/4"

Spiral Flute Extractor #5 - 19/64"

SPEX5A

PRODUCT #	DESCRIPTION	EXTRACTOR Size	DRILL BIT Size	LH/RH	OVERALL LENGTH In. / Mm	USE DRILL		SET	
SPEX10MDS	10 Piece Combination Extra	ctor and Cobal	t Drill Bit Set						
SPEX10LDS	10 Piece Left Hand Combina	tion Extractor	and Cobalt Dril	l Bit Set					
SPEX5S	5 Piece Spiral Flute Screw E	extractor Set							
SPEX1	Spiral Flute Extractor	#1		-	1-15/16" / 49.2	5/64"	•	•	•
SPEX2	Spiral Flute Extractor	#2		-	2-7/16" / 61.9	7/64"	•	•	•
SPEX3	Spiral Flute Extractor	#3		-	2-3/4" / 69.9	5/32"	•	•	•
SPEX4	Spiral Flute Extractor	#4		-	3" / 76.2	1/4"	•	•	•
SPEX5	Spiral Flute Extractor	#5		-	3-3/8" / 85.7	19/64"	•	•	•
MLCD1	Cobalt Drill Bit	-	5/64"	RH	2" / 50.8				•
MLCD2	Cobalt Drill Bit	-	7/64"	RH	2-3/16" / 55.6				•
MLCD3	Cobalt Drill Bit	-	5/32"	RH	2-1/2" / 63.5				•
MLCD4	Cobalt Drill Bit	-	1/4"	RH	3-5/16" / 84.1				•
MLCD5	Cobalt Drill Bit	-	19/64"	RH	3-5/8" / 92.1				•
LHCD1	Cobalt Drill Bit	-	5/64"	LH	-	-		•	
LHCD2	Cobalt Drill Bit	-	7/64"	LH	-	-		•	
LHCD3	Cobalt Drill Bit	-	5/32"	LH	_	-		•	
LHCD4	Cobalt Drill Bit	-	1/4"	LH	-	-		•	
LHCD5	Cobalt Drill Bit	-	19/64"	LH	-	-		•	
SPEX10MDS-CASE	Pouch	-		-	-	-			•
SPEX10LDS-CASE	Pouch	_		-	_	_		•	
SPEX5S-POUCH	Pouch	-		-	-	-	•		





SPEX10LDS











SCEX10S

10 PIECE SCREW EXTRACTOR SET

• Extractors made of heat-treated chrome-vanadium steel • Designed to remove broken screws, bolts, threaded parts, pins and pipes



SCEX25S **25 PIECE SCREW EXTRACTOR SET**

• Extractors made of heat-treated chrome-vanadium steel · Designed to remove broken screws, bolts, threaded parts, pins and pipes

PRODUCT #	DESCRIPTION	BOLT SIZE Reference No.	BOLT SIZE Reference Sae	BOLT SIZE Reference Metric	DRILL Size	LH/RH	EXTRACTOR Size	HEX Size	s	ET
SCEX25S	25 Piece Screw Extrac	tor Set								
SCEX10S	10 Piece Screw Extrac	tor Set								
SCEX1	Screw Extractor	No.12	-	5mm	-	-	1/8"	1/2"	•	•
SCEX2	Screw Extractor	No.14	1/4"	6mm	-	-	5/32"	1/2"	•	•
SCEX3	Screw Extractor	-	5/16"	7-8mm	-	-	3/16"	1/2"	•	•
SCEX4	Screw Extractor	-	3/8"	9-10mm	-	-	7/32"	1/2"	•	•
SCEX5	Screw Extractor	-	7/16"	11mm	-	-	1/4"	1/2"	•	•
SCEX6	Screw Extractor	-	1/2"	12mm	-	-	9/32"	1/2"	•	•
SCEX7	Screw Extractor	-	9/16"	14mm	-	-	5/16"	1/2"	•	•
SCEX8	Screw Extractor	-	5/8"	16mm	-	-	11/32"	1/2"	•	•
SCEX9	Screw Extractor	-	11/16"	18mm	-	-	3/8"	1/2"	•	•
SCEX10	Screw Extractor	-	3/4"	-	-	-	13/32"	1/2"	•	•
SCEX11	Screw Extractor	-	13/16"	20mm	-	-	7/16"	5/8"		•
SCEX12	Screw Extractor	-	7/8"	22-24mm	-	-	15/32"	5/8"		•
SCEX13	Screw Extractor	-	15/16"	-	-	-	1/2"	5/8"		•
SCEX14	Screw Extractor	-	1"	-	-	-	17/32"	3/4"		•
SCEX15	Screw Extractor	-	1-1/16"	-	-	-	9/16"	3/4"		•
SCEX16	Screw Extractor	-	1-1/8"	-	-	-	19/32"	3/4"		•
SCEX17	Screw Extractor	-	1-3/16"	-	-	-	5/8"	3/4"		•
SCEX18	Screw Extractor	-	1-1/4"	-	-	-	21/32"	7/8"		•
SCEX19	Screw Extractor	-	1-5/16"	-	-	-	11/16"	7/8"		•
SCEX20	Screw Extractor	-	1-3/8"	-	-	-	23/32"	7/8"		•
SCEX21	Screw Extractor	-	1-7/16"	-	-	-	3/4"	7/8"		•
SCEX22	Screw Extractor	-	1-1/2"	-	-	-	25/32"	1"		•
SCEX23	Screw Extractor	-	1-9/16"	-	-	-	13/16"	1"		•
SCEX24	Screw Extractor	-	1-5/8"	-	-	-	27/32"	1"		•
SCEX25	Screw Extractor	-	1-11/16"	-	-	-	7/8"	1"		•
LHCD6	Left Hand Drill Bit	-	7/16"	11mm	1/4"	LH	-	-		
LHCD8	Left Hand Drill Bit	-	3/8" - 5/8"	10-16mm	19/64"	LH	-	-		
SCEX10S-CASE	-	-	-	-	-	-	-	-	•	
SCEX25S-CASE	-	-	-	-	-	-	-	-		•





DRIVE MM

6

8

10


12

4 PIECE SAE STUD PULLER SET

SR4MA

RODUCT #

PRODUCT #	DRIVE IN.	SET	PRODUC
SR4FA	4 Piece SAE Stud Pulle	r Set	SR4MA
SR832A	1/4"	•	SR6A
R1032A	5/16"	•	SR8A
SR1232A	3/8"	•	SR10A
SR1432A	7/16"	•	SR12A







4 PIECE METRIC STUD PULLER SET





SR20B **STUD REMOVER**

- Removes studs quickly and efficiently
- Capacity: 1/4" through 3/4" (6.5 19mm)
 Eccentric roller grips stud more firmly
- Uses 1/2" square drive wrench



HAMMERS -PRY BARS -PUNCHES -CHISELS

BOOKMARK Click to go back to the beginning of the section

HOW TO NAVIGATE



LINKS Click the contents to move around the catalogue




CONTENTS:

HAMMERS

ANTI-VIBE® HAMMERS AND SETS	2
COMPO-CAST® HAMMERS AND SETS	1
SOFT FACE HAMMERS	1
IMPACT DRIVERS	
PRY BARS	
PRY BARS STRIKE-THROUGH PRY BARS	4
	1
STRIKE-THROUGH PRY BARS	

MACTOOLS.CO.UK 0114 291 7266



HAMMERS ANTI-VIBE® HAMMERS AND SETS

HAMMERS ANTI-VIBE® HAMMERS AND SETS

ANTI-VIBE® TECHNOLOGY **FEATURES**:

- Superior vibration dampening over traditional single-piece steel forged hammers
- Four-part composite handle for comfortable, secure grip
- High-density polyethylene core dampens low level vibrations
- 24-Torque stabilizing bars minimizes torsional rotation
- Anti-Vibe[®] tuning fork disperses high level vibrations throughout the length of the handle greatly reducing kinetic energy transferred to the user's hand and wrist

ANTI-VIBE® DRILLING HAMMERS

Can be used for striking chisels, punches, or star-drills

ANTI-VIBE® **BLACKSMITH HAMMERS**

Can be used for striking un-hardened materials
 and bending and shaping metal

ANTI-VIBE® SLEDGE HAMMERS

Wider face and longer handle provide the most amount of striking force to the largest possible area.

ANTI-VIBE® BALL PEEN HAMMERS

Ideal for striking chisels, setting rivets, and bending and shaping metal

DH193AV

SH3AV

PRODUCT #	HEAD WEIGHT OZ.	OVERALL WEIGHT LBS.	HEAD DIAMETER	HEAD Length	OVERALL Length	si	ET
BH4AVS	4 Piece Anti-Vibe®	Ball Peen Hammer S	Set				
BH3AVS	3 Piece Anti-Vibe®	Ball Peen Hammer S	Set				
BH04AV	4	0.9	17/21"	2-8/17"	10"		
BH08AV	8	1.2	32/33"	3-3/25"	11"		•
BH12AV	12	1.5	1-4/25"	3-12/25"	12-3/25"		•
BH16AV	16	1.9	1-9/29"	3-23/25"	12-20/23"		•
BH24AV	24	2.5	1-11/25"	4-1/3"	13-3/4"		•
BH32AV	32	3.25	1-25/41"	4-21/25"	14-3/4"	•	
BH40AV	40	4.3	1-18/25"	5-16/41"	15-1/4"	•	
BH48AV	48	5.1	1-40/43"	5-20/27"	15-3/4"	•	

ANTI-VIBE® HAMMERS

PRODUCT #	HEAD TYPE	HEAD WEIGHT OZ.	OVERALL WEIGHT LBS.	HEAD DIAMETER	HEAD Length	OVERALL Length
SH2AV	Blacksmith	2	3.5	1-16/41"	5"	14"
DH192AV	Drilling	2	2.7	1-11/29"	3-10/27"	10-1/2"
DH193AV	Drilling	3	3.7	1-20/37"	4"	11"
SH3AV	Sledge	3	4.2	1-20/37"	5"	14-20/23"
SH4AV	Sledge	4	5.2	1-7/10"	5-10/27"	15-10/27"

MMOD-ST1KIT MAC HAMMER AND CHISEL FOAM MODULE KIT

INCLUDES:



TOOLS



ANTI-VIBE® BALL PEEN HAMMER SETS

• Module size: 188 x 418 x 45mm

• BH32AV - 32 Oz. Anti-Vibe One Piece Ball Pein Hammer • C50PDPT - 5 Piece Power Drive Cold Chisel Set • MMOD-ST1 - Mac Hammer and Chisel Foam Module

HAMMERS COMPO-CAST® HAMMERS AND SETS



COMPO-CAST® DEAD-BLOW HAMMER SETS

- One-piece uni-cast construction • No exposed metal on handles or heads
- Dead-blow striking action

PRODUCT #	HEAD WEIGHT OZ.	HEAD Diameter	HEAD Length	OVERALL Length	SI	ET
CH3DSS	3 Piece Comp	o-Cast® Dead-Blow Hamn	ier Set			
CH2DSS	2 Piece Comp	o-Cast® Dead-Blow Hamn	ner Set			
CH15DSA	15	1" - 1-1/2"	3-20/27"	10-2/5"		•
CH21DSA	21	1-1/4" - 1-11/20"	4-9/17"	11-13/20"		•
CH50DSA	28	1-7/20" - 1-7/10"	5-7/50"	13-1/4"		•
CH54DSA	48	1-7/10" - 2-1/10"	5-4/5"	14-1/4"	•	
CH58DSA	56	1-19/20" - 2-4/10"	6-2/10"	15-19/20"	•	



Top welded handle-to-head assembly adds extra durability and safety Striking power is centred inside the head; hundreds of steel shot combine to provide maximum.

all other soft face striking tools and provides shape-retaining faces even after repeated striking on hard surfaces and sharp edges

Hot urethane Uni-Cast construction outlasts

controlled striking force without rebound

Reinforced handle

with solid steel shaft

HAMMERS

IMPACT DRIVERS

CH24DFBA COMPO-CAST® SOFT FACE /

BRASS HEAD HAMMER

• 24 oz. Compo-Cast® hammer available in brass with opposing soft face

PRODUCT #	HEAD TYPE	HEAD WEIGHT OZ.	HEAD Diameter	HEAD Length	OVERALL Length
CH24DFBA	Soft Face Brass	24	1-1/2"	4-1/4"	13-1/4"
CH24DFS	Soft Face Steel	24	1-1/2"	4-1/4"	13-1/4"
CHGOA	Sledge	88	2-3/4"	7"	20"
CH90A	Sledge	184	3-1/2"	8"	36"

CH24DFS COMPO-CAST® SOFT FACE / **STEEL HEAD HAMMER**

• 24 oz. Compo-Cast[®] hammer available in steel with opposing soft face



COMPO-CAST® SLEDGE HAMMERS

- · One-piece uni-cast construction • Wide span of maximum
- hand tool tasks
- · Dead-blow self-standing heads



SID13BA **13 PIECE IMPACT DRIVER SET**

• Rugged driver includes 1/4" and 5/16" hex bit holders

INCLUDES:

- 1 x ID67MA Impact Driver
- 1 x XID106 5/16 Impact Driver Socket 1 x XID86 1/4 Impact Driver Socket
- 1 x ID10BIT-P1 #1 Phillips, 5/16" Hex
- 1 x ID10BIT-P2 #2 Phillips, 5/16" Hex
- 1 x ID10BIT-P3 #3 Phillips, 5/16" Hex
- 1 x ID8BIT-P3 #3 Phillips, 1/4" Hex • 1 x ID8BIT-6 3/16 Slotted, 1/4" Hex
 - 1 x ID8BIT-9 9/32 Slotted, 1/4" Hex

• 1 x ID10BIT-9 9/32 Slotted 5/16" Hex

• 1 x ID8BIT-P1 #1 Phillips, 1/4" Hex

• 1 x ID8BIT-P2 1/4DR #2 Phillips Hex

- 1 x ID10BIT-10 5/16 Slotted, 5/16" Hex

244





RUBBER MALLETS

PRODI

RM16A RM32A

· High-quality rubber heads provide non-marring hammer action Sturdy wood handles

ICT #	HANDLE LENGTH In. / Mm	WEIGHT LBS.
	12" / 304.8	1
	15" / 381	2



SXID9K 1/2" HEAVY-DUTY IMPACT DRIVER

- · Loosens hard-to-turn screws, bolts, and nuts
- Handle design prevents possibility of hitting hand with hammer when striking impact driver

INCLUDES:

- 1 x SXID9K-4L 80mm
- (L) Phillips #2,#3 Slotted #8, #10
- 1 x SXID9K-4S 36mm
- (L) Phillips #2,#3 Slotted #8, #10





STRIKE-THROUGH

PRY BAR FEATURES:

Capped end allows user to strike the pry bar with a hammer without damaging the handle Two-piece composite handle for comfortable, secure grip

Tempered alloy steel the entire length

for superior strength and durability

PBS3C0

3 PIECE STRAIGHT HEAD PRY BAR SET

PB58CR 58" CURVED CAPPED 3/4" Shaft PRY BAR

PB44CG 44" CURVED CAPPED 7/8" SHAFT PRY BAR

COLOURWAY Last letter of the

Last letter of the product number represents the handle colour

PBS2(R,G,O) PBS2MR PB8C(R,G,O) PB12C(R,G,O) PB15C(R,G,O) PB17C(R,G,O) PB25C(R,G,O) PB31C(R,G,O) PB36C(R,G,O) PB42C(R,G,O) PB44C(R,G,O) PB58C(R,G,O) PB8S(R,G,O) PB17S(R,G,O) PB25S(R,G,O) PB31S(R,G,O) PB30MSR

PB30MRR

PRODUCT #
PBS4C(R,G,O)

PBS3C(R,G,O)

PBS3S(R,0)

PBS20 2 PIECE STRAIGHT AND CURVED HEAD PRY BARS

PBS4CG 4 PIECE CURVED HEAD PRY BAR SET





PB42CO 42" CURVED CAPPED 1/2" SHAFT PRY BAR

PBS2MR 2 PIECE 30" MODIFIED PRY BAR SET RED

BLADE Diameter	BLADE Length	HEAD Type	HANDLE Length	OVERALL LENGTH In. / Mm			SET		
4 Piece Curv	ed Head Pry Ba	ar Set							
3 Piece Curv	ed Head Pry Ba	ar Set							
3 Piece Strai	ght Head Pry B	lar Set							
2 Piece Strai	ght and Curve	d Head Pry Bar	Set						
2 Piece Modi	fied Pry Bar Se	et							
1/4"	4"	Curved	4"	8" / 203.2		•			•
3/8"	6-1/2"	Curved	5-1/2"	12" / 304.8				•	
3/8"	9-1/2"	Curved	5-1/2"	15" / 381				•	
3/8"	11-1/2"	Curved	5-1/2"	17" / 431.8					•
1/2"	16"	Curved	9"	25" / 635					•
1/2"	22"	Curved	9"	31" / 787.4				•	
5/8"	27"	Curved	9"	36" / 914.4					•
5/8"	33"	Curved	9"	42" / 1,066					
7/8"	34"	Curved	10"	44" / 1,117					
3/4"	48"	Curved	10"	58" / 1,473					
1/4"	4"	Straight	4"	8" / 203.2		•			•
3/8"	11-1/2"	Straight	5-1/2"	17" / 431.8			٠		
1/2"	16"	Straight	9"	25" / 635			٠		
1/2"	22"	Straight	9"	31" / 787.4			•		
1/2"	21"	Modified	9"	30" / 762	•				
1/2"	21"	Modified	9"	30" / 762	•				



<mark>SPB3PT</mark> 3 PIECE LINE-UP PRY BAR SET IN PLASTIC TRAY

	PRODUCT #	OVERALL LENGTH In. / Mm	STOCK SIZE	STYLE	SET
	SPB3PT	3 Piece Line-Up Pry B	ar Set in Plastic	: Tray	
	LF6	7" / 177.8	5/16"	80° Bent	
	PB15	14" / 355.6	1/2"	Straight	•
	PB15A	15" / 381	1/2"	90° Bent	•
~	PB22	22" / 558.8	5/8"	Straight	•
	PB30	30" / 762	7/8"	Straight	
	PB38	38" / 965.2	7/8"	Straight	

SLF3

3 PIECE LADY FOOT LINE-UP BAR SET IN PLASTIC TRAY

PRODUCT #	OVERALL LENGTH IN. / MM	STOCK SIZE	SET
SLF3	3 Piece Lady Foot Line-Up Bar Set in	Plastic Tray	
LF12	12" / 304.8	1/2"	•
LF16	16" / 406.4	5/8"	•
LF21	21" / 533.4	3/4"	•



PB44CG / PB44CO / PB44CR

44" CAPPED END PRY BAR

- Capped end allows user to strike the pry bar with a hammer without damaging the handle
- Two-piece composite handle for comfortable, secure grip
- Hardened and tempered the entire length for maximum durability
- Length 44"/1118mm
- Curved profile
- Bi-material comfort handle
- Available in Green, Orange and Red

PB44CR

METAL COMFORT-HANDLE INDEXABLE PRY BARS

 Pry bar head can be adjusted to multiple positions for over 180° of use
 The indexing feature allows the user to gain more leverage in tight access applications

PRODUCT #	OVERALL LENGTH In. / Mm
PB8I	8" / 203.2
PB16I	16" / 406.4
PB24I	24" / 609.6
PB36I	36" / 914.4

PB36I

PB17 17" MODIFIED ROLLING HEAD PRY BAR

- Pry and aligning bar with a pointed taper and 90° rolling head for leverage
- High alloy steel is heat-treated the entire length and black oxide treated for added strength and durability

<mark>db18</mark> 18" die setting bar

 Designed for separating, scraping or prying
 Pointed end used to separate and curved end to help remove die blocks and plates 30" DIE SETTING BAR

Designed for separating, scraping or prying
Pointed end used to separate and curved end to help remove die blocks and plates



DB30



PBS3CG / PBS3CO / PBS3CR 3 PIECE COMFORT-HANDLE CURVED HEAD PRY BAR SET

- Capped end allows user to strike the pry bar with a hammer without damaging the handle
- Two-piece composite handle for comfortable, secure grip
- Hardened and tempered the entire length for maximum durability
- 3 lengths: 12"/305mm 15"/381mm -31"/787mm
- Straight profile
- Bi-material comfort handle
- Available in Green, Orange and Red

PBS3CF

PBS3I 3 PIECE INDEXABLE PRY BAR SET

- The head of each pry bar can be adjusted to multiple positions for over 180° of use
 The indexing feature allows the user to gain more leverage in tight access applications
- 3 lengths: 8"/203mm 12"/305mm 16"/406mm





PUNCHES & CHISELS PUNCH AND CHISEL SETS



PRODUCT #	TYPE	POINT Size	EDGE WIDTH	OVERALL LENGTH In. / MM	STOCK Size				SET			
PC25KSS	25 Piece Punch ar	nd Chisel Set	t in Kit Bag									
PC12PTSS	12 Piece Punch ar	nd Chisel Set	t with Gauge i	n Kit Bag								
C70PTSS	7 Piece Flat Tip Ch	isel Set with	Gauge in Kit	Bag								
PP60KSS	6 Piece Pin Punch	Set in Kit Ba	ag									
SRPP6KSS	6 Piece Roll Pin Pi	unch Set in H	(it Bag									
SBP3PT	3 Piece Brass Pun	ch Set in Pla	astic Tray									
SBPL3PT	3 Piece Brass Pun	ch Set in Pla	astic Tray									
BDG	Brass Drift	1/2"	-	8" / 203.2	1/2"		•					
BD8	Brass Drift	3/4"	-	8" / 203.2	3/4"	•						
BD12	Brass Drift	3/4"	-	12" / 304.8	3/4"	•						
C10SS	Flat Tip	-	5/16"	4-1/2" / 114.3	1/4"					•	•	
C12SS	Flat Tip	-	3/8"	5" / 127	5/16"					•	•	
C14SS	Flat Tip	_	7/16"	5-1/2" / 139.7	3/8"					•		
C16SS	Flat Tip	_	1/2"	6" / 152.4	7/16"					•	•	
C20SS	Flat Tip	_	5/8"	6-1/2" / 165.1	1/2"					•		
C24SS	Flat Tip	_	3/4"	7" / 177.8	5/8"					•		
C28SS	Flat Tip	_	7/8"	8" / 203.2	3/4"					•		
CP1SS	Centre	1/8"	_	4-1/4" / 108	1/4"							
CP2SS	Centre	3/16"	_	5" / 127	3/8"							
CP3SS	Centre	1/4"	_	6" / 152.4	1/2"							
DPC6SS	Diamond Point	1/4	3/16"	5" / 127	3/8"							
FCC8SS		_	3/10	5 / 127	3/8"							
GC8SS	Flat Cape	-	1/4"	5" / 127	3/8"							
KS10B	Gouge Holder	_	1/4	J / 12/	3/8"							
P34SS	Countersink	1/8"	-	4-7/8" / 123.8	1/2"							
P3455 PP2.5SS	Pin	5/64"	-	4-1/4" / 123.8	1/2"							
			-									
PP3SS	Pin	3/32"	-	4-1/4" / 108	1/4"				•		•	
PP4SS	Pin	1/8"	-	4-3/4" / 120.7	5/16"				•		•	
PP5SS	Pin	5/32"	-	5" / 127	5/16"				•		•	
PP6SS	Pin	3/16"	-	5-1/4" / 133.4	3/8"				•		•	
PP7SS	Pin	7/32"	-	5-1/2" / 139.7	7/16"							
PP8SS	Pin	1/4"	-	5-3/4" / 146.1	7/16"				•			
PP9SS	Pin	9/32"	-	6" / 152.4	1/2"							
PP10SS	Pin	5/16"	-	6-1/4" / 158.8	1/2"				•			
PP12SS	Pin	3/8"	-	6-1/2" / 165.1	5/8"							
PP4B	Brass Pin	1/4"	-	4" / 101.6	1/2"		•					
PP6B	Brass Pin	3/8"	-	6" / 152.4	1/2"		•					
RPP2.5SS	Roll Pin	5/64"	-	4-1/4" / 108	1/4"							
RPP2SS	Roll Pin	1/16"	-	3-3/4" / 95.3	1/4"							
RPP3SS	Roll Pin	3/32"	-	4-1/4" / 108	1/4"			•				
RPP4SS	Roll Pin	1/8"	-	4-3/4" / 120.7	5/16"			•				
RPP5SS	Roll Pin	5/32"	-	5-1/4" / 133.4	5/16"			•				
RPP6SS	Roll Pin	3/16"	-	5-7/16" / 138.1	3/8"			•				
RPP7SS	Roll Pin	7/32"	-	5-7/8" / 149.2	3/8"							
RPP8SS	Roll Pin	1/4"	-	5-7/16" / 138.1	7/16"			•				
RPP10SS	Roll Pin	5/16"	-	6-7/8" / 174.6	1/2"			•				
SMP3SS	Starter/Machine	3/32"	-	4-1/2" / 114.3	1/4"						•	
SMP4SS	Starter/Machine	1/8"	-	4-3/4" / 120.7	5/16"						•	
SMP5SS	Starter/Machine	5/32"	-	5" / 127	3/8"						•	
SMP6SS	Starter/Machine	3/16"	-	5-1/2" / 139.7	7/16"						•	
SMP8SS	Starter/Machine	1/4"	-	6" / 152.4	1/2"							
SMP10SS	Starter/Machine	5/16"	-	7" / 177.8	5/8"							
SMP13B	Brass Starter	11/32"	-	10" / 254	3/4"	•						



-	
9	









PUNCHES & CHISELS PUNCH AND CHISEL SETS

TIP T Differer of Chise



	PRODUCT #	ТҮРЕ	POINT Size	EDGE WIDTH	OVERALL LENGTH In. / MM	STOCK SIZE		Í	SET		
	PPL50KSS	5 Piece Long Pin F	Punch Set in	Kit Bag							
	C50PDPT	5 Piece Chisel Set	with Gauge	in Kit Bag							
	DPL50KSS	5 Piece Long Tape	red Drift Pu	nch Set in Kit	Bag						
	DP40KSS	4 Piece Drift Punc	h Set in Kit I	Bag							
	BRP4	4 Piece Bearing R	ace Punch S	let							
	BRP-1	Bearing Race	7/16"	-	6" / 152.4	7/16"	•				
	BRP-2	Bearing Race	1/2"	-	10" / 254	1/2"	٠				
	BRP-3	Bearing Race	9/16"	-	14" / 355.6	9/16"	•				
	BRP-4	Bearing Race	5/8"	-	20" / 508	5/8"	•				
	C12PD	Flat Tip	-	3/8"	6" / 165.1	-				•	
	C16PD	Flat Tip	-	1/2"	6-13/16" / 214.3	5/8"				•	
	C20PD	Flat Tip	-	5/8"	7-5/8" / 177.8	-				•	
į	C24PD	Flat Tip	-	3/4"	8-7/16" / 234.9	-				•	
	C28PD	Flat Tip	-	7/8"	9-1/4" / 203.2	-				•	
	CP60	Automatic Centre	-	-	6" / 152.4	-					
	DP5SS	Drift/Punch	5/32"	-	8" / 203.2	3/8"		•			
	DP6SS	Drift/Punch	3/16"	-	9" / 228.6	1/2"		•			
	DP8SS	Drift/Punch	1/4"	-	10" / 254	9/16"		•			
	DP10SS	Drift/Punch	5/16"	-	11" / 279.4	5/8"		•			
	DPL3SS	Drift/Long Taper	3/32"	-	8" / 203.2	1/4"			٠		
	DPL4SS	Drift/Long Taper	1/8"	-	10" / 254	5/16"			•		
	DPL6SS	Drift/Long Taper	3/16"	-	12" / 304.8	3/8"			٠		
	DPL8SS	Drift/Long Taper	1/4"	-	14" / 355.6	1/2"			٠		
	DPL10SS	Drift/Long Taper	5/16"	-	16" / 406.4	5/8"			٠		
	DPL12SS	Drift/Long Taper	3/8"	-	16" / 406.4	3/4"					
	DPL16SS	Drift/Long Taper	1/2"	-	18" / 457.2	7/8"					
ľ	PPL5SS	Long Pin	5/32"	-	8" / 203.2	3/8"					
	PPL6SS	Long Pin	3/16"	-	8" / 203.2	3/8"					
	PPL7SS	Long Pin	7/32"	-	8" / 203.2	7/16"					
	PPL8SS	Long Pin	1/4"	-	8" / 203.2	1/2"					
	PPL10SS	Long Pin	5/16"	-	8" / 203.2	1/2"					

PCHG10SB

10 PIECE MOULDED-GRIP PUNCH AND CHISEL SET

- Ergonomic design bi-material handles give a more secure grip that protects your hand and cushions it from shock
- Special grips provide added stability which ensures a more accurate and powerful, aimed blow Precision machined heads hold to right dimensional
- tolerances Very precise heat-treatment with different hardnesses at
- various points on the tool to achieve a hard tip yet maintain ductility of the shaft · Made from chrome vanadium steel alloy
- · Internal notched design creates a mechanical lock between
- the handle and shank minimising handle slippage · Packaged in a tray for tool drawer organisation

252







PRODUCT #	TIP TYPE	TIP DIMENSION IN.
MAY10213Z	Cold Chisel	3/4"
MAY21000Z	Pin Punch	1/16"

PRODUCT #	TIP TYPE	TIP DIMENSION In.	SET
PCHG10SB	10 Piece Moulded-	Grip Punch and Chisel	Set
CP6HGB	Centre Punch	3/16"	•
PP3HGB	Pin Punch	3/32"	•
PP5HGB	Pin Punch	5/32"	•
SMP5HGB	Starter Punch	5/32"	•
SMP3HGB	Starter Punch	3/32"	•
PP6HGB	Pin Punch	3/16"	•
SMP6HGB	Starter Punch	3/16"	•
C12HGB	Chisel Flat	3/8"	•
C16HGB	Chisel Flat	1/2"	•
C20HGB	Chisel Flat	5/8"	•



PCS12M **12 PIECE MINI CHISEL** AND PUNCH SET

- Ergonomic design safety protective handle • Double-locking ball detent to secure interchangeable punch and chisels
- Handle made of carbon steel for a long life
- Moulded carry case with see-through window

INCLUDES:

- 3 x Flat Chisels: 3/8", 1/2", and 5/8" Wide Blades
- 3 x Pin Punches: 1/8", 5/32", and 3/16"
- 3 x Tapered Punches: 1/16", 1/8", and 5/32"
- 2 x Centre Punches: 0, and 1/8"
- 1 x 5/32" Wide Blade Cape Chisel

PRODUCT #	ТҮРЕ	SET
PCS12M	12 Piece Mini Chisel and Punch So	et
PCS12M-1	Mini Interchangeable Tip Punch and Chisel Holder	•
PCS12M-2	Flat Chisel Bit 3/8"	•
PCS12M-3	Flat Chisel Bit 1/2"	•
PCS12M-4	Flat Chisel Bit 5/8"	•
PCS12M-5	Cape Chisel Bit 5/32"	•
PCS12M-6	Taper Punch Bit 1/16"	•
PCS12M-7	Taper Punch Bit 1/8"	•
PCS12M-8	Taper Punch Bit 5/32"	•
PCS12M-9	Pin Punch Bit 1/8"	•
PCS12M-10	Pin Punch Bit 5/32"	•
PCS12M-11	Pin Punch Bit 3/16"	•
PCS12M-12	Center Punch Bit 0"	•
PCS12M-13	Center Punch Bit 1/8"	•

PCS1000K **12 PIECE CHISEL AND** PUNCH SET

- Quick-change button allows quick and easy replacement of punches and chisels
- Double-locking ball detent holds the punch or chisel securely in the driver handle

INCLUDES:

- 5 x Flat Tip Chisels: 1/2", 5/8", 3/4", 7/8", and 1" Wide Blades
- 2 x Pin Punches: 3/16" and 1/4"
- 2 x Tapered Punches: 1/8" and 1/4" • 2 x Centre Punches: 1/8" and 3/16"
- 1 x 1/4" Wide Blade Cape Chisel
- 1 x Carrying Case

PRODUCT #	ТҮРЕ	
PCS1000K	12 Piece Chisel and Punch Set	
PCS1-1	Interchangeable Bit Punch and Chisel Handle	•
PCS1-2	Flat Tip Chisel Bit 1/2"	•
PCS1-3	Flat Tip Chisel Bit 5/8"	•
PCS1-4	Flat Tip Chisel Bit 3/4"	•
PCS1-5	Flat Tip Chisel Bit 7/8"	•
PCS1-6	Flat Tip Chisel Bit 1"	•
PCS1-7	Cape Chisel Bit 1/4"	•
PCS1-8	Taper Punch Bit 1/8"	•
PCS1-9	Taper Punch Bit 1/4"	٠
PCS1-10	Pin Punch Bit 3/16"	•
PCS1-11	Pin Punch Bit 1/4"	•
PCS1-12	Center Punch Bit 1/8"	•
PCS1-13	Center Punch Bit 3/16"	•
	The later of	

CPS996

4 PIECE HAMMERLESS PUNCH SET

- Tools are in two parts connected by a powerful spring
- · Constructed from hardened steel
- · Ringed ends for sure grip

		_		
PRODUCT #	DESCRIPTION	SET		
CPS996	4 Piece Hammerless Punch Set			
CC44R10-1	Cold Chisel	٠		
CP28R45-1	Centre Punch	٠		
CP32R00-1	Prick and Centre Punch	•		
CP38R04-1	Self-Centring Punch	•		

NOTES



	1
······	
······································	
2.20	
······	
······································	
2	

255

09



GUTTING -SCRAPING -SAVIS

CONTENTS:

CUTTING & SCRAPING

MACSIMIZER [™] FILES AND SETS	2
COMFORT GRIP FILES AND SETS	2
PICKS, SCRAPERS AND SETS	2
RAZOR BLADE SCRAPERS	2
PUTTY KNIVES	2
TWEEZERS	2
SAWS	

HACKSAWS

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

LINKS Click the contents to move around the catalogue

MACTOOLS.CO.UK 0114 291 7266





MACSIMIZER[™] FILES

- Tri-lobal ergonomic design handle with thermal plastic elastomer over-mould to ensure firm grip
- Resistant to acid, fluids, and solvents
- Carbon tool steel with rust preventative coating



SMMF6 6 PIECE MACSIMIZER[™] MINI COMBINATION FILE SET

	PRODUCT #	DESCRIPTION	SET			
	SMMF6	6 Piece Macsimizer™ Mini Combination File Set				
	MMF1	— Mini Handle File	•			
	MMF2	Mini Warding File	•			
	MMF3	 Mini Half Round File 	•			
	MMF4	Mini Square File	•			
5	MMF5	Mini Round File				
	MMF6	A Mini Slim Taper Triangular File	•			

MACSIMIZER™ MILL FILES

PRODUCT #	DESCRIPTION	
MF6B	— 6" Mill File, Medium Handle	
MF12B	— 12" Mill File, Large Handle	



MACSIMIZER™ **ROUND FILES**

PRODUCT #

SMRF12

DESCRIPTION

• 12" Round File, Large Handle



TOOLS

SCF4AK 4 PIECE COMFORT-GRIP[™] **COMBINATION FILE SET**

PRODUCT #	DESCRIPTION	FILE DIMENSIONS IN. / MM	OVERALL LENGTH In. / Mm	SET
SCF4AK	4 Piece Comfort-Grip™ Combi	ination File Set		
HRF8A	 Half Round Bastard File 	8" x 7/32" / 203.2 x 5.6	12-1/2" / 317.5	•
MF8A	— Mill Bastard File	8" x 9/64" / 203.2 x 3.6	12-1/2" / 317.5	٠
RF8A	 Round Bastard File 	8" x 5/16" / 203.2 x 7.9	12-1/2" / 317.5	•
SF8A	Square Bastard File	8" x 5/16" / 203.2 x 7.9	12-1/2" / 317.5	•





SMF6A

6 PIECE COMFORT-GRIP[™] MINI COMBINATION **BASTARD-CUT FILE SET**

- Comfort-Grip[™] handles made of a solid core acetate plastic that is resistant to acids, fl uids and solvents for an extended life
- Mac Tools[®] logo is hot stamped for durability; won't wear off over time • Textured thumb rest positions hand for optimal torque
- Four-sided design for maximum torque; also prevents roll away
- · Features a textured surface for extra control
- · Carbon tool steel with rust preventative coating


PRODUCT #	DESCRIPTION	FILE DIMENSIONS IN. / MM	OVERALL LENGTH In. / Mm	SET
SMF6A	6 Piece Comfort-Grip™ Mini Combi	nation Bastard-Cut File Set		
MF1A	 Mini Half Round Bastard File 	4" x 1/8" / 101.6 x 3.2	6-5/8" / 168.3	•
MF2A	— Mini Mill Bastard File	4" x 3/32" / 101.6 x 2.4	6-5/8" / 168.3	•
MF3A	— Mini Flat Bastard File	4" x 3/32" / 101.6 x 2.4	6-5/8" / 168.3	•
MF4A	— Mini Extra Slim Taper File	4" x 5/32" / 101.6 x 4	6-5/8" / 168.3	•
MF6A	 Round Bastard File 	4" x 3/16" / 101.6 x 4.8	6-5/8" / 168.3	•
MF5A	Square Bastard File	4" x 5/32" / 101.6 x 4	6-5/8" / 168.3	٠















TOOLS


PRODUCT #	DESCRIPTION	BAR LENGTH In. / Mm	OVERALL LENGTH In. / MM			SI	ET		
6D(R,G,O)	16 Piece Mac-Grip™ Pick Set (Red,	Green, Orange)		_	_				
7D(R,G,O)	7 Piece Mac-Grip [™] Radiator Pick Se	et (Red, Green, Or	ange)						
5D(R,G,O)	5 Piece Mac-Grip™ Long Pick Set (R	ed, Green, Orang	je)						
5D(R,G,O)	5 Piece Mac-Grip™ Pick Set (Red, G	reen, Orange)							
4D(R,G,O)	4 Piece Mac-Grip™ Mini Pick Set (Re	ed, Green, Orango	e)						
L4D(R,G,O)	4 Piece Mac-Grip [™] Long Mini Pick S	et (Red, Green, O	range)						
1D(R,G,O)	Straight Pick	6" / 152.4	10-1/2" / 266.7			•			•
4D(R,G,O)	Hook Pick	6" / 152.4	10-1/2" / 266.7			•			•
9D(R,G,O)	90° Pick	6" / 152.4	10-1/2" / 266.7			•			•
1D(R,G,O)	Dual Angle Pick	6" / 152.4	10-1/2" / 266.7			•			•
21D(R,G,O)	Long Straight Pick	10" / 254	14-1/2" / 368.3				•		
22D(R,G,O)	Long 90° Pick	10" / 254	14-1/2" / 368.3				•		•
23D(R,G,O)	Long Compound Bend	10" / 254	14-1/2" / 368.3				•		•
24D(R,G,O)	Long Hook Pick	10" / 254	14-1/2" / 368.3				•		•
25D(R,G,O)	Long Offset Pick	10" / 254	14-1/2" / 368.3				٠		•
21D(R,G,O)	Miniature Straight Pick	3" / 76	6.3" / 160		٠				•
22D(R,G,O)	Miniature 90° Bent Pick	3" / 76	6.3" / 160		٠				•
23D(R,G,O)	Miniature Compound Bend Pick	3" / 76	6.3" / 160		٠				•
24D(R,G,O)	Miniature Hook Pick	3" / 76	6.3" / 160		٠				•
L21D(R,G,O)	Miniature Long Straight Pick	6" / 152.4	6.3" / 160	•					
L22D(R,G,O)	Miniature Long 90° Bent Pick	6" / 152.4	6.3" / 160	•					
L23D(R,G,O)	Mini Long Compound Bend Pick	6" / 152.4	6.3" / 160	•					
L24D(R,G,O)	Miniature Long Hook Pick	6" / 152.4	6.3" / 160	•					
P1D(R,G,O)	Hose And Clamp Pick	6" / 152.4	10-1/2" / 266.7					•	•
P2D(R,G,O)	Hose Puller	6" / 152.4	10-1/2" / 266.7					•	•
P3D(R,G,O)	Offset Hose Pick	6" / 152.4	10-1/2" / 266.7					•	
P4D(R,G,O)	Long Reverse Offset Hose Pick	10" / 254	14-1/2" / 368.3					•	
P5D(R,G,O)	Long Bent Offset Hose Pick	10" / 254	14-1/2" / 368.3					•	
P6D(R,G,O)	Long Offset Hose Pick	10" / 254	14-1/2" / 368.3					•	
9D(R,G,O)	Cotter Pin Puller	6" / 152.4	10-1/2" / 266.7			•			•
.70D(R,G,O)	90° Pick And Hook	5" / 127	10-1/2" / 266.7					•	•



PSL5DR

5 PIECE MAC-GRIP[™] LONG PICK SET

- Specifically-designed for ease of access into tight or unique spaces
 Providing leverage in close quarters,
- positioning or retrieval of parts
- Easily manoeuvre around obstacles that otherwise would be troublesome





PSM4DR 4 PIECE MAC-GRIP[™] MINI PICK SET

- Specifically-designed for ease of access into tight or unique spaces
- Providing leverage in close quarters, positioning or retrieval of parts
- Easily manoeuvre around obstacles that otherwise would be troublesome







IN VINYL POUCH

· Knurled aluminium sure-grip handle

DESCRIPTION

Handle

Angle Pick

Round Pick

O-Ring Pick

Straight Pick

Four-Way Pick Set in Vinyl Pouch

• Four knurled, tempered steel picks

· Corkscrew style "O" tip for

removing O-rings

PRODUCT #

PS4WA

PS4WA-1

PS4WA-2

PS4WA-3

PS4WA-4

PS4WA-5

S300A DOUBLE POINTED SCRIBER

- Straight and 90° angle point
- · High-carbon steel replaceable points
- Sure grip with knurled handle
- Overall Length: 9" (228.6mm)

S300A-1 (NOT SHOWN)

S300A-2 (NOT SHOWN) **90° REPLACEMENT PICK**



OVERALL LENGTH IN. / MM

5 x 5/16" / 7.9 x 127

3-1/2" / 88.9

3-1/2" / 88.9


3-1/2" / 88.9

3-1/2" / 88.9

SF1

.

.



PS23A

PS24A

CHP4LT **4 PIECE LED LIGHTED HOOK** AND PICK SET

- Durable carbon polished heat-treated steel hook, 90°, straight and complex picks
- · Ergonomic composite handle with on/off button
- High intensity LED light illuminates working end

Products also available separately.

PSCHP6L

- **6 PIECE HOOK AND PICK SET**
- Each hook and pick is made of high-carbon polished heat-treated steel
- · Cushioned grip will not slip in wet or oily hands
- · Ideal for separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers

PRODUCT #	DESCRIPTION	BAR LENGTH In. / MM	OVERALL LENGTH In. / MM	SET
PSCHP6L	6 Piece Hook and Pick Se	t		
PSCHPLE	Hook Pick	6" / 152.4	9-3/4" / 247.7	•
PSCHPLF	90° Pick	6" / 152.4	9-3/4" / 247.7	•
PSCHPLG	Straight Pick	6" / 152.4	9-3/4" / 247.7	•
PSCHPLH	Complex Pick	6" / 152.4	9-3/4" / 247.7	•
PSPHPLI	Combination Pick	6" / 152.4	9-3/4" / 247.7	•
PSPHPLJ	Double Angle Pick	6" / 152.4	9-3/4" / 247.7	٠

PSCHPLJ PSCHPLE PSCHPLH PSPHPLI PSCHPLG PSCHPLF

CHP4LT4 - COMPLEX PICK

CHP4LT3 - STRAIGHT PICK

CHP4LT2 - 90° HOOK PICK

CHP4LT1 - HOOK PICK



LT600PK **MASTER LOCK PICK SET**







S301 POCKET SCRIBER WITH MAGNETIC PICK-UP

- Retractable tip with magnetic end
- · Locks into position with a twist-off cover
- Tungsten carbide tip leaves clear mark
- Overall Length: 5-7/16" (138.1mm)

STRAIGHT REPLACEMENT PICK





COMFORT-GRIP[™] HANDLE SETS

DESCRIPTION	BAR LENGTH OVERALL LENGTH Description IN. / Mm IN. / Mm			SET			
4 Piece Pick Set with Cor	nfort-Grip™ Handles in I	Plastic Tray					
4 Piece Utility Tool Set with Comfort-Grip™ Handles							
3 Piece Scraper Set with	Comfort-Grip™ Handles						
1/2" Carbon Scraper	5-9/16" / 141.3	10" / 254	•				
Long Blade Scraper	7-1/4" / 184.2	11-3/4" / 298.4	•	•			
Cotter Key Puller	4-7/16" / 112.7	8-1/2" / 215.9		•			
Short Blade Scraper	3-11/16" / 93.7	8" / 203.2	•	•			
Scratch Awl	_	8-1/2" / 215.9					
Pick and Hook	2-13/16" / 71.4	7" / 177.8		•			
Straight Pick	2-13/16" / 71.4	5-7/8" / 149.2			٠		
90° Pick	2-13/16" / 71.4	5-7/8" / 149.2			•		
Offset Pick	2-13/16" / 71.4	5-7/8" / 149.2			٠		
Hook Pick	2-13/16" / 71.4	5-7/8" / 149.2			•		









CSTS540

CSTSS4(G,O) 4 PIECE STRIKABLE SCRAPER SET

PRODUCT #	DESCRIPTION	SET
CSTSS4(G,O)	4 Piece Strikable Scraper Set - Red	
CSTS05(G,0)	Strikable Scraper 1/2"	•
CSTS07(G,0)	Strikable Scraper 3/4"	•
CSTS1.0(G,O)	Strikable Scraper 1"	•
CSTS1.5(G,O)	Strikable Scraper 1-1/2"	•



2 PIECE CARBON SCRAPER SET

- Designed to remove gasket residue from steel and aluminium heads and manifolds, along with carbon build-up and even rust
- Can be used to clean disc brake caliper slides
- Tungsten carbide tips are brazed to the steel blade that is moulded into the comfortable 6" long handle

Two blade widths, 1-1/4" and 5/8" to work on many applications
Tips remain very sharp and are

precision ground
Use caution when using scraper on aluminium to avoid scratching the surface <mark>SS10</mark> Neon Mini Razor Blade Scraper

• (R) Red • (G) Green

· (Y) Yellow



• (P) Purple

PK2A PUTTY KNIFE

- Finest high-carbon steel, each piece individually hardened, tempered, precision-ground, and mirror-finished
- Durable nylon handle resistant to common paint thinners
- Large grommet hole for hanging
 One-piece blade construction

	PRODUCT #	BLADE WIDTH In. / MM	OVERALL LENGTH In. / Mm
2	PK2A	1-5/16" / 33.3	7-1/2" / 190.5

SB1000 SEAM BUSTER

- Save up to 15 minutes per panel replacement
- For quarter panels, rockers, and any other pinch weld
 Sharpened on two edges
- The sharp end allows for penetration between the panels and the side edge allows for side impact to drive the panels apart without damage
- Super tough alloy steel
- Cushioned handle absorbs shock



L81780



MS3000 3 PIECE SCRAPER SET

- Set of three scrapers: 13", 8", and 4"
- Five extra blades
- Durable carrying case

SS1200 11" EXTENDED SCRAPER

- Comes with five stainless steel blades and a plastic blade
- Knurled, slotted thumbscrew

• Hills and

Hollow handle stores all blades

265





TZ05600 7 PIECE TWEEZER SET IN VINYL ZIPPERED POUCH

• All stainless steel construction

PRODUCT #	DESCRIPTION	OVERALL LENGTH In. / MM	SET
TZ05600	7 Piece Tweezer Set in Pouch		
TZ05601	Self-Closing Heat-Resistant Tweezer	6" / 152.4	•
TZ05602	Sharp Pointed Utility Tweezer	7" / 177.8	•
TZ05603	Weighted Solder Tweezer	6" / 152.4	•
TZ05604	Slide Locking Tweezer	6" / 152.4	•
TZ05605	Curved Head Utility Tweezer	6-3/4" / 171.5	•
TZ05607	Spade Pointed Tweezer	4-1/2" / 114.3	•
TZ05612	Pointed Tweezer	4-3/8" / 111.1	•

2


ET8041 6" MANTUS Tweezer Pliers

Interlocking serrated gripping tips

Grips wires, gaskets, tubes, tools, terminals and more











HSB1224A-I 10 PACK 12" HACKSAW BLADES

- Bi-metal blades
- Fits most hacksaw frames
- 24-Tooth



AUTOMOTIVE SPECIALITY

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

LINKS Click the contents to move around the catalogue





A/C LEAK DETECTION
A/C SERVICE TOOLS
BATTERY & RADIATOR
ELECTRICAL SYSTEM TESTERS
BATTERY SERVICE
COOLING SYSTEM SERVICE
BRAKE & WHEEL
TYRE INFLATION
AXLE NUT SOCKETS
WHEEL NUT SOCKETS
BRAKE TOOL SETS
TUBING CUTTERS
FLARING TOOLS
BRAKE SPRING TOOLS
BRAKE PAD TOOLS
BRAKE BLEEDERS
DIAGNOSTICS
CIRCUIT AND FUSE TESTERS
TEST LEADS AND ACCESSORIES
SOLDERING TOOLS
RELAY SERVICE KITS
TRAILER CONNECTOR MAINTENANCE
TERMINAL REPAIR
LEAK EVAP DETECTORS

MACTOOLS.CO.UK 0114 291 7266

	PAINT & BODY		
70	TIN SNIPS	305	
71	SPRAYING	305	
	EQUIPMENT	306	
72	HAND TOOLS	307	
73	AIR HAMMER TOOLS	314	
74	WELDING AND CUTTING	314	
	SPECIALITY TOOLS		
78	DRIVE TRAIN	315	
30	IGNITION	322	
82	FUEL	324	
34	EMISSIONS	326	
34	TESTING	327	
86	PULLERS	330	
87	EQUIPMENT	333	
87	STEERING & SUSPENSION		
89	BALL JOINT TOOLS	336	
	TIE ROD TOOLS	337	
30	ALIGNMENT TOOLS		
94	STEERING TOOLS		
98	GREASE GUN TOOLS	340	

301

299

302

304

11





Backlit display

PRODUCT #	ACCURACY	BATTERY LIFE Approx. Hours	DISPLAY Illumination	EMISSIVITY	FIELD OF View Ratio	MODES	NON-CONTACT Temperature Range	POWER OFF	RESOLUTION	RESPONSE Time	TARGET Indicator
AC52225C	±2% of reading	180	Backlit Colour LCD	0.95	12:1	MAX	-76° to 1022°F (-60° to 550°C)	Auto after 15 seconds	0.1°F/ 0.1°C	1 Second	Dual Laser Spot

AIR CONDITIONING A/C SERVICE TOOLS

AC72475 **UNIVERSAL HYDRAULIC** FLARING TOOL KIT

 Fabricates push-connect 1/4," 5/16," and 3/8"; for use with GM[®] fuel line flares, brake lines and transmission 5/16" and 3/8"; flare/double flare 3/16," 1/4," 5/16," 3/8," and 1/2"; metric bubble flare 4.75mm, 6mm, 8mm, and 10mm



DESCRIPTION

2 Piece Tubing Cutter Kit

AC70089A **2 PIECE TUBING CUTTER KIT**

INCLUDES:

- TCM130B Cutting Wheel Cuts hard or soft copper, aluminium, brass, thin wall steel, and stainless steel tubing. Heavy-Duty mini cutter is designed for
- applications with limited working space TC126A Cutting Wheel
- Cuts copper, aluminium, or thin wall steel tubing. Clean right angle cuts with no burs or chips

TCM130B

TUBING CUTTER 1/8" - 5/8"

- Heavy-duty mini cutter is designed for applications with limited working space
- Cuts copper, aluminium, brass, thin-wall
- steel, and stainless steel tubing 1/8" 5/8"

PRODUCT #

AC70089A

TC126A

TCM130B

TC126A TUBING CUTTER 1/8" - 1-1/8"

- Cuts copper, aluminium or thin-wall steel
- · Makes right angle cuts with no burrs or chips









TCM130B





MT3809A / MT3809A-OR / MT3809A-GR **40-1200 CCA ELECTRONIC BATTERY AND SYSTEM TESTER**

- · Features an operating range of 7-15V and the capacity to test batteries rated between 40-1200 CCA
- · It adds the convenience of starting and charging system testing and offers quick assessment, providing both a numerical result and a pass/fail result
- · Reverse polarity and over-voltage protection
- Small, portable, pocket-sized
- Tests multiple battery types
- Wide operating range

BT3180D **DIGITAL BATTERY LOAD TESTER /** CHARGING SYSTEM ANALYSER

- · Performs state of charge, battery load test,
- and starting system test
- Microprocessor controlled 12V Only
- 100-Amp Load test

B120BDM OBDII MEMORY SAVER

- Developed to protect the internal memory of the car when the battery is disconnected. (radio, diagnosis code ...)
- This unit is connected via the OBDII port of the car to the booster, which acts as an external battery
- For all 12 Volt vehicles
- 16 point OBD plug. OBDS / EODS

BATTERY & RADIATOR **BATTERY SERVICE**

L54150 **BATTERY TERMINAL /** WIPER ARM PULLER

- Removes battery terminals and bolted on wiper arms
- · Tighten knurled cone to force jaws under the cable clamp
- Turn centre screw to lift clamp off terminal Also removes bolted on windshield wiper arms that fit over a tapered spline
- The puller screw pad is designed to fit the top of the spline post for easy pulling



BPKIT2 **7 PIECE BATTERY TOOL KIT**

PRODUCT #	DESCRIPTION
BPKIT2	7 Piece Battery Tool Kit
BTB541	4-in-1 Terminal Cleaner
BCS720	Battery Terminal Spreader/Clea
BP21K	Battery Terminal Lifter
BP23K	Battery Terminal
BP25K	Battery Pliers
BP26K	Battery Terminal Ratchet
BP27K	Battery Terminal Ratchet Exter

BT3180D

15A SMART BATTERY CHARGER

- 100% Automatic
- · Charge all lead acid batteries: liquid, VLRA, AGM, gel
- · Start, Stop battery, and vehicles compatible
- 6-Language interface
- · Polarity inverting protection
- Wrong voltage protection
- No Spark technology · 8-Step intelligent charging program
- Battery maintainer mode
- Output voltage limited at 14.7V
- Advanced showroom mode









BT12 BATTERY HYDROMETER

- Small tip permits easy entry into small 12V batteries
- Temperature compensating
- Accurate to within .003 gravity points

BCC796 **BATTERY CABLE CUTTERS**


- Precision-ground blades cleanly cut without distorting soft copper cable
- 6" (152.4mm) handles for extra pressure
- Ground blade guide to minimize deflection
- · Jam nut on joint to maintain even pressure on ground inside surface of blades
- Capacity: Up to and including 2/0 cable
- Overall length: 9" (228.6mm)





MTPROG **12V PRO BOOSTER PACK**

- · Integrated battery charger within the booster
- · Power fuse for increased safety & protection against short circuit or overcharge
- · Updated heavy duty clamps
- · High current capability for use on old / worn engines
- · Light, workshop fluid resistant casing with easy transport handle



_



BATTERY & RADIATOR

BATTERY & RADIATOR COOLING SYSTEM SERVICE

BR6 **BATTERY TERMINAL RESHAPER**

• Reshapes negative and positive posts while improving electrical connections One tool provides a perfect match for posts and terminal clamps





· Protective cover fits both ends · Clean top terminals and top posts

• Ensures a great connection between battery cable and battery

107A **PROPYLENE GLYCOL** ANTIFREEZE TESTER



· Tests all propylene glycol based antifreeze including Sierra®

- The number of floating discs indicates the degree of coolant protection
- · Temperature compensating with

both Fahrenheit and centigrade scales

· Durable break-resistant plastic housing

TP727B REFRACTOMETER WITH AUTOTEMP

- Test propylene glycol including Sierra[®]
- Test ethylene glycol including Dexcool[®]
- · Calibration adjustment screw
- · Auto-temperature adjustment
- Adjustable lens focus

SCALE RANGE:

- E: -64° to 0° C
- P: -51° to 0° C
- B: 1.100 to 1.400sg



COOLING SYSTEM SERVICE

UCT750C **UNIVERSAL COOLING SYSTEM PRESSURE TESTER**

- · Universal radiator adapter that fits every vehicle, eliminating the need
- for multiple adapters forever
- · Elastomeric adapters are engineered with varying durometer ratings, ensuring maximum versatility and performance
- · Expands to fit every vehicle and works with any pressure pump



PT730MB **COOLING SYSTEM** PRESSURE TESTER

- Test all systems from 4 PSI to 30 PSI caps and 1.36kg to 13.6kg (3 lb. to 30 lb.)
- · Large special coated barrel quick pump
- Easy-to-read professional 2-1/2" gauge
- Compatible with all testing adapters offered by Mac Tools®







106A ETHYLENE GLYCOL ANTIFREEZE TESTER

- Tests all ethylene glycol based antifreeze including Dexcool®
- · Temperature compensating with both Fahrenheit and centigrade scales
- · Durable break-resistant plastic housing

17972 4.5 GALLON **OVAL DRAIN PAN, BLACK**

- For easy transfer of liquids
- 6.25" pan height to fit tight spaces
- · High-density polyethylene material
- is resistant to chemicals and solvents
- · Easy-to-clean



FEATURES

- High carbon, heat-treated steel construction
- Positive clamping without springs or adjustments
- For pinching off flexible fuel, brake, and vacuum hoses
- Black-oxide finish

HCP554 **MINI HOSE PINCH-OFF PLIERS**

HCP555 AUTOMATIC PINCH-OFF PLIERS

HCP556 **HEAVY-DUTY LARGE AUTO PINCH-OFF PLIERS**

PRODUCT #	O.D. CAPACITY	OVERALL LENGTH	WEIGHT [OZ.]
HCP554	3/4"	5-1/2"	4
HCP555	1-3/4"	9-1/4"	12.5
HCP556	2-1/2"	13-3/4"	19

COOLING SYSTEM SERVICE



STANDARD STRAIGHT HOSE CLAMP PLIERS • Standard straight hose clamp pliers

for removal of metal or plastic

self-tightening hose clamps

11/16" - 2-1/2"

HC HC HCF

HP

HP

PISTOL-GRIP PINCH OFF PLIERS

- Angled design allows for access to areas some straight pliers cannot reach
- Self-locking mechanism holds pliers to hose with a simple squeeze



HOSE AND FUEL LINE REMOVAL PLIERS

1/2" vacuum and fuel hoses

P0P11 SMALL PISTOL-GRIP **PINCH-OFF PLIERS**



276



P0P13 LARGE PISTOL-GRIP **PINCH-OFF PLIERS**





HCP734A FLAT BAND HOSE **CLAMP PLIERS**

• Use to install and remove flat type hose clamps · Pliers latch in position to hold clamp • Swivel jaws grip at any angle

HC4SET 4 PIECE HOSE CLAMP PLIERS SET

• One-hand locking style

- Access open hard-to-reach flat band hose clamps
- · Pinch and lock closed vent, radiator, vacuum, and fuel hoses/lines
- · Pinches off and locks rubber tubing or lines
- · The round nose profile prevents damage of hoses

	·	and the second second			
RODUCT #	DESCRIPTION	SIZE	JAW THICKNESS	THROAT Depth	SET
4SET	4 Piece Hose Clamp Pliers Se	t			
P900	Locking Hose Clamp Pliers	7"	-	-	٠
P901	Locking Hose Clamp Pliers	9"	-	-	٠
P900	Pinch-Off Pliers	7"	1/4"	1"	•
P901	Pinch-Off Pliers	9"	1/4"	4"	٠



MC4200 **MULTI-CUTTER WITH REVERSIBLE BLADE**

• Cuts flexible hose up to 1-1/4" · Comes with loop for safe storage · Double-sided long-lasting blade





MAC VIS



PSR7DR

7 PIECE MAC-GRIP[™] RADIATOR PICK SET

· Specifically-designed for ease of access into tight or unique spaces, providing leverage in close quarters, positioning or retrieval of parts and easily manoeuvre around obstacles that otherwise would be troublesome

PRODUCT #	DESCRIPTION	BAR LENGTH In. / Mm	OVERALL LENGTH In. / Mm	SET
PSR7DR	7 Piece Mac-Grip [™] Radiator Pick Set - Red			
RADP1DR	Mac-Grip™ Hose And Clamp Pick - Hi-Vis	6" / 152	10-3/4" / 273	٠
RADP2DR	Mac-Grip™ Hose Puller - Hi-Vis	6" / 152	10-3/4" / 273	•
RADP3DR	Mac-Grip™ Offset Hose Pick - Hi-Vis	6" / 152	10-3/4" / 273	•
RADP4DR	Mac-Grip [™] Long Reverse Offset Hose Pick - Hi-Vis	10" / 254	14-3/4" / 375	•
RADP5DR	Mac-Grip [™] Long Bent Offset Hose Pick - Hi-Vis	10" / 254	14-3/4" / 375	•
RADP6DR	Mac-Grip [™] Long Offset Hose Pick - Hi-Vis	10" / 254	14-3/4" / 375	•
SWL70DR	Mac-Grip [™] 90° Hook And Pick - Hi-Vis	5" / 127	9-3/4" / 248	•



QLC90

TYRE CHUCK QUICK-LOCK

- 90° Lock-on chuck
- Quick-release knob
- Closed end valve style for air supply directly from air line • 1/4"-18 FNPT with 5/8" hex nut
- Overall length: 5-9/16"

TG400 LOCKING

- **STRAIGHT-ON CHUCK**
- Dual foot 1/4" Female NPT
- Deep well lock
- · Locks on valve when tilted For hard-to-reach valves

Comfort-Grip[™] handle S444

TG570

VT43P

DUAL END

TYRE GAUGE - 12"

30° Reverse chuck

Range: 10 - 150 PSI

VALVE CORE TOOL

Slotted end removes and

replaces valve cores Operates like a screwdriver

• Use on Budd style tyre valves

2-IN-1 COMBINATION **VALVE CORE TOOL**

• One end for large bore, one end for standard sizes Heavy-duty firm grip



DT150-38CV **DIGITAL TYRE GAUGE** WITH STRAIGHT CHUCK

- Range: 0 160 PSI
- 2" Dial with 17-1/2" hose
- Temperature and pressure
- compensation
- Bleed feature
- Increments of 1.0 PSI









14100470 **TYRE VALVE INSTALLER**

- · Swivel head screws onto cap thread of tyre valve
- Handle is used as a lever to pull tyre valve into rim hole
- Overall length: 11-3/4"

S445 **VALVE REPAIR TOOL**

- · Re-threads inside and outside of valve stem
- Inserts or removes cores
- · Provides quick, easy removal of broken cores

TDG120 DIAL TYRE 2-IN-1 GAUGE

- Fully-geared 1/32"(1mm) increment precision brass movement
- Shock-absorbing protective cover
- Pressure Range: 8-120 PSI
- · 2 PSI (20 kPa) Increments
- Tread Depth Range: 0-15/32" (0-12mm)
- Dial: 2" (50.8mm)



TGD100AA DIAL TYRE PRESSURE GAUGE

- Large 2" (50.8 mm) dial
- 14" (355.6 mm) hose
- · Reads in pounds per square inch (PSI) and kilopascal (kPa)
- Bleeder valve

BRAKE & WHEEL AXLE NUT SOCKETS

AS4549B

3 PIECE 1/2" DRIVE AXLE NUT SOCKET SET - 12-PT.

- Featuring 39mm socket applications: 2008 - '10 Toyota® Land Cruiser; 2008 - '10 Toyota® Sequoia; 2007 - '10 Toyota® Tundra; 2008 Lexus® LX 570
- Most popular axle nut sockets for larger automobiles and SUVs
- Blow-moulded case

PRODUCT #	DESCRIPTION		DESCRIPTION [MM]	
AS4549B	3 Piece 1/2" Drive Axle Nut Socket Set - 12-I	PT.		
454930	Axle Socket - 12-PT.	30		
454936	Axle Socket - 12-PT.	36		
454939	Axle Socket - 12-PT.	39		



3 PIECE 1/2" DRIVE THIN-WALL IMPACT SOCKET SET - 6-PT.

• Covers three of the most common wheel lug sizes on the market today • Thin-wall design allows access to wheel lugs where standard sockets will not fit

EXT3 (NOT SHOWN) **3" IMPACT EXTENSION**

PRODUCT #	DESCRIPTION	DRIVE Size	SIZE
TFL3-SET	3 Piece 1/2" Drive Thin-Wa	II Impact So	cket Set - 6-PT.
TFL-1921	Thin Wall Impact Socket	1/2"	19-21mm
TFL-3413	Thin Wall Impact Socket	1/2"	3/4"-13/16"
TFL-7815	Thin Wall Impact Socket	1/2"	7/8"-15/16"

TTWP

TRUCK AND TRAILER WHEEL PAN

- Fits tyre rims with 13-3/4" I.D. and larger
- · Handle compartments hold hub nuts out of the oil
- · Made of polypropylene for durability
- · Capacity: 88 oz.



STLSC-SET WHEEL STUD CLEANING KIT

- · Allows for quick and easy stud cleaning
- Designed to be used with a cordless drill • Contains ½" drive hex bit, ½" drive quick
- change adapter, and six brush heads Includes brush/stud sizes: 12mm (7/16"),
- 14mm (9/16"), 16mm (5/8"), 22mm (7/8"), and 28mm (1-1/8")





8 PIECE 1/2" DRIVE AXLE NUT SOCKET SET - 12-PT.

 Fits axle nuts and automatic transmission tail output shafts on Toyota[®], Lexus[®], Chrysler[®], Dodge[®], Jeep[®], Audi[®], VW[®], and BMW[®], as well as many other makes Blow-moulded case



- 7 PIECE 1/2" DRIVE AXLE NUT SOCKET SET - 6-PT.
- 1/2" drive chrome-molybdenum sockets for heavy-duty use Blow-moulded case

STLWH2 **TRUCK WHEEL HUB CLEANING TOOL**

 Impact rated • Removes rust, corrosion and other build-up from wheel stud, drums and tyre rim. · Replacement cleaning discs available

STLWH2PD

6 PACK TRUCK WHEEL HUB CLEANING TOOL **REPLACEMENT PADS**





• Extra deep to fit over various axle lengths · Works where standard sockets won't

PRODUCT #	DESCRIPTION	MM
AS4548B	8 Piece 1/2" Drive Axel Nut Socke Set - 6-PT.	t
454829	Axle Nut Socket - 6-PT.	29
454830	Axle Nut Socket - 6-PT.	30
454832	Axle Nut Socket - 6-PT.	32
454834	Axle Nut Socket - 6-PT.	34
454835	Axle Nut Socket - 6-PT.	35
454836	Axle Nut Socket - 6-PT.	36
454838	Axle Nut Socket - 6-PT.	38
454839	Axle Nut Socket - 6-PT	39

8 PIECE 1/2" DRIVE AXLE NUT

SOCKET SET - 6-PT.

· Installs axle nuts on front axle hubs

• Durable impact-grade alloy steel

AS4548B



PRODUCT #	DESCRIPTION	SIZE [MM]
HT976B	8 Piece 1/2" Drive Axle Nut Socke Set - 12-PT.	t
97629	Axle Nut Socket - 12-PT.	29
97630	Axle Nut Socket - 12-PT.	30
97632	Axle Nut Socket - 12-PT.	32
97634	Axle Nut Socket - 12-PT.	34
97635	Axle Nut Socket - 12-PT.	35
97636	Axle Nut Socket - 12-PT.	36
97638	Axle Nut Socket - 12-PT.	38
97639	Axle Nut Socket - 12-PT.	39

PRODUCT #	DESCRIPTION	SIZE MM		
AS4547C	7 Piece 1/2" Drive Axle Nut Socket Set - 6-PT.			
454729	GM®, Ford®, Asian	29		
454730	454730 GM®, Asian			
454732	454732 Honda [®] , Chrysler [®]			
454734	GM®	34		
454735	GM®	35		
454736	GM [®] , Ford [®] , Chrysler [®]	36		
454738	Full-Size and SUVs	38		



STLWH1 WHEEL HUB CLEANING TOOL

• Attaches to 1/2" drive impact wrench · Resurfaces brake rotor hub section for a cleaner mating surface with the wheel

STLWH1PD

6 PACK WHEEL HUB CLEANING TOOL REPLACEMENT PADS





3TWSS 3 PIECE WHEEL PROTECTIVE SOCKET SET

- · Thin wall design for tight access wheel lug openings
- · Polypropylene sleeve protects high end alloy wheels
- · Polypropylene insert protects lug nuts from damage Colour coded sleeves for easy identification
- Includes: 17, 19 & 21mm

WBRI904 22 PIECE WHEEL BEARING REPLACEMENT KIT

- · For use on front wheel drive cars and light trucks
- · The wheel bearing adapters allow the user to replace the wheel bearings with the steering knuckle and strut assembly intact on the vehicle
- Eliminates the need for a front end alignment once completed

INCLUDES:

- 13 x Bushings
- 4 x Sleeves
- 2 x Sleeve Plates • 1 x Sliding Screw
- 1 x Nut
- Washers



DBL6-SETA **6 PIECE DOUBLE-DUTY FLIP SOCKET SET**

• One end is a standard 6-PT. socket

• Other end is a twist socket, damaged wheel lug remover

PRODUCT #	DESCRIPTION	NOMINAL Size in.	NOMINAL Size MM.
DBL6-SETA	6 Piece Double-Duty Flip Socket S	et	
DBL-13A	Double-Duty Flip Socket	13/16"	-
DBL-17MA	Double-Duty Flip Socket	-	17
DBL-19MA	Double-Duty Flip Socket	-	19
DBL-21MA	Double-Duty Flip Socket	-	21
DBL-78A	Double-Duty Flip Socket	7/8"	-
EXT3	3" Impact Extension	-	-



STFL3SET **3 PIECE THIN WALL FLIP SOCKET SET**

- Dual-sided flip sockets cover the four most common metric lug nut sizes
- Plastic sleeves to protect wheels
- Thin wall design provides greater access than standard wheel lug sockets
- · Set includes 3" impact extension

INCLUDES:

 2 x Sockets • 1 x 3" Impact extension



WHEEL NUT SOCKETS

TFL6-SET **6 PIECE THICK AND THIN FLIP SOCKET SET**

• One end is a standard wall 6-PT., the other is a thin wall 6-PT. socket of the same size



WTE1470 / WTE1463 WHEEL TORQUE EXTENSION SETS

PRODUCT #	COLOUR	RATING FT-LBS.	SIZE	SE	T
TE1470	7 Piece Wheel Torque Extension Set				
TE1463	5 Piece Wheel Torque Extension Set				
TE1463-C	Gray	100	1/2"	•	•
TE1463-E	Blue	80	1/2"	•	•
TE1463-F	Yellow	65	1/2"	•	•
TE1463-I	White	120	1/2"	•	•
TE1463-K	Purple	110	1/2"		•
TE1463-Q	Aqua	140	1/2"	•	•
TE1463-BB	Orange	160	1/2"		•

282



MAL





PRODUCT #	DESCRIPTION	NOMINAL Size in.	NOMINAL Size Mm.	SET
TFL6-SET	6 Piece Thick and Thin Flip Socket	Set		
TFL-13	Flip Socket	13/16"	_	•
TFL-17M	Flip Socket	-	17	٠
TFL-19M	Flip Socket	_	19	٠
TFL-21M	Flip Socket	-	21	٠
TFL-78	Flip Socket	7/8"	_	٠
EXT3	3" Impact Extension	_	_	•



WTK1503 9 PIECE 1/2" DRIVE WHEEL TORQUE SET

PRODUCT #	COLOUR	RATING FT-LBS.	SIZE IN.	SIZE MM
WTK1503	9 Piece Whee	l Torque Maste	r Set	
WTK1503-A	Brown	100	13/16"	-
WTK1503-B	Orange	80	-	21
WTK1503-C	Gray	100	3/4"	19
WTK1503-E	Blue	80	3/4"	19
WTK1503-F	Yellow	65	3/4"	19
WTK1503-G	Red	80	-	17
WTK1503-I	White	120	7/8"	-
LOC1500Q*	Aqua	140	7/8"	-
LOC1500BB*	Turquoise	150	-	21

*Not available as an individual SKU

BRAKE & WHEEL BRAKE TOOL SETS

L44800 **HEAVY-DUTY BRAKE SPRING TOOL**

• Removes and installs larger springs that don't use an anchor pin

· Also works on springs with an anchor pin





BT97841A **COLOUR-CODED DISC BRAKE** LINING GAUGE

- · Easily identifies if pads are still good (green),
- should be watched (yellow), or need replacement (red) Excellent for your customer to understand why a brake iob is necessary

L48400 **BRAKE CLIP TOOL** · For import cars with brake

shoe hold-down clips

CF330 4-IN-1 HONE KIT

INCLUDES:

- Adjustable Foreign Car Brake Hone, 1/2" - 2-1/4" (12.7mm - 57.2mm)
- · Adjustable Disc Brake Cylinder Hone,
- 1-1/4" 3-1/2" (31.8mm 88.9mm)
- Adjustable Brake Cylinder Hone. 3/4" - 2-1/2" (19.1mm - 63.5mm)

BP6596

DISC PAD MEASURING TOOL

Adjustable Small Engine Cylinder Hone, 1-1/4" - 3-1/2" (31.8mm - 88.9mm)

Convenient Storage Box

- Colour-coded brake pad gauge allows for a definitive measurement of brake pads to determine remaining life Unique design allows for measurement on the vehicle
- without the removal of any components





TB410 TUBING BENDER PLIERS

• Bends 3/16", 1/4", 5/16", and 3/8" copper and steel tubing without kinking or collapsing

INCLUDES: • 2 x Investment Cast Adapters

TB441 3/16" TUBING BENDER PLIERS

 Head design bends tubing without collapsing the tube or marking the tube surface Handles are more than 3-1/4 apart for proper leverage, even when handling steel tubing

• Bends 3/16" brake lines in tight spots without kinking or flattening · Bends all types of 3/16" O.D. tubing



TUBING CUTTERS

TC030 TUBE CUTTER 3/8" - 1-1/8"

- · Heavy-duty mini cutter designed for
- applications with limited work space
- Cuts copper, aluminium, brass, thin
- wall steel, and stainless steel tubing · Cuts tubing 3/8" to 1-1/8" in diameter

70034-1 (NOT SHOWN)

REPLACEMENT CUTTING WHEEL FITS TC030



TTC157 TENSION TUBE CUTTER 3/16" - 7/8" (5MM - 22MM)

- · The constant pressure tube cutter utilizes a spring to keep consistent compression on the cutting blade to the tube
- · Allows the user to cut through thin walled steel tubing without having to continually
- tighten or readjust the cutter
- Accepts a tubing range of 3/16" 7/8" (5mm - 22mm)

TTC158


TENSION TUBE CUTTER 1/8" - 1-1/8" (3MM - 30MM)

- · The constant pressure tube cutter utilizes a spring to keep consistent compression on the cutting blade to the tube
- · Allows the user to cut through thin walled steel tubing without having to continually
- tighten or readjust the cutter · Accepts a tubing range of 1/8" - 1-1/8" (3mm - 30mm)

284











AC70089A **2 PIECE TUBING CUTTER KIT**

PRODUCT #	DESCRIPTION		
AC70089A	2 Piece Tubing Cutter Kit		
TC126A	Heavy-Duty Tube Cutter 1/8" To 1-1/8" (3-28mm) O.D. Tubing (1/4" - 1" Nominal)	•	
TCM130B	Mini Tube Cutter 1/8" To 5/8" (3-16mm) O.D. Tubing (1/8" - 1/2" Nominal)	•	



TCM130B

TC126A TUBING CUTTER 1/8" - 1-1/8"

- · Cuts copper, aluminium or thin-wall steel
- Makes right angle cuts with no burrs or chips

TCW062 (NOT SHOWN) **REPLACEMENT CUTTING WHEEL** FITS TC126A

TCM130B **TUBING CUTTER 1/8" - 5/8"**

- · Heavy-duty mini cutter is designed for applications with limited working space
- · Cuts copper, aluminium, brass, thin-wall steel, and stainless steel tubing 1/8" - 5/8"

TCW030 (NOT SHOWN) **REPLACEMENT CUTTING WHEEL** FITS TCM130B

BRAKE & WHEEL **FLARING TOOLS**



FT158A-3 (NOT SHOWN)

ADAPTER

5/16" DOUBLE FLARING

AC72475

FLARING TOOL KIT

8mm, and 10mm

and 3/8"; GM® fuel line flares,

and 3/8": flare / double flare

FT158B **DOUBLE FLARING TOOL**

- · Flares soft steel and copper tube
- Includes five adapters: 3/16", 1/4", 5/16", 3/8", and 1/2"
- Reamer to remove burrs
- Forged wing nuts for strength



FS242 COMBO FLARING TOOL KIT

· Works on aluminium, copper, and soft steel tubing

INCLUDES:

 All Adapters and Tools Necessary for Single and Double Flaring (Standard and Metric) • 1 x ISO Bubble Flare

FT159B **METRIC DOUBLE**

FLARE TOOL

- · Will flare soft steel and copper tube
- · Features forged wing nuts for strength

INCLUDES:

- 1 x Reamer to Remove Burrs from Cut Tubing
- 5 x Adapters 4.75, 5, 6, 8, and 10mm



HTBFT **BRAKE LINE FLARING** TOOL 3/16" X 4.75MM

- Flares 3/16" and 4.75mm tubing for Bubble or double flares • Easy grip handle makes
- flares on the vehicle easy · Easy line up hole for the tubing





BSP592 TRUCK BRAKE SPRING PLIERS

· Designed to remove and install the brake shoe return springs on medium-duty and heavy-duty drum brakes

BRAKE SPRING TOOLS




C7A

S14AP

15/16" BRAKE SHOE RETAINING SPRING COMPRESSOR


- For Bendix[®] brakes
- Larger Bendix[®] springs





CVB3080 **CV BOOT CLAMP** PLIERS EAR-TYPE

· For all ear-type clamps, including late model GM[®] front wheel outboard CV joints











BST4510 BRAKE SPRING TOOL

• Designed for import car brake return springs • Removes and installs import and domestic brake springs that don't use an anchor pin

BRAKE ADJUSTING SPOONS

ODUCT #	BLADE WIDTH In. / Mm	MAKE	OVERALL LENGTH In. / Mm
P	1/2" / 12.7	Chevrolet®	6" / 152.4
P	17/32" / 13.5 3/8" / 9.5	_	7" / 177.8
iP	17/32" / 13.5	Oldsmobile®	9" / 228.6
1 P	1/2" / 12.7	Trucks	16-3/4" / 425.5

\$75F

S181F

CVB3050 **CV BOOT CLAMP** PLIERS EARLESS-TYPE

C P. C · Designed for use on earless-type clamps, including those found on late model GM® inboard CV joints

BRAKE & WHEEL BRAKE PAD TOOLS



DBPS257 DUAL PISTON BRAKE PAD SPREADER

- · Compresses dual brake pistons simultaneously
- · Makes dual piston pad replacement a simple job



- Fast acting plunger compresses disc brake pistons in seconds
- · Makes brake pad replacement an easy job



4-IN-1 BRAKE PAD SPREADER

- · For both fixed and floating calipers
- · Fixed calipers: Twin and quad piston
- Floating calipers: Single and twin piston
- · Ensures parallel piston retraction on dual and quad piston calipers
- · Single lever mechanism used to apply and release force for ease of operation and faster service

DBC5000

UNIVERSAL CALIPER TURN AND PUSH-BACK TOOL

· Compresses any size brake caliper, from motorcycles, standard size cars. trucks and SUVs, and even 18 wheelers • A 3/8 ratchet can be inserted on the

BRAKE PAD TOOLS

- end of the tool for much easier use · Can also perform front brake jobs
- by flipping the head around
- · Eliminates need for sets with high piece counts



BHS2 **2 PIECE ORANGE CALIPER**

· Holds brake calipers out of your way during brake, bearing, suspension, or axle work

HANGER SET

· Reduces possible brake hose damage

7PBWS

- 7-PC. BRAKE WRENCH SET
- · Ideal for bleeding brake and hydraulic clutch
- systems without removing the wheels · For universal bleeder nipples
- · 3' silicon hose with check valve for
- one-person brake bleeding

INCLUDES:

• 7, 8, 9, 10, 11, 12mm, and 3/8"

BCS700 7 PIECE DISC BRAKE CALIPER SET

- Ideal for most brake applications
- S2 Industrial Strength Bits

INCLUDES:

- Hex Sizes 1/4", 5/16", 3/8", 8mm Plus T40, T45, and T50
- Blow-moulded case

BCTBT **BRAKE CALIPER TURN-IN TOOL**

- Designed to rotate brake pistons back into the caliper on vehicles with self-adjusting parking brakes
- · Replaces kits that contain up to 20 parts by having universally adjustable 2- and 3-pin configuration
- Fits on a standard 1/4" ratchet or breaker bar and works on both right- and left-hand pistons
- Works on most domestic and import vehicles that have self-adjusting parking brakes

2790470

4-IN-1 BRAKE CALIPER PRESS

- · Works on single, dual and quad calipers · Centrally distributes force to
- prevent misalignment of pistons
- 360° Ratchet swing allows
- access at any angle
- Extended reversing lever allows for easy change from spreading to retracting



PB10500 PARKING BRAKE CABLE **COUPLER PLIERS**

- · Used on light/medium-duty trucks, SUV's & vans with drum or disc brakes, usually rear wheel drive
- · This set of angled pliers is heat treated and 14" length to safely separate the mid-cable coupler from the cable end

BRAKE & WHEEL BRAKE BLEEDERS





BB2000 BRAKE BLEEDER / EVAC

- · Variable thumb throttle holds desired flow rate
- · Swivel air inlet for flexibility of movement
- · Auto shutoff valve prevents overfilling
- · Bleeds up to two quarts per minute

INCLUDES:

- Fluid Evacuation Wand for Draining Fluid Reservoirs, Adapters
- Brake Fluid Refill Kit
- · Hook for Hanging Bleeder

PBT70852 800ML VACUUM BRAKE BLEEDER KIT

· Uses compressed air to generate deep vacuum

- and spillage
- to prevent fluid spills when stored
- · Clear drain hose provides visible inspection
- of old fluid during bleeding
- Vacuum: 23 InHg at 100 psi
- · Fitting: 1/4 BSP (not included)

288











to bleed old fluid and air from hydraulic brake systems · Reduces repair times increasing productivity and profit · Built-in safety valves to prevent accidental fluid spray

· Internal shut off valve closes when not in use





BRAKE & WHEEL **BRAKE BLEEDERS**



BB2010RK **CLAMP-ON AUTO REFILL KIT**

- Large 40 oz. (1.2L) capacity reservoir holds enough fluid for multiple brake jobs
- Adapters for standard 12 oz. (355 ml) and 32 oz. (946 ml) brake fluid bottles
- Large stable base clamps securely to the master cylinder
- Universal design fits virtually all types of master cylinders
- · Automatically maintains the level of new brake fluid in the master cylinder while vacuum bleeding brake and hydraulic clutch systems



BHC96420 2 PACK **BRAKE HOSE CLAMP**

· Chrome-plated steel construction · Clamps off hoses without damage

PBT70895 AUTOFILL AUTOMATIC BRAKE REFILLER

- · Automatically fills brake fluid reservoir during bleeding
- · Easy to operate retaining clip provides positive clamping to master cylinder reservoir
- No more running reservoir empty
- Saves time and money
- Height adjustment to ensure correct 'Max' level is maintained
- On/off tap
- Eliminates spills onto paintwork Positive container venting
- to maintain constant fluid flow
- · Manufactured from non-corrosive materials
- · 600ml (20.3 Fl oz.) container





EM720C **SMART DIGITAL CLAMP METER**

- · Smart automatic detection: No need to select AC or DC volts or resistance. Tester selects the right setting automatically
- Large amp range capability: TRMS AC and DC up to 600A
- Cat IV 600V

EM112-1

DIGITAL MULTIMETER PROBE SET

- · Check electric line, immediately find faulty connections
- DC measure up to 49V for all the automotive measures
- Line test-Detects faulty connections in electric circuits
- PWM / MLI signal detector automatically indicates when measuring a square signal used to command idle actuator, turbo wastage, EGR, and Canister valve
- Measure resistance up to 40 $M\Omega$ when testing ignition coil, most of sensors
- · Continuity signal alarm when testing lamps,
- fuse, connector, and switches



DIAGNOSTICS **CIRCUIT AND FUSE TESTERS**

EM121

AC/DC LOW **CURRENT AMP PROBE**

- Measures current from 5 mA to 30A
- · No need to open the circuit,
- no need for electric contact For AC and DC current
- Can be used with all DMM
- including AC/DC mV function · Measures the current leak
- on vehicle
- For all diagnostic specialist

EM111 AC/DC LARGE RANGE

- **CURRENT AMP PROBE** · Measures current from 20A to 1500A
- No need to open the circuit, no need for electric contact
- · For AC and DC current
- · Can be used with all DMMs
- · For automotive and industrial maintenance
- · Able to check engine cranking current or
- charging current on light vehicle and truck

290



ET3051D **NOID LIGHT TEST KIT**

- · Detects whether the EFI system or idle air control are possible faults on no-start vehicles
- Once you disconnect the fuel injectors, plug in a noid light, and crank the engine, a flashing light indicates normal pulsing voltage
- Applications: GM[®] PFI, Ford[®] TBI, Geo[®] TBI, Bosch[®] PFI, GM[®] TBI, GM[®] SCPI, and now new applications of Bosch[®] 2 and Multec[®] with red and green LEDs

INCLUDES:

- Harness extension
- · Blow-moulded case

PRODUCT # DESCRIPTION		SET
ET3051D	Noid Light Test Kit	
ET3055D-3	Geo® TBI Noid Light	•
ET3055D-4	GM® TBI Noid Light	•
ET3055D-5	SM SCPI	•
ET3055D-6	GM® Multitech 2	•
ET3055D-7	Bosch® PFI Noid Light	•
ET3055D-8	Bosch® 2 Noid Light	•
ET3055D-9	GM [®] PFI	•
ET3055D-10	Ford® TBI Noid Light	•





FT348X **INTEGRATED TEST LIGHT / VOLTMETER**

- · Interchangeable probe circuit tester with an easy-to-read back lit LCD that displays voltage reading (3-48V range)
- Equipped with a wide assortment of probes, slip-on adapters, and clips, this tool makes it easy to access even the hardest-to-reach areas of today's vehicles

INCLUDES:

- 1 x 12' High Visibility Retracting Ground Lead
- 2 x Interchangeable Probes
- 1 x Handle with LCD Voltage Display Unit
- 1 x Blow-Moulded Case (Not Shown)

FT64970 PARASITIC DRAW TESTER

Replaceable in-line fuses protect both the meter and tester in the event a high current source on the vehicle is left on.

The multimeter is bypassed with the switch during connection in case of a power surge. The tester and meter can remain connected until other computer systems shut down, isolating the drain. As a convenience, stacking banana connectors are used on the tester. This allows voltage to be measured on various locations on the vehicle during the drain test, using standard test leads.

ET28830 **DIGITAL CIRCUIT TESTER**

- · Heavy-duty circuit tester with digital LCD display to accurately show DC voltage
- Two LEDs provide 360° visibility of polarity: red light indicates positive polarity,
- green indicates negative polarity 12' coiled cord
- · Heavy-duty alligator clamp for secure connections

ET115X

- · Probe is insulated to reduce the possibility of short-circuit with other components · Computer safe
- · Will not damage sensitive electronic components
- · Operating range 3-49 volts DC to work on most vehicle electrical systems



DIAGNOSTICS

CIRCUIT AND FUSE TESTERS

12V HEAVY-DUTY REMOTE STARTER SWITCH

- · Allows technician to remotely engage starter while under the vehicle or looking over engine bay
- Red light glows when the starter switch is connected to a hot circuit • 5' (1.5m) Leads
- · Safety shield around leads to prevent electric shock to user

ET76562 COIL-ON-PLUG (COP)

- QUICK PROBE VS
- · Easily and quickly determine if a COP is producing a proper spark for the plug · Eliminates the need for back-probing
- coil wires and disassembly to test at the coil connector or spark plug
- · Variable sensitivity (VS) for greater diagnostic accuracy and expanded application coverage





- Requires just one hand to test circuits in hard-to-reach areas Has 16-gauge, 44" ground wire
- with 50 Amp clamp · Use for circuits, connections,



- Small, ergonomic design
- · Threaded probe enables use of other screw-on
- · 15' High visibility cord lead

ST380 **SPARK TESTER**

- Tests spark plugs, spark plug wires, and coils without puncturing the wire
- With engine running, place the grooved end
- of the tool over the plug wire

· The bulb will flash to indicate spark

ST400 INLINE SPARK TESTER

- · Visually check the ignition system
- · Connect the tool between the spark plug and the plug wire
- Double-ended to offer a straight
- boot and a 90° boot on one tool
- · With the engine running, the tool flashes
- a mirror image of ignition spark

ET112X 6/12/24V CIRCUIT TESTER

TOOLS

- Two-colour LED circuit tester for 6/12/24V systems · Heavy-duty coil extends to 12'
- · Clear moulded handle with stainless steel probe · Permanently attached wire and spring strain relief in
 - Circuit board comes with two LEDs: one red LED to verify the tool is hooked up correctly and the other that lights either red or green to indicate a voltage or ground connection
 - · LED circuit board and lead set are field replaceable





- - · High intensity bulb
 - · Needle-sharp, stainless steel threaded probe

type accessories

292

ET111X

6/12V CIRCUIT TESTER

· Circuit tester for 6V and 12V systems

· Clear handle with stainless steel probe

· Screw-on end cap for easy bulb replacement

· Heavy-duty coil cord extends to 12'

specially hardened moulded

18-Gauge clip with insulating boot







- fuses, and 2-cycle engine timing





ET72 AMP HOUND 2

- · Measure automotive amperage instantly without removing the fuses
- Audible tone lets you know when you have connection with a fuse and if there is current present in the circuit
- Snapshot Mode and Tracking Mode allow component testing and parasitic drain location
- · Special fuse adapters lock on to fuse and provide hands-free control

FIP76462 UNIVERSAL EFI QUICK PROBE

- · Quickly determine if a fuel injector is firing by detecting a mechanical vibration, such as a fuel injector's pintle movement
- · Works on gas and diesel engines
- · No hunting for injector wires to test at the connector or injector removal required
- The probe is specifically designed to detect the vibrations emitted when the injector fires



AUTO MEMORY SAVER

- · Prevents the loss of electronic memory
- when disconnecting the vehicle's battery
- · High visibility coiled cord stretches to 8'
- Easy storage in tool box
- OBD II connection uses positive and ground pins only, will not interfere with fault codes
- Coiled cord prevents tangles



<section-header><section-header>

ET95924

INSULATION PIERCING Test lead / plug

- Cords stretch to 48" long
- Nickel-plated brass body, nickel-plated phosphor bronze springs, plastic handles, and solderless assembly
- Nickel-silver hook contact is spring-loaded for strong
- clamp-on action

ET95961 SUPER-DUTY TEST LEADS

- Cords stretch to 48" long
 Copper-plated test clips with
- heavy-duty insulated boots



ET95959 HI-VISIBILITY COIL CORD LEAD

- Coiled cords stretch to over 60" long
 Insulated alligator clips
- on both ends



ET96471 48" Silicone test leads

 3.8mm outside diameter leads are rated to maximum 1,000V/10 Amp

ET96471-01 48" SILICONE TEST LEAD - RED

ET96471-02 48" SILICONE TEST LEAD - BLACK



D//4 C///0-511/55 TEST LEADS AND ACCESSORIES

ET96470

2 PIECE INSULATED CROCODILE CLIP SET

Fully insulated jaws

- Maximum voltage/amperage: 1,000V/32 Amp
- Wide opening jaws
- Connection type is 0.16" (4mm) female banana plug

INCLUDES:

1 x Red crocodile clip
1 x Black crocodile clip

ET96466

RIGHT ANGLE BACK PROBES

- Unique right angle back probe design enables connectivity in confined areas
- High-flex silicone wire for superior heat and chemical resistance
- Modular design is compatible with any industry standard
- 4mm shrouded banana plug test lead

ET96473

AUTO BACK PROBING Connect kit

- Compliments any standard multimeter by adding insulation-piercing and 90° back probe leads
- Piercers are 3-1/8" in length
- Short back probe wires
- are 11-1/2" long
- Long test leads are 52" long

INCLUDES:

- 2 x Insulation-Piercing Test Lead Clips
- 2 x Right Angle Back Probe Test
- Lead Clips
- 2 x Silicone Test Leads

ET96468

OEM MODULAR Test probe set

- Sharp steel points
- Maximum voltage/amperage: 1,000V/10 Amp
- Connection type is 0.16" (4mm) female banana plug







ET96470-01 INSULATED CROCODILE CLIP - RED

ET96470-02 INSULATED CROCODILE CLIP - BLACK

ET96469 BACK PROBES

- Flexible and formable 3/4" pin provides an easy connection past weather pack seals to connector conductors
- Tested to 60V DC
- Connection type is 0.16" (4mm) female banana plug



ET95916 CABLE PIERCERS

INCLUDES: • Cable Piercer (Red) • Cable Piercer (Black)





DIAGNOSTICS TEST LEADS AND ACCESSORIES

ET96467 MINI CABLE PIERCERS

- Quick and reliable access
- For cables ø1.0 2.5mm
- Standard 4mm socket to rear
- Recommended for safe voltage piercing only (600V maximum)

INCLUDES:

ET95923

INCLUDES:

EASY ACCESS

BACK PROBES

· Perfect for connecting to fuel injectors, MAP, and TPS sensors • Impervious to extreme temperatures and automotive solvents

• 2 x 1/32" Back Probe Pins (Yellow)

• 2 x 1/32" Back Probe Pins (Green)

• 2 x 1/32" Back Probe Pins (Red) • 2 x 1/32" Back Probe Pins (Blue)

- Mini Cable Piercer (Red)
- Mini Cable Piercer (Blue)
- Mini Cable Piercer (Green)
- Mini Cable Piercer (Yellow)

ET96467-01

MINI CABLE PIERCER PROBE- RED


ET96467-02 **MINI CABLE PIERCER PROBE - YELLOW**



RTL1176A

7 PIECE 15' RETRACTABLE TEST LEAD SET WITH BANANA PLUGS

- · Used for testing electrical circuits
- Retractable leads extend and lock at a desired length
- · Features insulated alligator clips





ET95913

EASY ACCESS 76" **BACK PROBE KIT**

• Back probe pins 0.028" / 7mm OD • Extra-long, 76" double-insulated silicone test leads (rated 1000V CAT III, 20 Amp)

INCLUDES:

- 1 x Extra Long Test Lead (Green)
- 1 x Extra Long Test Lead (Yellow)
- 2 x Back Probe Pins (Yellow)
- 2 x Back Probe Pins (Green)

ET96041 **UNIVERSAL MAGNETIC GROUND LUG**

- Stop searching for a good place to clip your test equipment
- ground leads · Attaches to any metal surface

ET95911 SIGNAL BACK PROBE PIN

· Insulating collar to help eliminate grounding

INCLUDES: 4 x Back Probe Pins (Yellow)

PPRLS01Z **POWER PROBE® LEAD SET**

- High current 10-gauge multi-strand leads
- and gold-plated electrical connectors
- the technician greater flexibility
- and centre wires from 28- to 8-gauge

ET95904

EASY ACCESS 76" BACK PROBE KIT FOR SCOPE

- Back probe pins 0.028" / 7mm OD
- Extra-long, 76" double-insulated silicone test leads (rated 1000V CAT III, 20 Amp)

INCLUDES:

- Extra Long Test Lead (Green)
- Extra Long Test Lead (Yellow)
- Extra Long Test Lead (Blue) • Extra Long Test Lead (Red)
- Back Probe Pins (Yellow)
- Back Probe Pins (Green)
- 1/32" Back Probe Pins (Blue).
- 1/32" Back Probe Pins (Red)



· Rewind test lead into its own protective case when not in use









- The super flexible leads come in lengths of 1', 3', and 6' and are stackable, giving
- · Large and small probes can pierce



DIAGNOSTICS TEST LEADS AND ACCESSORIES



ET6100 **FUSE BLOCK CONNECTORS**

- · Fits all Maxi, ATO, and mini size automotive blade style fuse block connectors
- Plated contacts for extra conductivity and durability
- Connector tabs fit 1/4" female quick connects or standard alligator clips



FS21250 FINGER SAVER WIRE **PIERCING GUIDE**

- Quickly, easily, and safely guides the pick point of any circuit tester into centre of all primary automotive electrical wire
- · Holds circuit tester in position allowing work with both hands free
- · Impervious to gasoline, oil, thinners, and other shop chemicals
- · Stores on ground wire of circuit tester



MAL ST115

SUPER TORCH SOLDERING TOOL

- Waterproof piezo automatic ignition
- Uses standard butane fuel capacity for up to two hours of use
- Long life catalytic tips
- Power Range: 30W 100W

APPLICATIONS:

- Automotive, truck and aviation repair
- Install heat shrink tubing
- Solder circuit boards
- · Loosen rusted nuts and bolts
- · Can also be used as a torch with a flame of 2,400°F



- Offers an extra pair of hands when soldering
- · Alligator clamps firmly hold wire and small parts when soldering
- Flexible design allows different ways to attach and hold wire
- Clips and base are magnetic and can be attached to any ferrous surface

Magnetic arms are detatchable and can

be moved and used without the base

· Base is also hex shaped and can fit in a

vice when needed



PPSK

POWER PROBE SOLDERING IRON KIT

- Max Flame Temperature: 930 ° F
- Adjustable Flame Length: .5" 1.25"
- · Butane Fuel Type with electronic igniter
- Organized Durable Case Accessories Tips and Attachments Included

ST230

- 2,500°F Adjustable flame
- Automatic piezo ignition
- Precise flame adjustment
- · Dual fuel and air controls
- · Up to four hours use on each filling
- Drop-resistant housing
- · Larger, easy-to-use controls
- Use at any angle with
- hands-free base · Uses standard butane fuel

MASTER RELAY AND FUSED CIRCUIT TEST KIT Jumpers have tabs for clamping

RTJ103A

and flat pads to place test leads on

DIAGNOSTICS

RELAY SERVICE KITS

- No need to pierce wires or connect multiple jumper wires
- · Easily and securely connect relay
- test jumpers to a multimeter • Terminal Leads with Switch/Fuse/ Power provides the technician several ways to check the
- fuses that are in the panel
- · Five wire set that fits these fuses; Female-Pal, JK, LJK, Male-L-mini, Mini, ATO, and Maxi
- One set of wires has no ends, allowing the technician to crimp any style they need
- · Different sized ends on the wires give flexibility to plug directly in the relay base or to fit other relay sizes not covered by the jumpers
- · Remove any fuse and plug in the correct wire and plug the other end into a meter and take a current reading without using a clamp-on tester · Use the on/off switch to control
- a circuit
- Test before or after the switch by
- using the stacking banana plugs · The power lead can apply external power to only the circuit that you are
- working on • There are two 3-1/2' extensions to be used if you are controlling a circuit while the vehicle is on a hoist
- · The in-line fuse holder (common
- ATO fuse style) protects the circuit and meter when testing
- · Relay Puller Pliers for removing electrical relays on most domestic and import vehicles
- · Offset handle and thin tips allow access to relays in confined areas
- Specially designed tips are angled to
- fit slots or the edge of the relay cover · Allows the relay to pop free from the
- socket with less chance of damaging the relay cover



ST150B 9 PIECE SUPER TORCH SOLDERING KIT

- Patented LEC removable/refillable fuel cell LEC filter system eliminates clogging
- · Improved nozzle assembly for sure ignition
- · Ready-to-use in fifteen seconds
- · Integrated hands-free stand
- Uses standard butane fuel
- Can double as a torch with a 2,400°F flame
- Power Range: 30W 125W

INCLUDES

- Chisel tip
- · Heat shield
- Sponge Solder coil









PRO SUPER TORCH





ET9037 **RELAY BYPASS SET II**

- · Provides direct control over relay circuit
- Verify load
- · Isolate electrical components
- · Plugs in place of relay
- · Provides manual control of circuit
- · Helps identify bad relays, control switches, open circuits, electrical equipment, and power feed
- Operating range: 20-amp continuous, 30-amp surge (12V)

ET9036 **3 PIECE RELAY BYPASS KIT** · Provides direct control over a relay circuit to operate components within the circuit with the push of a switch Easy-to-use, the relay bypass switches

- are not pole sensitive making them a plugand-play solution · Commonly used on circuits for fuel pumps
- and fan motors, the relay bypass switch allows the technician to isolate electrical components to troubleshoot circuit failure · Plugs in place of relay
- · Provides manual control of circuit
- · Helps identify bad relays, control switches. open circuits, electrical equipment, and power feed
- · Operating range: 20 Amp continuous, 30 Amp surge (12V)

APPLICATIONS:

- Small spade relay: 2000 and newer model USA, Korean, and Japanese applications
- · Medium spade relay: common relay for applications spanning most makes and models from the late 1970s through 2009

299

· Large spade relay: late model USA and Japanese vehicles





ET9038A **6 PIECE MASTER RELAY BYPASS SWITCH SET** WITH AMP LOOP

- The Relay Bypass Switch with Amp Loop energizes fuel pumps and any 12V relay by powering a DC motor for testing. It also makes DC motor actuation and current monitoring easy. By attaching an Amp Clamp or Lab Scope, you can monitor the current or amperage readings. It allows a technician to judge the health of the DC electric motor to identify if a motor is drawing more current than specified, or if the current load is inconsistent during operation.
- · Control relay circuit independent of "key-on/key-off" systems
- · Run all automotive, 12V DC motors with a push of a switch
- Simplifies fuel injection testing
- Use in conjunction with clamp-on Amp Probes and Lab Scopes
- Operating range: Up to 20 amp continuous, 30 amp surge (12V)
- · Covers most makes and models



ET8005 **FUSE SAVER**

- Chase down short circuits without replacing fuses
- Three resetting colour matching breaker handles: 10, 15, and 20 amps
- · Allows you to move around the vehicle shake-testing wires while looking for shorts
- · Finds short circuits fast
- No more overheating fuse boxes



ET8017 **FUSE-SAVER MASTER KIT**

- · Provides a fast and safe solution to the old methods of "smoke testing" a short
- Simply attach the desired breaker handle to the 10' cable and install into the fuse box, then begin shaking wiring harnesses, disconnecting electrical equipment, and other methods to find
- · Allows the technician to move around the vehicle and shake test wires while looking for a short circuit
- Dual-type fuse box connector with 10' cord helps ease installation of radios, CD players, radar
- · Chase down short circuits without replacing

- 5 x Specific Fuse Type Adapters
- 1 x Blow-Moulded Storage Case





ET8025

4 PIECE TERMINAL AND TRAILER PLUG CLEANER SET

- · For removing corrosion and debris from trailer terminals and common automotive style wire connectors
- · Great for use on trailer
- tail light assemblies · Cleans 4-, 5-, 6-, and 7-spade
- pin trailer sockets (male and female) · Extend life of trailer
- sockets and terminals
- Ensure better electrical connections
- Resize terminals
- · Auto/industrial/marine/fleet applications Available individually

ET8024

INCLUDES: Male

ET8040A

FLAT TERMINAL **CLEANERS PIVOT**

 Highly-durable and abrasive coatings that clean connections to reduce diagnostic guesswork and increase overall harness life Works for both male and female connectors on flat (spade) pin-type terminals

INCLUDES:

• 3 x Large, Medium, and Small Cleaners for Most Connectors

ET8042 **12 PIECE FEM BULLET CONNECT CLEANERS**

300



the source of a short circuit or overload condition

- detectors, and other accessory equipment
- blown fuses

INCLUDES:





7-ROUND PIN TERMINAL CLEANERS (TRUCK / TRAILER)

· Precision machined cleaning tool for use with 7-round pin commercial trailer connectors Doubles as a pin/socket wear gauge indicating if the connection needs to be tightened or replaced · For male and female connections · For tail and side marker light assemblies

· Maintains continuity and prevents failure · Quickly and precisely cuts away corrosion

Female 7-Round Pin Terminal Cleaner

· Complete set of tools to clean round pin type electrical terminals commonly used in Cannon, Deutsch, bullet type and general electrical connections

· Includes twelve individual pieces ranging in sizes from .030" -.120"

· Diamond abrasive coating for precise cleaning, sizing and durability.

• 10 sizes with duplicate cleaners in the 0.030" and 0.040" range. Each file is marked or colour-coded for size.





TOOLS


TT95970 12 PIECE MINI TERMINAL TOOL SET EXTENDED SHAFT

- Tri-lobal ergonomic handle design
 TPE (Thermal Plastic Elastomer) over-mould ensures firm grip
- Resistant to acid, fluids, and solvents
- Extended length shafts for improved access in restricted spaces
- Chrome-Vanadium steel shaft with high-polished chrome plated finish
- Application chart included
 inside storage pouch

INCLUDES:

- 12 x Tools for the Disassembly of Terminal Blocks and Harness Connectors for Asian and European Vehicles
- 1 x Application Chart Inside Storage Pouch





TT7750

- WIRE TERMINAL TOOL KIT
- Set of three terminal tools and handle for removing wires from terminals without damage
- Terminal tools work on conventional, Pack-Con, and Weather-Pack terminals found on many GM vehicles
- New blue terminal tool fits many Ford applications
 The handle slips over the probes
- to protect the technician's hand and provide extra leverage • All terminal tools are available individually skin-packed

TT96030 TERMINAL TOOL KIT

- Fits most GM[®] products computer connectors and terminals
- Individually handled for easy access into tight places
- Colour-coded for easy identification

PRODUCT #	DESCRIPTION	SIZE MM
TT96030-01	Spring-Loaded Tube Terminal Tool	3.3 x 28.0
TT96030-02	Square Blade Terminal Tool	1.4 x 19.0
TT96030-03	Flat Blade Terminal Tool	1.5 x 24.8
TT96030-05	Fork Blade Terminal Tool	8.0 x 24.0
TT96030-06	3/16" x 1" Flat Blade Screwdriver	-
TT96030-07	Tube Terminal Tool	3.3 x 28.0
TT96030-08	Tube Terminal Tool	4.3 x 13.0
TT96030-09	Tube Terminal Tool	3.8 x 13.0
TT96030-10	Tube Terminal Tool	3.0 x 13.0
TT96030-11	Flat Twin Blade Terminal Tool	3
TT96030-12	Flat Twin Blade Terminal Tool	1.6

D//4 G// D-ST/ G-S TERMINAL REPAIR

TT95886

7 PIECE DEUTSCH TERMINAL TOOL SET

- Provides the ability to remove terminals from connectors without damaging or destroying the connector
- Deutsch connectors are used on numerous vehicle types including: automotive, motorcycles, HD trucks, construction equipment, agricultural equipment, and some outboard engines
- Provides coverage for wire gauges between 4-20

PRODUCT #	DESCRIPTION
TT95886M-01	04 Gauge Wire Terminal Tools #F
TT95886M-02	08 Gauge Wire Terminal Tool #E
TT95886M-03	12 Gauge Wire Terminal Tools #D
TT95886M-04	14 Gauge Wire Terminal Tool #C
TT95886M-05	16 Gauge Wire Terminal Tool #B
TT95886M-06	20 Gauge Wire Terminal Tool #A
TT95886M-07	Removal Tool #G

TT95839

23 PIECE UNIVERSAL TERMINAL TOOL SET

- Contains a wide assortment of terminal tools that will cover a large range of vehicle applications and has the ability to service many makes and models of vehicles without the added expense of purchasing additional kits
 Easily removes terminals from electrical connectors
- Eliminates damage to wires or terminal blocks
- Handles designed for extra grip and comfort
- Handles individually marked on the heads for easy identification on application chart





PRODUCT #	DESCRIPTION	SIZE
TT95839-1	Tube	5.00mm x 20.5mm
TT95839-10	Flat Blade	1.15mm x 18.0mm
TT95929-11	Flat Twin Blade	1.60mm x 24mm
TT95929-12	Fit Twin Blade with Angle Tip	1.65mm x 23mm
TT95929-13	Flat Blade	3.0mm x 18.5mm
TT95929-14	Flat Blade with Notch	1mm x 18mm
TT95929-15	Flat Blade, U-Notch	1mm x 24mm
TT95929-16	Flat Blade	1.80mm x 18.0mm
TT95929-17	Flat Twin Blade	1.6mm x 26mm
TT95929-18	Triple Flat Blade	1mm x 9mm
TT95929-19	Pin Blade	0.90mm x 19.0mm
TT95929-20	Flat Twin Blade	1.60mm x 20mm
TT95929-21	Flat Twin Blade	0.9mm x 16mm
TT95929-22	Pick Blade	1.00mm x 19.0mm
TT95929-23	Flat Twin Blade	0.9mm x 14mm
TT95839-3	Tube	3.25mm x 20.0mm
TT95839-4	Flat Twin Blade	1.6mm x 15mm
TT95839-5	Flat Twin Blade	1.55mm x 20mm
TT95839-6	Flat Twin Blade	1.55mm x 17mm
TT95839-7	Fit Twin Blade with Angle Tips	1.6mm x 20mm
TT95839-8	Flat Blade	1.80mm x 18.0mm
TT95839-9	Square Blade	1.00mm x 18.0mm





EV9504 Leak Attack™ pro diagnostic Smoke Machine

- Mac Tools[®] Exclusive Design
- Easy Intake Included
- Two year warranty
- Halogen inspection light
- Removable smoke hose
- Positive/negative pressure gauge
- Includes full accessory kit
- Ideal for finding vacuum leaks, EVAP (fuel vapour recovery), exhaust leaks, seals, gaskets, brake vacuum hoses, cooling systems, oil, wind, and water leaks, diaphragms, central locking and much more









95-0082 EASY INTAKE™ EXHAUST BLADDER

- Easy INTAKE[™] is an inflatable block off bladder with a pressurized vapour pass-through that allows technicians to test an entire intake or exhaust system quickly and easily
- Easy INTAKE[™] can be used with any brand of smoke machine or diagnostic leak detector to block-off the system with its inflatable bladder and pressurize the system with vapour through the pass-through to accurately locate leaks and find additional repair jobs
- Easy INTAKE[™] block off bladder conforms to any shape intake / exhaust: square, round, oval, rectangular and even severely angled and hard to reach intake / exhaust systems, while allowing vapour to pass through for fast diagnostics
- Compatible with any smoke machine, Easy INTAKE[™] fits nearly all automobiles and light duty trucks to quickly leak test the integrity of the entire induction system with one simple procedure

SG1100-10

MINI HVLP GRAVITY Spray gun

- Great for small area
- repairs and detail work
- Well-balanced and lightweight
- Includes a 150cc cup and aluminium lid
- 1.0mm fluid tip



Fits all SG1300 Series



<mark>SGH1</mark> Magnetic Spray Gun Hook

• Large heavy-duty magnet holds your paint gun without having to drill holes in your paint booth





11

TIN SNIPS

- Treated for strength, toughness, and durability
- Cuts up to 18-gauge cold rolled sheet steel

PRODUCT #	CUT	CUT (MM)	HANDLE COLOUR	LENGTH	LENGTH [MM]	ТҮРЕ
TS1	1-3/8"	34.9	Green	10-1/2"	266.7	Right
TS2	1-3/8"	34.9	Red	10-1/2"	266.7	Left
TS3	1-1/2"	38.1	Yellow	10-1/2"	266.7	Straight



WATERBORNE Compliant HVLP Full-Size gravity Spray guns

- · Well-balanced and lightweight
- Comes complete with 600cc
- aluminium cup with lid • Air Inlet - 1/4 NPS male
- Air inlet 1/4 NPS
 Fluid Inlet 3/8"
- Fluiu IIIel 5/6
 Inlat air procesure (
- Inlet air pressure 29 psi

PRODUCT #	AIR CONSUMPTION [CFM]	APPLICATIONS	FLUID TIP [MM]
SG1300-13	6.8	Base Coat - Clear Coat High Solids	1.3
SG1300-14	6.9	Clear Coat - Medium Solids	1.4
SG1300-15	6.1	Single Stage - High Solids Primer	1.5
SG1300-18	6.1	Acrylic Enamel - High Build Primer	1.8

PAINT & BODY SPRAYING

ACU1

AIR CONTROL UNIT WITH REGULATOR

- · Removes water, oil, and other contaminants and regulates air pressure
- 160 PSI inverted air gauge • 120 CFM capacity air filter
- 50 CFM chrome-plated
- regulator
- Air Inlet: 1/2" NPT
- Air Outlet: 1/4" NPT



SGCK-22 **22 PIECE GUN CLEANING KIT**

• Cleans virtually any spray gun

INCLUDES:

- 4 x Twisted Brushes
- 1 x Nvlon Exterior Brush
- 1 x 6 Piece Stainless Needle Set with Handle • 1 x 5 Piece Precision Mini Brush Set
- 1 x 3 Piece Lube Applicator Set with Handle
- 1 x 2 Piece Round Bar and Gun Lube





BFT1316 PAINT DE-NIBBER FILE

- · The ideal tool for drips, runs, and errors in your
- otherwise perfect paint job
- · Hardened file with two faces in an ergonomically designed rubber grip
- · Handle securely holds the mini-file in proper position
- Easily flipped from course to fine
- Course cut side for fast cutting
- · Fine cut side for finishing

SB2D **DOUBLE DENSITY SANDING BLOCK**

· Gray side is soft and pliable for sanding irregular surfaces; black side is stiff for faster sanding on curved surfaces • Size: 2-1/2" x 5" x 5/8"



ADJUSTABLE FILE HOLDER

- Turn buckle design permits flexing
- Rotating handle designed for right or left hand use

PAINT & BODY HAND TOOLS

BTS7F

7 PIECE FIBREGLASS HANDLE AUTO BODY REPAIR TOOL SET

- Drop-forged hardened steel
- Machined and polished work surfaces Meets ASME/ANSI standards
- · Hardened steel machined, and
- polished large round work surface





- BT1036DS Light Dinging Spoon • BT1058TD - Toe Dolly
- BT1059HD Heel Dolly
 - BT1060GPD General Purpose Dolly
 - Blow-Moulded Case

BTS4F

4 PIECE FIBERGLASS HANDLED HAMMER AUTO BODY **REPAIR TOOL SET**

- Drop-forged hardened steel
- Machined and polished work surfaces
- · Limited lifetime warranty
- Meets ASME/ANSI standards
- · Fiberglass handles with rubber overmould

INCLUDES:

- 2 x Hammers
- 1 x Dolly
- 1 x Spoon

BTH153CCS **CROSS-CHISEL SHRINKING**

HAMMER WITH WOOD HANDLE

- Cross-grooved
- Extra wide faces are cross grooved and used for shrinkage on large surfaces
- chisel end used on sharp corners · Hickory handle with lacquer finish,
- hardened steel machined, and polished large round work surface · Weight: 0.9 lbs.



- **BTH162S** WOOD SHRINKING HAMMER
- · For work in close quarters
- · Expertly machined serrations
- on the round face
- Weight: 0.8 lbs.



BT753B

• Top quality file holder for 14" body files





PRODUCT #	DESCRIPTION	SET
BTS7F	7 Piece Fibreglass Handle Auto Body Repair To	ool Set
BT1036DS	Light Dinging Spoon	•
BT1058TD	Toe Dolly	•
BT1059HD	Heel Dolly	•
BT1060GPD	General Purpose Dolly	٠
BTH153CRF	Fibreglass Handle Curved Chisel Hammer	•
BTH164UPF	Fibreglass Handle Utility Pick Hammer	•
BTH162SF	Fibreglass Handle Shrinking Hammer	•



- · Medium-size point and reach
- Low-crown strawberry point for balance
- Drop-forged hardened steel
- · Machined and polished work surfaces
- Meets ASME/ANSI standards
- Weight: 0.9 lbs.
- · Face radius: 3/32"

BTH153CC - WOOD BTH153CCF - FIBREGLASS **CROSS-CHISEL HAMMERS**

- Excellent for finishing
- · Cross-peen used for working in sharp corners, around moulding, and for caulking
- · Weight: 0.9 lbs.



BTH155FBF

FENDER BUMPING HAMMER WITH FIBREGLASS HANDLE

- · For bumping where hand and dolly cannot reach
- Ample clearance for obstructions
- Also used as a caulking iron • Weight: 2.8 lbs.



BT1057LTD **LIGHT TOE DOLLY** Designed for flat surfaces



BMD200 MULTI-DOLLY STANDARD

- Smoothing round face
- Smoothing round curve
- · End curve dolly
- Spoon curve dolly
- · Flat face with bent curve
- Small curve wedge dolly
- Awl type dolly

BTH170DS - WOOD **BTH170DSF** - FIBREGLASS **DOOR SKIN HAMMERS**

- · For high-crown work and finishing, without poking holes in thin sections Weight: 0.9 lbs.

BT1052SD **SPOON DOLLY**

• Forming and caulking tool for the deep pockets of quarter-panels, rear fenders, and lower trunk panels

WD1250 680KG EASY ROLLER[™] WHEEL

Shaped like the BT1057LTD but has

one face covered with raised serrations for shrinking metal stretched by dents

BT1058SD

SHRINKING DOLLY

- **DOLLY POSITIONING SYSTEM** · Provides a simple and efficient method
- of moving a disabled vehicle around a shop · Position at each wheel of a vehicle weighing up to 2.72 Ton (6,000 lbs.) and use the foot
- pedals to activate the hydraulic lift · One individual can easily move the car
- throughout the garage · Fits tread widths up to 12" and the four heavy-duty casters support up to 680kg
- (1,500 lbs.) per unit Hydraulic lift mechanism with locking pin
- · Four heavy-duty phenolic casters protect
- shop floors from damage
- Weight: 20kg (44 lbs.)
- · Item sold as one set or individually

PAINT & BODY HAND TOOLS

BPR6K

PULL ROD SET

- · Eliminates removal of headliners and inner panels · A must for the body mechanic

INCLUDES:

- 4 x Pull Rods with Formed Shanks • 2 x Pick Rods with Straight Shanks
- 1 x Stainless Steel Straight Edge • 1 x High-Speed 5/32" Drill Bit

UT300XL-SET

3 PIECE XL TRIM & PANEL CLIP LIFTER SET

- Extra-long to provide more access for hard-to-reach areas
- Robust design for the more stubborn clips
- · High-polish, chrome finish protects delicate
- surfaces as well as prevents corrosion
- Rubberised handles for grip and comfort

UT500-SET 5 PIECE TRIM & PANEL CLIP LIFTER SET

- Easily remove clips used to fasten various automotive trim pieces and panels
- Five specifically designed tool configurations
- provide a wide application range High-polish, chrome finish protects delicate
- surfaces as well as prevents corrosion Rubberised handles for grip
- and comfort



UPT100-SET **5 PIECE PLASTIC MOULDING /**

TRIM REMOVER

- · Great tools for trim work and plastic upholstery fasteners
- · Use with ease and without scratching
- the body panel or interior moulding


UPT101 WIDE MOULDING / **TRIM REMOVER**

UPT103 NARROW MOULDING / TRIM REMOVER

UPT105 CLIP MOULDING / TRIM REMOVER









MR151 WINDOW BELT

MOULDING REMOVER

· Quickly removes all window belt mouldings without damage to the window or the moulding





i i i i i i i i i i i i i i i i i i i	BTMC-1A D PIECE MIGHTY MIDGET PANEL CLAMP • Allows door to be closed to check alignment before welding begins • Actual size only 5/8" wide • Package of five clamps	<section-header></section-header>	HPF100 FLANGER AND PUNCH TOOL (6MM) • Swivel head • Max sheet thickness up to 18-gauge (0.8mm • Crimp and punch sheet metal (aluminium, copper, or ductile material)	Image: constraint of the second sec
SDG601 SDG601 SPIECE LIGHT COVER REMOVAL SET SDG6011 - Removal Tool-Straight SDG6012 - Removal Tool-Angled	WH6390 WINDOW HOLDER • Holds door glass while working on the window regulator • Works on all cars and trucks with a top door frame	CONTRACTOR OF	LT450K 11 PIECE DELUXE MASTER AUT - Tool kit unlocks most domestic and foreign NCLUDES: • 1 x LOCLT-40 - S-Hook • 1 x LOC80A - Universal Easy Jim • 1 x LOCLT-95 - Slide Jim • 1 x LT100 - Plastic Slip Jim • 1 x LT101 - Trip Jim • 1 x LOC105 - Big Jim	
BK1200 HEAVY-DUTY 12 LBS. BODY KNOCKER SED With its heavy-duty 12 lbs. hammer and multiple attachments, this body knocker set is ideal for a multitude of pulling applications			LT3296 NITE GLOW LOCK TOOL KIT INCLUDES:	
 BF085SA DLBS. KNOCKER SET Square hammer with solid steel shaft Square hammer with solid steel shaft McLUDES: Hammer and Shaft Nose Piece Puller and Screw Package Door Edge Tool Nut Package 			 LT32922 - Easy Wedge STK32915 - Big Easy Lockout Rod 32920 - Big Easy Non-Marring Wedge STK32924 - Non-Marring Paint Protector STK32930 - Big Easy Lock Knob Lifter 	LT335 2 PIECE EASY ACCESS AND INFLATE-A-WEDGE™ KIT INCLUDES:
			 PLASTIC DOOR WEDGE Non-marring plastic wedge for use with lockout tools 	 1 x Plastic Slim Jim 2 x Plastic Wedges 1 x Inflate-a-Wedge™








LSC4870A **UNIVERSAL SUPPORT CLAMP T-HANDLE**

 Holds gas-charged lift supports found on hoods, tailgates, hatchbacks, and trunks • Aluminium body and brass threads prevent damage to the lift support



LT329 **BIG EASY LOCK TOOL**

INCLUDES:

- Heavy-Duty One-Piece 1/4" x 56" Lockout Tool
- Sure Grip Lock Button Lifter
 Large Plastic Door Wedge



LT275 INFLATE-A-WEDGE™

- Durable, inflatable wedge for use with lockout tools or paintless dent removal
- Heavy-duty construction with hand pump

PAINT & BODY HAND TOOLS



PS15-KIT **PROFESSIONAL HAND PLIERS RIVET TOOL KIT**

- Robust aluminium casting and vanadium steel handle design
- Setting capacity: aluminium rivets up to 3/16" (4.8 / 5.0mm) body diameter
- · Contoured handle grips for comfort
- · Rivet retaining handle design for one-hand operation
- Supplied with nosepieces for 3/32", 1/8", 5/32", and 3/16" (2.4mm, 3.2mm, 4.0mm, and 4.8mm) rivets Supplied nosepiece wrench

INCLUDES:

- 2 x Nosepieces for 3/32 3/16" (2.4 4.8mm) Rivets
- 2 x Jaws for 3/32 3/16" (2.4 4.8mm)
- 1 x Jaw Pusher Spring for 3/32 3/16" (2.4 4.8mm)
- 200 x Assorted Rivets
- 60 x Back-Up Plates
- 1 x Wrench

PS15

RIVET TOOL

• Lightweight, professional grade PS15 tool

PRODUCT #	LENGTH	LENGTH (MM)	WEIGHT (KG)	WEIGHT [LBS.]
PS15	9-13/20"	245	0.6	1.3



27 PIECE BODY CLIP SET

- · Perform on a wide variety of trim work and other delicate applications
- · Non-marring impact resistant plastic
- Slim design for work in tight areas



PNT110-M-KIT METRIC INSERT TOOL KIT

· Ergonomically designed to fit your hand with contoured grips for comfort

INCLUDES:

- 1 x 190 Piece Variety of metric threaded inserts, ideal for use in a broad range of applications
- 4 x Mandrels and nosepieces for sizes:
- M3, M4, M5, and M6

T TOOL

- Setting capacity 6.4mm diamete
- · Telescopic levered high-capacity rivet tool
- · Professional standard, heavy-duty steel construction
- Two-position telescopic levers extend to maximize
- leverage and pulling force
- Non-extended position makes tool more compact Supplied with nose-pieces for 3.2mm, 4.0mm, 4.8mm,
- and 6.4mm diameter rivets

MAC SZA

PRODUCT #	LENGTH	LENGTH (MM)	WEIGHT [KG]	WEIGHT [LBS.]
PS45	26"	665	2.6	5-3/4

S240P

DZUS® FASTENER TOOL

 Designed for DZUS[®] fasteners which are used on race cars to hold body panels to frame and also used on aircraft engine compartment panels

OVERALL Length	OVERALL Length [mm]	TIP THICKNESS	TIP WIDTH
6-1/16"	153.9	3/64"	35/64"

PAINT & BODY HAND TOOLS



PRODUCT #

UTS024A

UTSO36A

UT018A

UT026A

UT027A

UT028A

UT029A

UT031A

DESCRIPTIO

6 Piece Upholstery and

2 Piece Small Upholste

UTS024A

6 PIECE UPHOLSTERY AND TRIM SET

UTS036A

2 PIECE SMALL UPHOLSTERY TOOL SET

- UT026A "V" notch and UT027A "U" notch
- upholstery tools handle all styles of clips • UT028A "U" notch and UT029A "V" notch
- small trim and tack tools remove trim, moulding, and emblems • UT031A upholstery tucking tool for tucking
- head liners and seat cushions has rounded edges to protect material from damage
- UT018A removes hinged side door panels · Wide blades which are less likely to damage
- painted and upholstered surfaces
- Ergonomic design handles with thumb stop for maximum control

UT1BB MAC-GRIP[™] UPHOLSTERY TOOL 10"

UT2BB

MAC-GRIP[™] UPHOLSTERY TOOL 20"

- Rubberized Mac-Grip[™] handles provide maximum comfort and grip
- · Properly pulls body clips from body reducing risk of damage to panels and clips



L42480 PANEL CLIP REMOVAL PLIERS

- · Designed for easy fastener removal while helping to prevent damage to fasteners and body panels
- · Angled head for leverage when prying

312



TOOLS

.....

PS45
HEAVY-DUTY LEVER RIVE
Satting capacity 6 Amm diameter







UPHOLSTERY TOOLS

- · Removes a variety of door and body trim fasteners
- Comfort-Grip[™] handle

PRODUCT #	DEPTH	OPENING WIDTH
UT3VA	9/32" "V" Notch	3/32" "V" Notch
UT4UA	1/2" "U" Notch	11/32" "U" Notch

DESCRIPTION	S	ET	
iece Upholstery and Trim Set			
iece Small Upholstery Tool Set			
Reversed Door Panel Tool		•	
Ergo "V" Panel Clip Tool		•	
Ergo "U" Panel Clip Tool		•	
Small Ergo "U" Panel Clip	•	•	
Small Ergo "V" Panel Clip	•	•	
Upholstery Tucking Tool		•	

PK532 FLAT 24" URETHANE KNIFE

- Long reach provides cutting leverage and distance needed in today's long dash windshields
- · Screws that secure the blade are flush mounted to prevent damage to dash and moulding
- · Centred blade can be used from either side
- Uses utility knife blades like 11-921A



LT855A TEXAS TWISTER AIR HAMMER Pulling kit

- For use with .401 shank air hammer
 One hand operation allows user to hold component so it doesn't fall as it's removed
- 20" extension for access to recessed items
 1/20 accession for access to recessed items
- 1/2"-20 connecting bar allows for connection to other standard pulling attachmentspockets of quarter-panels, rear fenders, and lower trunk panels



PAINT & BODY WELDING AND CUTTING



C3X 3/8" SPOT WELD CUTTER

- Double-end blade
- Three per pack



C117X 3/8" SPOT WELD CUTTER • Double-end blade

1/4" Arbor with retractable pilot



SWC900 SPOT WELD CHISEL

- Separates spot welded panels
- Use to separate panels after
- the spot weld has been drilled out Panels are separated without damage
- The blade is sharpened on three sides and offset for clearance

Note: The charnened edges will wear with us

SPECIALITY TOOLS DRIVE TRAIN



HEAD BOLT SOCKETS

• Designed for head bolts on VW and Audi

PRODUCT #	DESCRIPTION	SIZE	DRIVE Size	POINT Size	APPLI
SC475B	VW / Audi Polydrive Head Bolt Tool	10	1/2"	6	Cylinder head bol
SC90	Spline Head Bolt Socket	10	1/2"	12	10mm head bolt
SC91	Spline Head Bolt Socket	12	1/2"	12	12mm head bolt

DL200P

4 PIECE 1/2" DRIVE Combination driveline Socket Set - 12-PT.

- Great for most limited access fasteners to remove and install: driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- Universal design provides greater access

DL600P

6 PIECE 1/2" DRIVE Combination driveline Socket Set - 12-PT.

• Great for most limited access fasteners to remove and install: driveline bolts, torque converters, cylinder heads, 4x4 transmission casings

Universal design provides greater access







CATION

bolts on VW and Audi olts on VW and Audi olts on VW and Audi

SC89 7MM VW®/OPEL® TRIPLE SQUARE

 Drive size: 3/8"
 Works on previous generation VW[®] constant-velocity joints and Opel[®] manifold bolts

NSM10MM 10MM MAGNETIC NUT SETTER



SBM70990 Stretch Belt Mate

Use for all stretch fit belt applications
This universal kit allows for the installation, removal, and reuse of all stretch fit belts

SPECIALITY TOOLS DRIVE TRAIN



SBT590 RATCHETING SERPENTINE BELT SET

- · Releases tension on serpentine belts with a spring-loaded belt tensioner
- · Ratcheting head with freewheel position allows maximum leverage
- · Set ratcheting head to the middle or neutral/freewheel position and once maximum travel point is reached simply click lever into place to lock the ratchet mechanism Comes with extension for hard-to-reach belt tensioners
- · This tool will work where conventional ratchets or breaker bars won't fit due to limited access

SBT734 SERPENTINE BELT TOOL GRABBER

- · Designed to help in the installation and removal of serpentine belts
- · Has a gripping end that provides a positive grip on the serpentine belt, allowing user to access tight and difficult areas
- · Long reach (26-1/2") and comfort handle to make grasping belts easy

130600 **CV BOOT CLAMP PLIERS**

- · A special boot clamp crimping pliers that
- is designed to work in confined spaces • The pliers work from the side (head is turned 90°)
- unlike traditional tools that work from the end

SBT59800

MASTER SERPENTINE BELT SET

- Fits belt tensioners requiring 13mm, 14mm, 15mm, 16mm, 18mm hex, and both 1/2" and 3/8" square drive sizes
- 13mm and 16mm. Sockets are built into the handle
- · Covers most domestic and some import applications

PRODUCT #	DESCRIPTION	DRIVE SIZE	SIZE [MM]	SI	IT
SBT59800	Master Serpentine Belt Set				
SBT590	Ratcheting Serpentine Belt Set				
SBT57400-450	Replacement Socket	-	18	•	٠
LIS57580	Replacement Socket	-	16	•	•
SBT57400-440	Replacement Socket	-	15	•	•
LIS57390	Replacement Socket	-	14	•	•
SBT57400-500	Replacement Socket	-	13	•	•
SBT57560	Square Drive Socket	1/2"	_	•	•
SBT57400-530	Square Drive Socket	3/8"	-	•	•
LIS59100	Short Extension Bar	-	-	•	•
LIS59140	Adapter	-	19	•	•
SBT590-3	Ratcheting Handle with Grip	-	_	•	
LIS59780	Handle with Grip	-	-		•

SBT8585 (NOT SHOWN)

RATCHETING SERPENTINE BELT TOOL

• 13mm x 14mm, 18mm x 1/2" Male Square

SBT8591 (NOT SHOWN) RATCHETING SERPENTINE BELT TOOL • 14mm x 17mm, 19mm x 3/4" Male Square

> CF62B PRE-SET **CYLINDER DEGLAZER**

· Capacity: 2" to 7" (50.8 to 177.8mm)

SBT8586 RATCHETING

SERPENTINE BELT TOOL

• 15mm x 3/8" Male Square,

16mm x 1/2" Male Square

· Medium grit stones:

4" (101.6mm)

PRC144 PISTON RING **COMPRESSOR SET**

· Fine tooth ratcheting lock permits bands to be contracted in extremely small increments

DRIVE TRAIN

· Set components are also available individually along with six additional bands. 4-3/8" through 5-5/8"

PRODUCT #	DESCRIPTION	OVERALL LENGTH [IN]	SET
PRC144	Piston Ring Compres	sor Set	
PRC14401	Ring Compressor Pliers	-	•
PRC14404	Piston Ring Bands	3-3/8" - 3-5/8"	•
PRC14405	Piston Ring Bands	3-5/8" - 3-7/8"	•
CAL144-113	Piston Ring Bands	3-7/8" - 4-1/8"	•
PRC14407	Piston Ring Bands	4-1/8" - 4-3/8"	•



SPECIALITY TOOLS

C

BD3142MA

BRD129MA

SEAL DRIVER SET

bearing sizes

· Comes in a sturdy

blow-moulded case

22 PIECE BUSHING REMOVER AND INSERT KIT

- Sizes from 3/8" x 7/16" through 1-1/4" x 1-3/8"
- Three drivers and nuts for drivers
- Blow moulded case











VC572 LARGE VALVE SPRING COMPRESSOR

- · Designed to compress valve springs on overhead valve engines
- Includes two valve spring adapters, which fit valve spring
- retainers up to 1" (25mm) and 1-3/16" (30mm)
- Direct action compressor lever gives better visibility of valve spring retainers located in difficult access areas

JAW OPENING IN. / MM	THROAT HEIGHT IN. / MM
1-3/8" to 5-5/8" / 34.9 to 142.9	5-7/8" / 149.2



BC120200 **MAGNETIC BEARING CUP INSTALLER**

- · Installs bearing cups with the assistance of an internal magnet
- · Designed to be used for many automotive and light truck driveline applications

FT131108

LARGE MASTER BEARING **RACE DRIVER**

· All-in-one design, eliminating the need for a driver and several different heads

Three-step jaw accommodates sizes;

18 – 56mm (0.75" – 2.25") range with a 10mm depth/reach 39 – 77mm (1.5" – 3.0") range with a 10mm depth/reach 48 - 86mm (2.0" - 3.5") range with a 20mm depth/reach · Can be used on most vehicles, including motorcycles



BD3143MA

9 PIECE HEAVY-DUTY BUSHING REMOVER AND INSERT KIT

- Sizes from 1-5/16" x 1-7/16" through 1-3/4" x 1-7/8"
- · Blow moulded case



CA528

17 PIECE CLUTCH ALIGNMENT TOOL SET

- · Works on virtually all cars and light-duty trucks
- · Aligns clutch plate properly by using tapered cones and pilot adapters
- Compatible with both metric and SAE sizes

INCLUDES:

SAE:	METRIC:	
 7 x Pilot Adapters 	 5 x Pilot Adapters 	 1 x 3.5mm Pin
 1 x Clutch Disc 	 2 x Clutch Disc 	 1 x 4mm Pin
Centring Adapter	Centring Adapters	• 1 x 4.5mm Pin
 1 x Alignment Shaft 	 1 x Alignment Shaft 	 1 x 5mm Pin



OFH245C

ADJUSTABLE OIL FILTER PLIERS

- Covers filters from
- 2" to 4-1/4" diameter
- · Three contact points

L63600

 Made of forged alloy steel with heavy-duty textured grips

OIL FILTER WRENCH

FROM 2-1/2" TO 3-1/8"

· The large range enables this wrench

to fit most standard size filters

• Works great in tight spots since it works from the top of the filter

• Use with 3/8" drive ratchet

or breaker bar

OFHPSETA AUTO AND TRUCK FILTER PLIERS SET

· Heavy-duty forged jaws with sharp teeth that grip the most stubborn oil filters Two new sizes that cover filters from 2 1/1" to 7" diameter

PRODUC	ст #	NESCRIPTION	SI
2-1/4	10 7	ulailletei	

PRODUCT #	PRODUCT # DESCRIPTION		SET	
OFHPSETA	Auto and Truck Filter Pliers Set			
OFH287A	Auto and Truck Filter Pliers	3-3/4" to 7" 18"	•	
OFH297A	Auto and Truck Filter Pliers	2-1/4" to 5" 13-1/2"	•	

OFH276B 3-PRONG HEAVY-DUTY FILTER WRENCH

· Gear-driven hardened metal legs grip and turn the tightest filters • Use with 1/2" square drive tools • Filter diameter: 2-1/2" to 4"



OFW60-80 SNAP FIT OIL FILTER WRENCH

- Compact for access into tight areas
- High torque capability
- No damage to filter when loosening or tightening
- Automatic one hand adjustment on filters
- · Wrench stays in position on filter while searching for a ratchet
- · Patented grip system
- Size Range: 60-80NM



DRIVE TRAIN

OFKIT5PC 5 PIECE OIL FILTER CUP WRENCH SET

- Filter cup wrenches will service 98% of the cars sold in the USA
- Made of super-strong nylon fibre composite that will withstand more torque than conventional metal filter wrenches
- · Metal insert in wrench for strength



OF4B **OIL FILTER WRENCH KIT**

· Features one handle and yoke assembly with four different bands

PRODUCT #	DESCRIPTION	FILTER SIZE	SET
OF4B	Oil Filter Wrench Kit		
OF4B-01	Handle and Swivel	_	•
OF4B-02	Pin	Pin –	
OF4B-03	Oil Filter Band	2-3/8" - 2-3/4"	
OF4B-04	Oil Filter Band	2-7/8" - 3-1/4"	•
OF4B-05	Oil Filter Band	3-1/2" - 3-7/8"	•
OF4B-06	Oil Filter Band	4-1/8" - 4-7/16"	•











OFS7-SET 7 PIECE FILTER SOCKET SET

PRODUCT #	SIZE IN. / MM	APPLICATIONS	SET	
OFS7-SET	7 Piece Filter	7 Piece Filter Socket Set		
LIS13280	/ 25	Fleetguard® filter on motor homes, buses, and some medium-size trucks with Cummins® engines. Also some K&N® filters	•	
LIS13290	/ 28	'10 - '18 Dodge [®] Cummins [®] 6.7L fuel filter	٠	
LIS14600	1-1/8" / 29	Dodge [®] Cummins [®] fuel filter	•	
LIS13310	/ 24	Cadillac [®] and some BMW [®]	٠	
LIS13320	/ 27	'03 and later $\rm Mercedes^{\circledast}$ 1.8L, Smart and some $\rm VW^{\circledast}$	•	
OFS145	/ 35/36	Ford® 6.0L Diesel fuel and oil filter housings, Mini Cooper® and BMW® oil filter housings, Mack® Truck oil filter housing	•	
OFS147	1-1/4" / 32	GM® Ecotec 2.0L, 2.2L, 2.4L 4-cylinder oil filter housing, Chevrolet [®] HHR 2.4L oil filter housing and some Saturn [®] and SAAB [®]	٠	



HEAVY-DUTY OIL FILTER WRENCHES

• Use with 1/2" square drive ratchet or breaker bar

PRODUCT #	APPLICATIONS	FILTER SIZE
OFH2320B	Full Size Trucks and Vans	4-1/8" - 4-21/32"
OFH2321B	Full Size Trucks and Vans	4-21/32" - 5-5/32"
OFH2322B	HD Equipment	5-5/32" - 5-21/32"







SWIVEL OIL FILTER WRENCHES

· Stainless steel band with projection welds for strength and anti-corrosion Heat-treated handle/alloy steel swivel with increased metal thickness

PRODUCT #	APPLICATIONS	FILTER SIZE
0F537A	Compacts and Imports	2-7/8" - 3-1/4"
0F535A	Standard Size Oil Filters	3-7/16" - 3-3/4"

BH14550

5 PIECE BREATHER HOSE RELEASE TOOL SET

- Designed for European vehicles that utilize plastic hose locks in the engine, which can easily be damaged if removed improperly · Lightweight aluminum anodized
- · Compact size and slim design allow for easy installation and removal of the fittings, saving the technician time · Applications include Audi, BMW, Volkswagen, Mini and Mercedes Benz vehicles

OFH635 BELT FILTER WRENCH

 Use with 1/2" drive ratchet or breaker bar to remove filters up to 6-1/2" Strong nylon belt will not slip



TRUCK SWIVEL OIL FILTER WRENCH

• Fits filters 4-5/16" to 4-3/4" and Cummins[®] and Detroit Diesel[®] engines



OF991 TRUCK SWIVEL OIL FILTER WRENCH

• Fits filters 5-1/4" to 5-3/4" and Caterpillar® engines



L60200 **HEAVY-DUTY STRAP WRENCH**

- · A heavy-duty, heat-treated alloy steel
- yoke and strong web strap • Use with 1/2" drive ratchet or breaker
- bar to remove filters up to 6-1/2".
- 3-5/8" Long yoke fits into tight areas

LD11102 **8-GALLON OIL LIFT DRAIN**

- · Quick-release lock ring for fast raising and lowering of upper tube with a total adjustment range of 22-1/2"
- Large 15" funnel with strainer
- · Heavy-duty clamp with height
- · Specially shaped jug
- not warp with hot oil Large handles make
- · Big pour spout with
- Four 2-1/2" ball bearing

SP57HB SEAL PULLER WITH **COMFORT-GRIP[™] HANDLE** • Two-sized tips to fit most seal applications



OFPKIT4PC

4-PC. PLASTIC OIL PAN PLUG TOOL KIT

- Contains tool and adapters to remove plastic oil pan drain plugs found on many late model Ford[®], Volkswagen[®], Audi[®] and BMW[®] vehicles
- Includes adapters for Ford/Lincoln plastic oil pan drain plugs of engines: 2.7L, 2.7L (2018), 3.0L, 3.3L, 3.5L Turbo from 9-12-2018, 5.0L (2018)
- The adapters will not damage drain plugs and are designed to slot in and easily release these plugs
- · Comes in a hard case for easy storage





- adjustment range of 15"
- holds 8 gallons
- pouring easy
- threaded cap
- wheels swivel and roll easily
- · Reinforced base will





S120P **SEAL PULLER**

- A few hammer taps on tool back removes seals on automatic transmissions
- Standard 1/2" stock

SF19802 **2 PIECE SUPER FUNNEL**

- Use the large end to fill the crank case and the antifreeze receptacle without dripping on the engine cover or paint job
- · Use as a long super funnel with both parts screwed together





SP700A **30° BEND SPARK PLUG BOOT PULLERS**

SPKM12-SET

12 PIECE METRIC

SPARK PLUG SOCKET SET

SP600A (NOT SHOWN) **70° BEND SPARK** PLUG BOOT PULLERS

· Allows for easier access to the boot

Custom handle making it easier to grip





- Plug starter is intended to be used to start spark plugs in difficult to reach areas · This tool consists of flexible beads
- (12-1/2" long overall) with a twist handle on one end and a spark plug holder on the other



- · Flexible, sure grip
- Universal size, fits all spark plugs
- · Durable, convenient, and non-marring

UNIVERSAL SPARK PLUG SOCKET 3/8" DRIVE

- · Rubber retainer holds the spark plug by the porcelain
- insulator for better grip
- · Highly chromed finish for easy clean up and long lasting corrosion protection Knurled end for easy turning by hand
- · May be used with or without an extension

PRODUCT #	SIZE	DESCRIPTION	TYPE	CHROME	
SC179RA	5/8"	Universal Spark Plug Socket	Block	•	
SC181R	5/8"	Universal Spark Plug Socket	Ball		
SCU14MMR	14mm	Universal Spark Plug Socket	Block	•	

THIN-WALL SPARK PLUG SOCKETS

· Thin-wall design ideal for spark plug wells with limited space

SC17

Rubber insert grips spark plug securely

IGNITION

- · Hex end allows the use of a wrench if necessary
- High polish chrome-plated finish for long lasting corrosion resistance

PRODUCT #	SIZE	OVERALL Length	OUTSIDE DIA
SC177RTW	Thin-Wall Spark Plug Socket 16mm	2-1/2"	25/32"
SC214MMRTW	Thin-Wall Spark Plug Socket 14mm - 12-PT.	2-3/4"	23/32"

SC178R

13/16" SPARK PLUG SOCKET

SC177R

5/8" SPARK PLUG SOCKET

- · Rubber retainer holds plug by the
- porcelain insulator for better grip
- Knurled for firm control
- Hex end allows turning by wrench
- Chrome plated • 3/8" Drive



SPK9-SET

- **9 PIECE MULTI-LENGTH SPARK PLUG SOCKET SET**
- Three different sizes and three different configurations most
- commonly used when working with spark plugs: 9/16", 5/8", and 13/16" sizes in standard, universal, and extra deep styles Highly chromed finish for easy clean up and
- long lasting corrosion protection
- · Each socket is knurled for easy turning by hand







SPECIALITY TOOLS







MAGNETIC SPARK PLUG SOCKET INSERTS

- · Magnet firmly holds both the insert in the socket, and the spark plug in the insert
- · Helps prevent damage to the ceramic portion of the spark plug • Four sizes fit most domestic and imported spark plug sockets

PRODUCT #	SIZE	MAC TOOLS SOCKETS SERVICED
SP530	0.54	SC177R, SC179RA
SP531	0.58	SC163R, SC169R, SC181R
SP532	0.7	SC163R, SC169R, SC181R
SP533	0.785	SC164R, SC178R, SC180RA, SC182R

3/8" DRIVE DEEP SPARK PLUG SOCKETS

PRODUCT #	SIZE
SC10MMR	3/8" Drive Deep Spark Plug Socket 10mm
SC16MMR	3/8" Drive Deep Spark Plug Socket 16mm
SC18MMR	3/8" Drive Deep Spark Plug Socket 18mm
SC21MMR	3/8" Drive Deep Spark Plug Socket 21mm
SCD16MMRD	3/8" Drive Extra Deep Spark Plug Socket 16mm
SCD21MMRD	3/8" Drive Extra Deep Spark Plug Socket 21mm
SCU16MMR	3/8" Drive Deep Universal Spark Plug Socket 16mm
SCU21MMR	3/8" Drive Deep Universal Spark Plug Socket 21mm

PRODUCT #	SIZE	OVERALL Length	OUTSIDE DIA	SET
SPK9-SET	9 Piece Multi-Length Spark Plug Socket Set			
SC1832R	Spark Plug Socket 9/16"	2-1/2"	25/32"	•
SC2032R	Spark Plug Socket 5/8"	2-1/2"	27/32"	•
SC2632R	Spark Plug Socket 13/16"	2-1/2"	1-1/4"	•
SCD1832RD	Extra Deep Spark Plug Socket 9/16"	5-7/8	25/32"	•
SCD2032RD	Extra Deep Spark Plug Socket 5/8"	5-7/8	27/32"	•
SCD2632RD	Extra Deep Spark Plug Socket 13/16"	5-7/8	1-1/4"	•
SCU1832R	Universal Spark Plug Socket 9/16"	3-7/16	25/32"	•
SCU2032R	Universal Spark Plug Socket 5/8"	3-7/16	27/32"	•
SCU2632R	Universal Spark Plug Socket 13/16"	3-7/16	1-1/4"	•

SPECIALITY TOOLS



MASTER DISCONNECT AND A/C FUEL LINE DISCONNECT SETS

PRODUCT #	SIZE	DESCRIPTION	S	ET
MD4000	Master Disconn	ect Set		
DTS37000	6 Piece A/C Fue	el Line Disconnect Set		
DS410	5/16"	Angled Disconnect - Yellow		•
DS420	3/8"	Angled Disconnect - Blue		•
LIS39430	1/2"	Angled Disconnect - Red		٠
LIS39440	5/8"	Angled Disconnect - Green		•
LIS39450	3/4"	Angled Disconnect - Orange		•
LIS39460	7/8"	Angled Disconnect - White		•
LIS37010	7/8"	Disconnect Tool	•	•
LIS37020	3/4"	Disconnect Tool	•	•
LIS37030	5/8"	Disconnect Tool	•	•
LIS37040	1/2"	Disconnect Tool	•	•
L37050	3/8"	A/C Fuel Line Disconnect Tool	•	•
LIS37060	5/16"	Disconnect Tool	•	٠
FF350		GM [®] Fuel Filter Disconnect		•
LIS37500		GM [®] Fuel Module Disconnect		•
MD4000-4		Right Arm GM® Fuel Module Disconnect		•
MD4000-5		Right Arm GM [®] Fuel Module Disconnect		•
MD4000-9	5/16"-3/8"	Scissor Disconnect		•
TD960		Ford® Trans Oil Cooler Disconnect		•

TOOLS



HOSE PINCHING CLAMPS

- Lightweight, sturdy, non-conductive locking clamps for fuel, vacuum, and radiator hoses
- Both sets include small, medium, and large sizes which cover 7/64" to 2-1/4"

PRODUCT #	DESCRIPTION	SIZE	SI	ET
FCSA	3 Piece Angled Hose	Pinching Cla	mps	
FCS1	3 Piece Hose Pinchi	ng Clamps		
FCSA1	Fuel Line Clamp	Small		•
FCSA2	Fuel Line Clamp	Medium		•
FCSA3	Fuel Line Clamp	Large		•
FCS1A	Hose Clamp	Small	•	
FCS1B	Hose Clamp	Medium	•	
FCS1C	Hose Clamp	Large	•	



2 PIECE HOSE PINCHER SET

- A very quick and easy way to pinch off vacuum lines, fuel lines, and other small diameter lines without damage
- Body is made from strong fibreglass reinforced nylon for long life and resistance to solvents

FLP1 FUEL LINE PLIERS

- Used to remove fuel lines with quick
- connect, snap/slide, and lock couplersAdjustable jaws provide use in hard-to-
- reach areas with restricted access
 Suitable for use on multiple
- vehicle types

PHR900

FUEL

2 PIECE WIDE TIP Hose Remover set

- Removes rubber hoses from fittings and clamps
- Wide, smooth tip design helps prevent punctures
- Short remover designed to push hoses off
- Curve of the long remover is ideal for pulling hoses off

INCLUDES:

- PHR9001* Short Wide Tip Hose Remover, 9" length
- PHR9002* Long Wide Tip Hose Remover, 12-1/4" length

*Available seperately.

FIT810B BASIC FUEL INJECTION TEST KIT

- Includes adapters to service many domestic, Japanese,
- and marine applications

 Includes both GM[®] and Ford[®]
- test port fittings, in-line and end-of-line hose connections, and fuel bolt sizes 6mm-12mm
- All adapters and gauge heads have quick disconnect fittings for ease of use



SPECIALITY TOOLS

S115KP DIESEL INJECTOR PULLER®

- DIESEE INJEGTOR FOLLER
- Pulls injectors on Detroit Diesel[®] and Cummins[®] engines
 Bend and long handle provide extra leverage
- E





PHR950

2 PIECE WIDE TIP LONG REACH Hose remover set

- Long length ideal for removing hoses from hard-to-reach fittings and clamps
- $\ensuremath{\,\bullet\,}$ Wide, smooth tip design helps prevent punctures
- Straight remover designed to push hoses off
- Curve of the hook remover is ideal for pulling hoses off

INCLUDES:

- PHR9501* Wide Tip Hose Remover, 25-3/4" length
- PHR9502* Long Wide Tip Hose Remover Hook, 25-3/4" length

*Available seperately.





EMISSIONS

SPECIALITY TOOLS





TPT460M TRANSMISSION / OIL PRESSURE TEST KIT

- This professional kit can be used for domestic and import applications
 High and low pressure gauges make this kit useful for both transmission
- and engine work
 Comes complete with adapters for most applications and is designed
- to be used for either static or road testing

INCLUDES:

- M8 x 1.0 to 1/8" NPT
- M10 x 1.0 to 1/8" NPT
 M12 x 1.75 to 1/8" NPT,
- 1/8" NPT x 2" Male
- 1/6 NPT X 2 Male
 1/4" NPT Male x
- 1/8" NPT Male
- 1/8" NPT Female
 1/4" NPT Male / Female,
- 3/8" NPT Male x 1/8" Female
- 1/8" NPT Male x 1/8" Female
- 1/16"-27 NPT Male x 1/8"-27

Flexible head design assists in the removal of stubborn O₂ sensors that are 7/8" in diameter, a common size to most vehicles

OXYGEN SENSOR WRENCH – 6-PT.

• Pivots to allow more angles of placement

BENT-HANDLE FLEX-HEAD

OSW28F

OSW-SET

mac Tools

11 PIECE OXYGEN SENSOR SOCKET SET

Master oxygen sensor and sending unit tool set

PRODUCT #	DESCRIPTION	APPLICATIONS	SIZE	SET
OSW-SET	11 Piece Oxygen Sensor Socket Se	t		
OSW101	Oxygen Sensor Socket	0_2 and oil pressure sending units on late	1/2" x 29mm x 90mm	•
OSW102	Oxygen Sensor Socket	1980's / mid-1990's vehicles	3/8" x 7/8" x 90mm	•
OSW103	Oxygen Sensor Socket	Vacuum switches with a 7/8" hex and some $\rm O_2$ sensors	1/2" x 27mm x 85mm	•
OSW104	Oxygen Sensor Socket	Thermal sensor switches on 1973-1977 GM® vehicles	3/8" x 7/8" x 80mm	•
OSW105A	Oil Sending Unit Socket	0_{2} sensors and vacuum switches on many domestic and imported vehicles requiring wire clearance	1/2" x 1-1/16" x 74mm	•
OSW106	Oxygen Sensor Socket	Designed with a slot to accommodate the connectors on heated $\boldsymbol{0}_{_2}$ sensors	3/8" x 7/8" x 50mm	•
OSW107	Offset Oxygen Sensor Wrench	Low profile for use in tight areas	3/8" x 7/8" x 30mm	•
OSW108	Special Tube Socket	To remove $0_{\mathbf{z}}$ sensors on many European vehicles; also for Mercedes diesel injectors	3/8" x 22mm	•
OSW109	Offset Oxygen Sensor Wrench	Allows maximum accessibility when removing $\rm O_2$ sensor sockets; also for Super-Duty 12- and 6-PT. applications	2-1/8"	•
0SW110	Deep Oxygen Sensor Socket	Side slot allows wire clearance	3/8" x 3-7/8"	•
0SW111	Oxygen Sensor Thread Chaser	Can be used to clean and repair threads on exhaust 0_z sensor parts; also to clean threads on M18 x 1.5 spark plug socket	_	•

SC1531A OXYGEN SENSOR SOCKET

- Remove and install oxygen sensors on
- computerized engine control vehiclesCan be used in conjunction
- Can be used in conjunction with a torque wrench
- Size: 7/8" x 3-7/8"

TOOLS AND NOTES	ENGINE SIZE	CONFIGURATION	REPRESENTATIVE Car Model
SC1531A	1.9L	1-4	Escort® GT
SC1531A (LOTS OF ROOM, SMALL SENSOR)	2.3L OHC	1-4, FBC	Mustang® / Capri®
SC1531A (HS)	2.9L	V-6, EFI	Ranger®
SC1531A OR WRENCH (HS)	2.9L	V-6	Bronco II®
SC1531A OR WRENCH (LOTS OF ROOM, HS)	3.0L	E-6, EFI	Aerostar®
SC1531A (CLOSE TO WALL, DIFFICULT TO FIT)	3.8L	E-6, EFI	Cougar® / T-Bird® LTD/ Marquis®
SC1531A (MOVE 1/4" TUBE TO FIT)	4.9L	16	F150®
SC1531A (HS)	5.0L	V-8, EFI	Marquis Grand F150®

TOOLS

* Does not list all possible models. EFI - electronic fuel injection, FBC - feedback carburetor, NHS - non-heated $O_{\rm p}$ sensor, HS - heated $O_{\rm p}$ sensor.



OSW8875B Oxygen Sensor Wrench

- Compact design
- Made from quality heat-treated steel, this tool works on both foreign and domestic cars
- Drive size: 3/8"

326



CT155A Deluxe compression test kit

- · Complete with standard and speciality adapters
- This deluxe kit offers a complete package for compression testing on gasoline engines
- Kit includes the deep well connector used on recessed plug well style heads and the Ford[®] Triton[™] engine adapter using 16mm thread plugs

INCLUDES:

- 14mm Deep Well Extension
- 12mm Adapter
- 18mm Adapter





CLD210MA DIFFERENTIAL CYLINDER PRESSURE TESTER

- Quickly locates internal engine problems such as bad rings, valves, and leaking head gaskets
- Comes with adapters for most applications

INCLUDES:

- 10mm Adapters
- 12mm Adapters
- 18mm Adapters
- · Blow-Moulded Case



VP5000K

AUTOMOTIVE PRESSURE TEST KIT

- · Can be used as a complete one-person brake bleeding kit with 12-oz. bottle and rigid quick connect to pump
- Dual hand pump can produce and measure vacuum or pressure with equal performance and precision
- · Switches between vacuum/pressure at the turn of a switch ergonomically designed handle for ease of operation
- Single-hand vacuum/pressure release action allows multiple tests without disconnection
- Accessories to perform multiple vacuum and pressure tests on vehicle

11100



SPECIALITY TOOLS TESTING

DDRG6059F

DIGITAL CALIPER 0 - 2.25

- · Three keys: mm/in
- (metric/inch conversion) · ABS (absolute and relative
- measurement conversion)
- ON-ZERO (power on/off and zero setting)
- · Hardened stainless steel construction. thumb wheel and lock screw, automatic
- power off and RS232 output
- Supplied with one spare battery
- Meets DIN862 specification
- · Blow-moulded case



DDRG465

DIGITAL ROTOR / BALL JOINT DIAL INDICATOR

- RS232 output
- Spare battery
- · Checks ball joint wear
- and disc rotor run-out
- · Indicator mounted on flex-arm Meets DIN878 specification
- Blow-moulded case



FG013 22-BLADE MASTER GO-NO-GO GAUGE

FG15

INCLUDES:

PRODUCT #	BEND	BLADE SIZE	BLADE SIZE MM	
FG002	0°	3" x 1/2"	76.2 x 12.7	.0015, .002, .003, .004, .005, .006, .007,
FG013	0°	3" x 1/2"	76.2 x 12.7	.004006, .005007, .006008, .00 .016018, .017019, .0
FG015	0°	1-3/4" x 1/4"	44.5 x 6.4	.011, .012, .013
FG030	0°	3" x 1/2"	76.2 x 12.7	.04, .05, .06, .07, .08, .09
FG15	45°	6" x 1/2"	152.4 x 12.7	007009, .008010, .009011, .01001



DIESEL COMPRESSION TESTER SET

 Includes 0 to 1,000 PSI (0-70 bars) compression gauge and adapters for GM[®] VW®, Small Cummins®, Mercedes Benz®, plus adapter to fit Bacharach fittings

SGT34730

- Release valve allows for venting resets for repeat tests
- Swivel end connector attaches to adapters
- · Records maximum pressure

CT780MB

· High-pressure hose, 16-1/2" long

PRODUCT # APPLICATIONS		SIZE	SET
CT900D	Diesel Compression Tester Set in Metal Box		
CT700D	Compression Tester	-	•
SGT34730	GM [®] and Ford [®] / International 6.9L	Fits Glow Plug Port	•
CT740VW	Volkswagen®	Fits Fuel Injector Port	•
SGT34760	Small Cummins®	Fits into Nozzle / Injector Port	•
CT780MB	Mercedes Benz®	Fits Glow Plug Port	•
SGT34770	Heavy-Duty Equipment / Heavy-Duty Injector Port	Fits Bacharach Adapters	٠



CT740VW

FG002



FG030 **25-BLADE METRIC MASTER GAUGE**



MP500A STETHOSCOPE

- Unique sound chamber and super-thin diaphragm greatly amplifies sounds
- · Pinpoints source of noises in engines, transmissions, differentials, and bearings
- Longer probe can reach deep into engine compartment

DD1350 **DIGITAL DIAL INDICATOR** WITH MAGNET

- RS232 output
- Spare battery
- · Measures distance, checks alignment, roundness and run-out, cam shaft, and valve guide wear
- Powerful magnetic base
- Meets DIN878 specification
- Blow-moulded case





16-BLADE MASTER IGNITION GAUGE



For valve adjustment

• 15 x Step-ground • 15 x Go-No-Go blades

BLADE THICKNESS MM .008, .009, .010, .011, .012, .013, .014, .015, .016, .018, .020, .022, .024, .025, .028, .030, .032, .035 007-009, 008-010, 009-011, 010-012, 011-013, 012-014, 013-015, 014-016, 015-017, 018-020, 019-021, 020-022, 021-023, 022-024, 023-025, 024-026, 025-027 13, .014, .015, .016, .017, .018, .019, .020, .022, .024, .025, .028, .030, .032 9, .10, .15, .20, .25, .30, .35, .40, .45, .50, .55, .60, .65, .70, .75, .80, .85, .90, .95, 1.00 12, .011-.013, .012-.014, .013-.015, .014-.016, .015-.017, .016-.018, .017-.019, .018-.020, .019-.021, .020-.022, .023-.025, .025-.027, .026-.028, .028-.030

329

SPECIALITY TOOLS PULLERS



PJ200SB 2-TON 2-/3-JAW PULLER Reversible jaws grip tighter

as more pressure is applied · Convertible design allows tool to be used in 2- or 3-jaw mode



PBP1170C PILOT BEARING PULLER

 Built specially for inside pulling jobs, and particularly for removing flywheel pilot bearings on autos, trucks, and tractors • Also practical for pulling motor, generator, and magnet bearings

PP955B

PULLER

PILOT BEARING





THE PJ200SB PI MAY BE ASSEMI THE EIGHT DIFF CONFIGURATION	BLED INTO ERENT	in the second	N C A ST				6 (P)
	NESCRIPTION		PACITY	REACH		SUBEM	SI7E

PRODUCT #	DESCRIPTION	CAPACITY Tons	REACH In. / Mm	SCREW SIZE	SPREAD In. / Mm
PJ200SB	Eight-Way Puller Set	2	3-3/8" / 85.7	3/8" - 24 x 4-7/8"	4-3/4" / 120.7

RATCHETING GEAR PULLER

- · Quick-release jaws for fast changes between two- and three-jaw mode • Ratcheting design holds jaws
- in position while setting puller
- Jaws are reversible for pulling on the inside or outside of object needing pulled

PRODUCT #	DESCRIPTION	CAPACITY [TONS]
GP102	2-3 Jaw Puller	2
GP105	2-3 Jaw Puller	5
GP107	2-3 Jaw Puller	7

PS16LP-SET **16 PIECE SLIDE HAMMER** & PULLER SET

- · Removes bushings, bearing races, and pressed-in-studs
- Autobody dent puller attachments: 2 lb. slide hammer, 3-8/16" threaded slide screw, inside spread from 3/8" to 1-1/4", outside spread from 0" to 3", and a maximum reach of 2-1/2"

INCLUDES:

· Autobody dent puller attachments: 2 lb. slide hammer, 3-8/16" threaded slide screw, insode spread from 3/8" to 1-1/4", outside spread from 0" to 3", and a maximum reach of 2-1/2"



BH581B BLIND HOLE BEARING PULLER SET

- For pulling jobs requiring an internal pull
- Four collet sizes: 7/16" to 1/2", 9/16" to 11/16", 5/8" to 1", 1" to 1-1/4", for a wide range of applications

INCLUDES:

- 2-1/2-lbs. Slide hammer with T-handle
- Blow-Moulded Case



PS959B

SLAMMER HAMMER EIGHT-WAY PULLER

5 lbs. Slide hammer

INSIDE SPREAD	OUTSIDE SPREAD	SLIDE ROD SIZE
1-1/4" to 4-1/4" (31.8mm to 108.0mm)	1" to 4-1/2" (25.4mm to 114.3mm)	5/8"-18" x 23"







PB518B 5-TON BAR-TYPE PULLER / BEARING SEPARATOR SET

• Two bearing splitters (2" and 3"), four sets of hex push-puller legs and bar-type puller head

• 5" Puller cross-bar with 6-1/4" forcing screw

PB518B-4 **FORCING SCREW**



PS1190B

SLAMMER HAMMER PULL SET

- Deluxe version of the popular Slammer Hammer
- This set will make up to ten different pullers
- Includes a wider assortment of jaw sizes, a front hub puller assembly, and a forcing screw and sleeve



SPECIALITY TOOLS EQUIPMENT

PP522B LARGE GEAR AND **PULLEY PULLER**

- Removes parts with tapped holes such as gears and pulleys • Any cap screws up to 1/2" diameter
- can be used (not included)



WW676A WINDSHIELD WIPER **ARM PULLER**

- Removes wiper arms on many foreign and domestic cars and light trucks Prevents damage to wiper arm
- or hood cowling during removal

	PRODUCT #	PULLER BLOCK WIDTH IN. / MM	SCREW	SPREAD RANGE IN. / MM
1	PP522B	8-1/4" / 209.6	3/4"-16 x 11-5/8"	2" to 7-3/4" / 50.8 to 196.9

PP7208C **FRONT HUB PULLER**

- · Removes and installs front hubs on today's FWD cars
- · Creates up to five tons of working force. for use on most front wheel drive cars, plus a spare locknut that allows the use of a standard slide hammer puller for rear axle flanges
- With locknut for rear axle flanges



- · Fits most passenger cars and light trucks for removal of flange-type rear axles • 5-lbs. Slide hammer with pulling plate, services axles with bolts or studs up to 9/16" diameter
- (141.3mm)



• Fits 4, 5, or 6 bolt stud circle to 5-9/16"

Master Bolt Grip Set



MV6400MAC FLUID DISPENSING SYSTEM

- The MV6400MAC is designed for topping-off fluid reservoirs including master cylinders, gear boxes, transmissions, power steering reservoirs, etc.
- · Its convenient size and 5' long hose with dispensing wand and flow control valve make it ideal for accessing hard-to-reach reservoirs and fill plugs
- · For transmission refill and pressure bleeding applications, the MV6400MAC is compatible with a wide selection of ATF and pressure bleed adapters



MV7201A **8.8 LITRE FLUID EVACUATOR / DISPENSER**

- · Creates vacuum and pressure · Can evacuate and dispense
- most automotive liquids
- · Larger capacity 8.8 litre fluid reservoir
- Automatic flow control valve
- prevents overfilling · No electric or compressed air required
- · Can be used with our MV7205A brake bleeder kit

BB2500

- for extracting and pressure for dispensing
- while refilling with new · Used or new fluids are dispensed by switching from vacuum to pressure
- Isolated flow control and pressure / vacuum switch valves provide simple functionality control
- Redundant pressure control systems safely maintain peak output pressure below 30 psi (2 bar)
- · 2.5-quart (2.5-litre) capacity reservoir

INCLUDES:

- 1 x Pneumatic lid for evacuation and dispensing
- 1 x 2.5L bottle
- 1 x Fluid Evacuation W

STP600B **43 PIECE DELUXE MASTER BOLT GRIP SET**

- · Covers almost every car, pickup, SUV and small engine
- · Capable of handling almost every 2- or 3-way bolt pull possible
- · For use on a variety of jobs: harmonic balancers, steering wheels, crankshaft pulleys, and gears

INCLUDES:

- 1 x 3/4" Centre x 4-1/4" Diameter Heavy-Duty 4-Way Slotted Puller Yoke
- 1 x 3/4-16UNF x 5-3/8" Grade 5 Hardened Live-Centre Forcing Screw
- 1 x 3/4-16UNF x 2-3/4" Grade 5
- Hardened Live-Centre Forcing Screw • 3 x 5/16-24 UNF x 3" Grade 8
- Special Stepped Bolts
- 1990 and Newer GM® 3300-3800 V-6 Crankshaft Pulleys
- 1 x Blow-Moulded Case
- 1 x Detailed Application Chart
- 3 x 5/16 24UNF x 3" • 3 x 5/16 - 18UNC x 3.5" • 3 x 3/8 - 24UNF x 1.5" • 3 x 3/8 - 16UNC x 2" • 3 x 3/8 - 16UNC x 3" • 3 x 3/8 - 16UNC x 4.5" • 3 x 8mm x 1.25 x 90mm • 3 x 8mm x 1.25 x 45mm • 3 x 8mm x 1.25 x 65mm

• 3 x 1/4 - 28UNF x 3"

• 3 x 10mm x 1.5 x 35mm Grade 8 Washer Head Bolts

TOOLS







FLUID EVACUATOR

- · Evacuate most automotive liquids and chemicals
- · Automatic flow control
- prevents overfilling
- · Pressure relief valve for safety
- Fully sealed cylinder
- · Durable polyethylene construction
- Dipstick tubes for engine oil removal · Pour spout for easy dispensing
- of fluids
- · No power required



· Compressed-air-powered system designed for performing one-person vacuum brake and clutch bleeding · Utilizes compressed "shop-air" to produce vacuum

- Includes accessories for extracting used brake fluid

MV7300-MAC **PNUEMATIC AIR OPERATED** FLUID EVACUATOR



11



MV6412MAC 2.5-GAL ATF REFILL SYSTEM

- The MV6412MAC combines the new Fluid Dispenser with our popular ATF refill adapter kit to provide a complete system for servicing today's sealed automatic transmissions
- The dispenser allows the operator to fill or top-off transmissions with up to 2.5-gallon of fluid between refills, while the pressurized operation frees the operator from continual pumping



PBT71196

· Specifically designed for differential

• Quick-couple fittings allow easy hose

changes and no-drip storage

Blow-moulded case for

convenient storage


and transmission service

PBT71201 TRANSMISSION ADAPTER KIT

- Kit contains 10 pressure hose adapters to use with PBT71196 Drill Pump to efficiently refill sealed automatic transmissions
- Quick-connect fittings on adapters and pressure hose for easy interchange
- Included pressure hose with quick-couple fittings for quick adaptor interchange
- Adapters made from lightweight, high strength composite material with high chemical resistance
- High-impact resistance prevents damage to adapter thread if dropped

INCLUDES:

- Adapter M22 x 1.5mm: VW[®] / Audi[®] with CVT Transmission
- Adapter M24 x 1.5mm: VW® / Audi® with DSG Transmission
- Adapter M30 x 1.5mmm: VW[®]
- Adapter M8 x 1.0mm x 46mm; VW [®] Tiguan
- Adapter M18 x 1.5mm with flex hose: Toyota® ATF
- Adapter 5/16 24 UNF x 46mm: Volvo® ATF
- Adapter M10 x 1.0mm x 95mm; VW[®] ATF
- Adapter M12 x 1.5mm x 83mm: Mercedes-Benz[®] with 722.9 7G Tronic Transmission
- Adapter 45° x 142mm: General • Adapter - 1/8" NPT x 118mm: Ford® ATF





COMBUSTION LEAK TESTER KIT BT700A

BLOCK TEST FLUID

BTD600

COMBUSTION LEAK FLUID FOR DIESEL ENGINES

- · Quickly detects the presence
- of combustion gases in the radiator
- Block Tester Indicate combustion leaks when
- Vacuum Hose the fluid turns from blue to yellow 16-oz. Bottle of Test Fluid

INCLUDES:



SPECIALITY TOOLS EQUIPMENT

PBT80020

QUICKDIAL 2-WAY DIAGNOSTIC PUMP

- 2-Way pressure and vacuum test functions
- · Intuitive rotary dial mode switch · Pistol grip with lever
- High volume efficiency in both pressure and vacuum mode
- · Manufactured from fiber reinforced composite materials
- Very high strength
- High impact resistance
- · Excellent chemical resistance
- Integrated rear mount gauge
- Optimum viewing angle

- Maximum impact protection High-quality silicon material hoses with quick couple hose fittings · Quick hose interchange
- No leaks under vacuum or pressure
- Custom blow mold storage case
- Maximum pressure: 30psi · Maximum vacuum: 28 in Hg
- Stroke volume: 1 cubic inch (16cc)
 - · Pump weight: 20.1 ounce

- PBT80021 FLUID COLLECTION CONTAINER
- · Bleed fuel systems fast · Bleed diesel fuel systems quickly and easily
- after filter replacement Connect to the PBT80020 QuickDial 2-Way Pump and operate vacuum mode to easily
- transfer fluids · Use to bleed brake systems, bleed fuel
- systems after filter replacement and evacuate power steering systems
- · Overfill protection Fitted with overfill shut-off valve
- · Lightweight and high chemical resistant manufacture from high strength composite materials
- Handsfree operation features a hanging hook to conveniently operate pump and move the suction hose
- · Maximum vacuum: 28 in. Hg
- Container volume: 500ml
- **MT770A TAILPIPE AND**

EXHAUST CUTOFF 19mm diameter cutting

- wheels on every pivot · Cuts thick and thin walled pipe from 3/4" to 3-1/4" (19mm to 83mm) in diameter
- 1/4 turn for complete cut





TPS344 EXHAUST AND TAILPIPE STRETCHER

- Stretches all types of exhaust pipes including stainless steel Use with impact wrench to guickly
- stretch pipes for connection
- Two collet sets fit pipes from 1-5/8" to 2-7/16"
- · Can be used on the car

C38350 **EXHAUST PIPE** HANGER PLIERS

** * * *

AL.

 Separates exhaust hanger brackets from rubber supports

STEERING & SUSPENSION

BALL JOINT TOOLS

TIE ROD TOOLS



UJP904 AUTOMOTIVE U-JOINT PULLER

- For disassembling seized U-joints in minutes on many cars, light-duty trucks and farm machinery
- · Eliminates vise-and-socket or hammering methods
- · Reduces risk of damage to the driveshaft,
- yokes, joints or bearing cups • For U-joints with bearing cups 1" to 1.25"
- outside diameter

HCP650A **REMOTE-ACCESS HOSE CLAMP PLIERS**

- · Locking feature frees hand
- · Extra long reach for removal and installation of hard-to-reach hose clamps
- Fits hose clamps from 11/16" to 2-1/2"
- (18mm to 54mm) Precision-machined clamp at the end
- reaches where other pliers can't



- for the next clamp
- many which are seized and stubborn, in minutes on many Class 7 and 8 trucks and machinery

· Heavy-duty solution for disassembling U-joints, including

INTERMEDIATE U-JOINT PULLER

UJP907

- · Engineered for use with up to a 1" impact tool
- · Alternative to vice and socket, or hammering removal methods · Helps to prevent damage to the driveshaft, yokes, joints,
- or bearing cups
- One-piece unit without bolts, cables, or assembly required

- BJ530 **BALL JOINT SUPER SET**
- · Allows for the removal and installation of press-fit ball joints on many GM[®] and Ford[®] light-duty trucks, vans, and SUVs through 2003; Dodge[®] light trucks through 1998; Dodge[®] vans, Durango, and Dakota through 2003; and Honda[®] Accord, Civic, del Sol, and Prelude through 2001

BJ7025MA BALL JOINT / U-JOINT PRESS

• Removes and installs pressed-in ball joints and U-joints


INCLUDES:

- 1 x Receiver Tube: 3" 0.D. x 2-3/4" I.D.
- 1 x Receiver Tube: 2-1/2" 0.D. x 2-1/4" I.D.
- 1 x Receiver Tube: 2" 0.D. x 1-3/4" I.D.
- 1 x C-Frame
- 2 x Adapter Plates
- 1 x Blow-Moulded Case









HC16200









HCPR1 **REMOTE ACCESS HOSE CLAMP PLIERS**

- Unique jaw design fits all typical automotive clamps up to 2" (50mm)
- Ratchet lock with slide guide Bi-material grips with cable snap feature extra-heavy duty 5/64" (2mm) cable
- · Hose Clamp Pliers with flexible cable for remote access
- Works on the widest range of hose clamps



3 PIECE MOBEA HOSE CLAMP LOCK TOOL SET

 Designed to help technicians save time when removing and servicing engine hoses that are fastened with spring style clamps There are three sizes of clamp locks included in this kit. covering the range of hose clamps used on most engines • No need to either unload a clamp, which can be difficult to reload. or leave pliers locked in place for the duration of the job Allows technicians to keep the clamp loaded, freeing up pliers

KC18A

HOSE CLAMP PLIERS

- · For applying and removing spring clamps
- Recess in jaws grips spring
- Eliminates slip or twist





TR899 MULTI-PURPOSE RACK WRENCH

- · Services hex drive rack ends and round rack ends with either two or no flats
- · Suits multiple rack ends and sizes
- Use on vehicles with limited access to avoid need to remove rack assembly
- Prevents damage to rack components
- · Clamp force increases as load is applied





PARP9 **LOCKING PARROT PLIERS - 9"**

- Unique shaped jaws allow pliers to grasp a multitude
- of objects, regardless of shape
- · Ideal for standard fasteners, suspension components, tie rods, and rounded off bolts

TR6275A

TIE ROD / PITMAN ARM ADJUSTING TOOL SET

- For compact or full size cars and light trucks
- Permits 360° rotation of adjusting sleeve
- · Leverage easily applied by 1/2" ratchet or breaker bar

PRODUCT #	DESCRIPTION	SLEEVE DIAMETER	APPLICATION	SET
TR6275A	Tie Rod / Pitman Arm Adjusting Tool Se	t		
FT-86A	Tie Rod/Pitman Arm Adjusting Tool	3/4"	Compact Cars	•
FT-86B	Tie Rod/Pitman Arm Adjusting Tool	7/8"	Full Size Cars	•
FT-86C	Tie Rod/Pitman Arm Adjusting Tool	1-1/8"	Light Trucks	•
FT-86D	Tie Rod/Pitman Arm Adjusting Tool	1-7/16"	Ford® 3/4-Ton	•
FT-86E	Tie Rod/Pitman Arm Adjusting Tool	1-13/16"	Ford® 3/4-Ton and 1-Ton Trucks	•

PFK4150A

5 PIECE STEPPED PICKLE FORK KIT

ALIGNMENT TOOLS

- · Ideal kit for separating ball joints, steering dampeners, tie rods, Pitman arms, and other heavy-duty chassis and suspensions
- · Stepped fork design greatly reduces bounce back during heavy use Complete set includes three stepped forks and two handles:
- one for hammering and one for use in an air hammer (.401" shank)
- · Heavy-duty steel alloy forks withstand abuse and can be sharpened over the life of the tool





- **REMOVE AND INSTALL SET** Remove and install a wide range of pulleys on Ford[®], GM[®], VW[®], and Chrysler[®] vehicles with Saginaw, Thompson, and Ford® C111 and C2 power steering
- · Includes adapters and spacers to install pulleys exactly to the right depth, from old Chrysler® alternators, to the latest models in all brands

POWER STEERING PUMP PULLEY

PSPKITA









MS629A MACPHERSON STRUT SPRING COMPRESSOR

· Centre screw uses ACME threads for strength and ease of operation



NOTES



HEAVY-DUTY SINGLE SHOT AIR GREASE GUN

- Heavy-duty composite body
- Comfortable cushion-grip
- 3-Way loading (bulk, 14-oz.
- cartridge, filler pump)
- Bleeder valve for purging unwanted air • 2 ml Output per stroke
- 3600 psi Output pressure
- 40:1 Ratio



• Heavy-duty cast aluminium body

- for durability and long life
- · Cushion-grip for comfort
- 3-Way loading (Bulk, 14-oz.
- cartridge, or filler pump) • 288 ml/min of Output per stroke
- 3600 psi Output pressure
- 40:1 Ratio

GS19HD

- **HEAVY-DUTY SUCTION GUN**
- Heavy-duty 1.7mm thick seamless barrel with textured finish
- 12" Clear flexible tube • Heavy-duty T-handle with
- finger grooves for easy use
- · Capacity: 16-oz.



GG33HD HEAVY-DUTY PISTOL-GRIP GREASE GUN

- 16-oz. Bulk fill 14-oz. Standard cartridge
- 3-Way filling (bulk, cartridge, filler pump)
- · Heavy-duty flexible 18" nylon hose and 6" metal spout for easy use
- Heavy-duty 1.7mm thick
- seamless barrel to avoid dents Aluminium head reduces
- the weight for easier use

- GG43HD **HEAVY-DUTY LEVER GREASE GUN**
- 16-oz. Bulk fill 14-oz. Cartridge
- 3-Way filling (bulk, cartridge, filler pump)
- Heavy-duty 1.7mm thick seamless
- barrel with textured finish ACME threads machined in barrel for better seal
- · Aluminium head reduces the weight for easier use
- · Cushioned lever for comfort • Heavy-duty T-handle with finger grooves for easy use

INCLUDES:

• Heavy-Duty Flexible 12" Nylon Hose • 6" Metal Spout



8 PIECE GREASE ADAPTER SET

PRODUCT #	DESCRIPTION	SET
GGA8B	8 Piece Grease Adapter Set	
GGA810	Hypodermic Needle Coupler	٠
GGA820	Seal-Off Dispenser	٠
GGA830	Narrow Needle-Nose Dispenser	•
GGA840	3" Straight Needlepoint Coupler	•
GGA850	Needlepoint Coupler Right Angle	•
GGA860	Right Angle Tight Tolerance Coupler	•
GGA870	Grease Coupler	•
GGA880	16" Rubber Grease Hose with Spring Guard and 4-Jaw Coupler	•







11



WORKSHOP

CONTENTS:

-

	π
JACKS AND STAN	IDS
SHOP ACCESSOR	IES
SEATS, CREEPERS	6 AND MATS
COVERS	
INSPECTION	
OIL CANS	
CLEANERS	

HOW TO NAVIGATE




BOOKMARK Click to go back to the beginning of the section

LINKS Click the contents to move around the catalogue

MACTOOLS.CO.UK 0114 291 7266



SHOP EQUIPMENT JACKS AND STANDS



JTRAN500KG **500KG TRANSMISSION / PIT JACK**

Pedal pump

- Chrome-plated stand
- Load limiting valve
- Nylon wheels for easy rolling
- Maximum capacity: 500kg
- Able to reverse the crane and adapt pad

JQLAL2.5T

2.5 TON ALUMINIUM TROLLEY JACK

- · Capacity: 2.5 Ton Twin piston pump
- Max height: 459mm
- Min height: 100mm


JHD3.25T 3 TON TROLLEY JACK

- Foot pedal for quick approach to lift height
- Double piston which decreases the number
- of strokes by 50%
- Rubber saddle included
- Useful tray located at the bottom of the handle for storage of tools, screws and nuts
- damage to vehicles when pumping



JULP3T **3 TON COMPACT LOW PROFILE TROLLEY JACK**

- · Foot pedal for guick approach to lift
- Double piston which decreases the number of strokes by 50%
- · Rubber saddle included
- Useful tray located at the bottom of the handle
- for storage of tools, screws and nuts
- Foam protection on the handle to prevent
- damage to vehicles when pumping · Silent-running polyurethane wheels



AS3UK

3 TON AXLE STAND - SET OF 2

- High quality ratchet bar to work in safe conditions
- · Pin system to lock the ratchet bar
- and increase safety
- · Large feet for better stability



680KG EASY ROLLER™ WHEEL DOLLY POSITIONING SYSTEM

- Provides a simple and efficient method of moving a disabled vehicle around a shop
- pedals to activate the hydraulic lift
- · Fits tread widths up to 12" and the four heavy-duty casters support up to 680kg (1,500 lbs.) per unit
- Four heavy-duty phenolic casters protect shop floors from damage
- Weight: 20kg (44 lbs.)
- · Item sold as one set or individually

JTL2T

2 TON LOW PROFILE TROLLEY JACK • Double piston for a fast lift

• Useful tray located at the bottom of the handle for storage of tools, screws and nuts • Foam protection on the handle to prevent damage to vehicles when pumping • Silent-running polyurethane wheels • Easy and comfortable to use

· Foot pedal for quick approach to lift height



- · Foam protection on the handle to prevent

- WD1250
- · Position at each wheel of a vehicle weighing
- up to 2.72 Ton (6,000 lbs.) and use the foot One individual can easily move the car
- throughout the garage

ASGUK 6 TON AXLE STAND - SET OF 2

- High quality ratchet bar to work in safe conditions
- · Pin system to lock the ratchet bar and increase safety
- · Large feet for better stability



· Hydraulic lift mechanism with locking pin



12







204KG LOW PROFILE Z CREEPER

- Fully upholstered pad
- Only 1/2" ground clearance
- Six 3" polyurethane, oil-resistant,
- full bearing casters for easy movement

CR400SPI SPIDER CREEPER

40" Heavy-duty creeper

- Full-size, comfortable and tough
- · Sturdy and reliable for the most brutal shop environments
- 1/2" Ground clearance with 2" minimum height allows
- user to perform services beneath low-profile vehicles

CR921

CR961

CR5HD17 **HEAVY DUTY CREEPER**

WITH 5" WHEELS

- 5" industrial pin casters
- 3-1/2" ground clearance
- 20" W x 44" L bed 2" thick contoured bed
- with pillow type head rest

PLASTIC CREEPERS

- · Resistant to solvents, grease, and fuels
- Dimensions: 38" x 17-1/2" x 4"
- Ground clearance: 7/8"
- Weight: 4.5kg
- Available in Black, Red, Yellow, Orange, Blue and Green.

CR951 BLACK PLASTIC CREEPER





CR941 CR971

CR2500 TOOL BOX CREEPER SEAT

- Innovative design features three sturdy roller-bearing drawers (12-3/4" x 7-5/8" x 2-3/8") with a weight capacity of 15.9kg (35 lbs.) per drawer
- · Thick 3" vinyl padded seat cushion for durability and comfort
- Four 3" oil-resistant polyurethane full bearing casters for mobility in a variety of environments
- Dual front and back tool trays
- Total seat capacity: 204kg (450 lbs.)

FOCP **PREMIUM FOLD-OUT**

CREEPER PAD

- · Waterproof backing creates a barrier to prevent moisture from soaking into the foam
- A high dense foam and raised headrest provide extra cushion and comfort for the user
- · Folds-up for easy storage and is easily accessible anywhere

KP1167

FOAM MECHANIC'S **FLOOR MAT**

- · Closed cell foam laminated with orange in the middle of two black layers
- · Designed to withstand many of the harsh oils used in the automotive or aircraft industry





CRS113NM **CREEPER SEAT** WITH MAGNETIC TRAY **AND 3" WHEELS**

- 1" Steel tube frame
- · Wide base for better stability
- 15" x 15" storage tray with magnetic strip for small parts and tools
- 4 x 3" No-matic casters swivel with ease over uneven terrain, cracks, hoses, etc.



KP1169 KNEELING MAT

- · Manufactured from closed cell, cross-linked polyethylene foam
- Tear-resistant
- Fine cell structure resists grease, oil and dirt
- · Easily cleaned with hose and water
- Lightweight easy to transport, store, or hang up
- · Layers are heat fused to help eliminate the possibility of delamination









FC100 **2 PACK CLING-ON FENDER COVER**

- · Plasticized vinyl-coated foam construction
- Die-cut finished edge
- Dimensions: 24" x 36"



FCM5435B MAGNETIC FENDER COVER

- 110-Gauge acid and grease-resistant vinyl
- Six built-in magnets for tool and part storage
- Smooth backing Dimensions: 17" x 34"



MP15-DISP30 **MAGNETIC 0.45KG TELESCOPIC NEON PICKUP TOOL**

- Extended length 26" (660mm)
- Pack of 30

MP185-DISP30 MAGNETIC 1.13KG TELESCOPIC PICKUP TOOL WITH POWERCAP

- Extended length 25-1/2" (648mm)
- Pack of 30



FLEXIBLE MAGNETIC PICK-UP TOOL

• The shaft is a flexible spring that covers the magnet until the lever is pushed to expose the magnet

No more trouble trying to get that object you want to pick up and sticking to something you don't

MAGNETIC PICK-UP TOOLS

MPF12X

PRODUCT #	COMPACT LENGTH In. / MM	EXTENDED LENGTH IN. / MM	LIFT POWER LBS. / KG
MHT1	6-5/8" / 168.3	33-1/4" / 844.6	2 / 0.91
MHT2	6-5/8" / 168.3	33-1/4" / 844.6	5 / 2.27
MHT3	6-3/4" / 171.5	30-1/4" / 768.4	10 / 4.54
MP28X	5-5/16" / 134.9	23-3/16" / 589	3-1/2 / 1.59

MM1618 **MEGA-MAG PICK-UP TOOL**

- · Neodymium-iron-boron extra high flux magnets

MP5A **TELESCOPIC FLEX** MAGNETIC PICK-UP TOOL

 Neodymium-iron-boron extra high flux magnets

348





FD622 FLEXIBLE SPRING CLAW

- · Reaches inaccessible, awkward places
- · Press-action to expand and retrieve
- Release plunger to grip tight
- Reaches behind to grasp hot utensils or any materials

TFM500A **POWER FLEX**

· Neodymium-iron-boron extra high flux magnets

PRODUCT #	COMPACT LENGTH In. / Mm	EXTENDED LENGTH In. / Mm	LIFT POWER LBS. / KG	
TFM500A	-	20" / 508	1-1/2 / 0.68	
MM1618	7-1/8" / 181	30-1/4" / 768.4	16 / 7.26	
MP5A	16-3/4" / 425.5	26-3/4" / 679.5	5 / 2.27	
L66540	4-1/2" / 114.3	13" / 330.2	2 / 0.91	

L66540 MINI-FLEX **MAGNETIC PICK-UP TOOL**

- Super strong neodymium magnet picks up all ferrous metal objects up to 0.91kg (2 lbs.) Adjustable telescoping action extends from 4-1/2" to 13" with a 2-1/2" flexible segment to get into tight spots







MHTK2

TELESCOPIC RECTANGULAR **INSPECTION MIRROR**

- 2-1/8" x 3-1/2" Rectangular head • Quick-release tab on mirror
- case helps to easily replace mirror All-angle ball joint holds
- mirror head firmly at any angle
- strong, and lightweight Adjust from 6-3/4" to 29-3/4" · Heavy-duty grip will not slip in wet or oily hands

- Stainless steel handle is long,

350





0C630 **450ML PISTOL GRIP OILER WITH RIGID SPOUT**

 Tin-coated steel interior prevents corrosion · Capacity: 450ml (16 oz.)

HC9060 **POWER WIPES HAND CLEANER**

- 90 perforated, easy-tear towels saturated with a special, heavy-duty hand cleaning solution
- Textured polypropylene material which aids in deep cleaning soils from your hands while the solution effectively dissolves grease, grime, oil, lubricants, paints, adhesives, inks, tar, and more



- -----

CONTENTS:

PERSONNEL EQUIPMENT

SAFETY EQUIPMENT

FOOTWEAR

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section


LINKS Click the contents to move around the catalogue











MACCALIFORNIA MAC CALIFORNIA EV BOOT

- Black leather upperWaterproof and breathable membrane
- Composite 200 Joule Impact resistant toe cap
- Puncture resistant non metallic midsole
- Metal Free
 - Oil and Acid resistant sole
 - SRC Rubber slip resistant sole
- Anatomically moulded removable insole
- Padded collar for support & comfort
 Electrical insulation sole Class 0/1000V certified to ASTM F 2413-18
- Conforms to EN ISO 20345 : 2011 SBP
- CE / UKCA compliant



	PRODUCT #	UK SHOE SIZE
	MACILLINOIS-6	6
-	MACILLINOIS-7	7
	MACILLINOIS-8	8
	MACILLINOIS-9	9
	MACILLINOIS-10	10
	MACILLINOIS-11	11
	MACILLINOIS-12	12
	MACILLINOIS-13	13

MACILLINOIS

- MAC ILLINOIS ZIP BOOT
- Black leather upper
- Rubber toe protector
- YKK side zip for easy entry and exit
- 200 Joule Impact resistant toe cap
- Puncture resistant midsole
- Oil and Acid resistant sole
- SRC slip resistant sole
- Anatomically moulded removable insole
- Padded collar for support & comfort
 Conforms to EN ISO 20345 : 2011 S3
- Comornis to EN ISU 2
 CE / UKCA compliant



354





CT #	UK SHOE SIZE
-6	6
-7	7
-8	8
-9	9
-10	10
-11	11
-12	12
-13	13

MACINDIANA MAC INDIANA BLACK LEATHER SAFETY BOOT

- Dual density PU sole for comfort
- Quality full grain leather upper
- Padded collar for comfort and protection
- Speed hooks for easy access
- Padded ankle & tongue for support & comfort
- Full length anatomically moulded removable comfort insole
- 200 Joule impact resistant toe cap
- Puncture resistant midsole protection
- SRC slip resistant sole
- 200 Joule impact resistant toe cap
- Certified to CE EN 20345:2011

CT #	UK SHOE SIZE
RK-6	6
RK-7	7
RK-8	8
RK-9	9
RK-10	10
RK-11	11
RK-12	12
RK-13	13

MACNEWYORK MAC NEW YORK WATERPROOF BOOT

- Black leather upper
- Rubber toe protector
- Waterproof breathable membrane
- 200 Joule Impact resistant toe cap
- Puncture resistant midsole
- Oil and Acid resistant sole
- SRC slip resistant sole
- Anatomically moulded removable insole
- Padded collar for support & comfort
- Can be produced Composite Metal Free or Steel
- Conforms to EN ISO 20345 : 2011 S3
- CE / UKCA compliant







PRODUCT #	UK SHOE SIZE
MACIMPACT-6	6
MACIMPACT-7	7
MACIMPACT-8	8
MACIMPACT-9	9
MACIMPACT-10	10
MACIMPACT-11	11
MACIMPACT-12	12
MACIMPACT-13	13
122 C	

MACIMPACT MAC IMPACT WATERPROOF **SAFETY BOOT**

- Waterproof and breathable membrane · Leather safety upper
- 200 Joule impact resistant toe cap
- Oil and Acid resistant sole
- Rubber SRA slip resistant sole
- · Energy absorbing Phylon midsection for comfort
- Anatomically moulded removable insole
- Padded collar & tongue for comfort
- Conforms to EN ISO 20345 : 2011
- CE / UKCA compliant



PRODUCT #	UK SHOE SIZE
MACARIZONA-6	6
MACARIZONA-7	7
MACARIZONA-8	8
MACARIZONA-9	9
MACARIZONA-10	10
MACARIZONA-11	11
MACARIZONA-12	12
MACARIZONA-13	13

MACARIZONA MAC ARIZONA

BLACK SUEDE SAFETY TRAINER

- Dual density PU sole for comfort
- Quality leather upper
- · Padded ankle & tongue for wearer comfort
- Breathable moisture wicking lining
- Full length anatomically moulded removable comfort insole
- Puncture resistant midsole protection
- 200 Joule impact resistant toe cap
- SRC slip resistant sole
- Certified to CE EN 20345:2011



356



R
D

CT #	UK SHOE SIZE
-6	6
-7	7
-8	8
-9	9
-10	10
·11	11
-12	12
-13	13

PRODU

MACBSBALL MAC BASEBALL **SAFETY BOOT**

- 200 Joule Impact resistant toe cap
- Oil and Acid resistant sole
- · Energy absorbing Phylon midsection for comfort
- Anatomically moulded removable insole
- Padded collar for support & comfort
- Low profile sole unit
- SRA slip resistant sole
- Conforms to EN ISO 20345 : 2011
- CE / UKCA compliant

MACOHIO MAC OHIO BLACK LEATHER **SAFETY DEALER BOOTS**

- Dual density PU sole for comfort
- Quality leather upper
- Elasticated side panels for easy access
- Full length anatomically moulded removable comfort insole
- Moulded heal support and kick pad
- · Puncture resistant midsole protection
- 200 Joule impact resistant toe cap
- SRC slip resistant sole
- Certified to CE EN 20345:2011



- -----

LIGHTING



LIGHTING LIGHTING

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

LINKS Click the contents to move around the catalogue









STL500M(R,G,O) PRO STICK[™] 500-LM

RECHARGEABLE COB LED ULTRA SLIM LIGHT

- High-power Chip-On-Board (COB) LED provides
- 500-Im on high, 250-Im on low, non-constant current · Hanging hook with magnet on the back
- IP54 Dust and water resistant
- CSA approved

PRODUCT #	BATTERY TYPE	BEAM DISTANCE	MPACT RESISTANCE			
STL500M(R,G,O)	1,750mAh Li-Ion	-	-	500 H - 250 L	2 H - 5 L	1Px4 Rating



PRODUCT #	BATTERY TYPE	BEAM Distance	MPACT Resistance	_>_LIGHT		
TLL2020	AAA (x3)	-	1m	200 Im	4hr	Yes







FL399 FL399 200-LM HEAD LAMP

- · COB LED provides 200-Im on high
- 20m Wide beam distance
- · Motion sensor switch allows on/off
- without touching the headlamp
- 50° Rotating swivel base directs light while maintaining desired head position

INCLUDES:

• 3 x AAA Batteries

FL399RC

- 200-LM RECHARGEABLE HEAD LAMP
- Rechargeable high-power COB LED provides 200-Im on high
- Motion sensor switch allows on/off without touching the headlamp
- · Quick release system
- Magnetic base

INCLUDES:

• USB Type-C charging cable and charger

PRODUCT #	BATTERY TYPE		MPACT RESISTANCE			D PEAK BEAM	
FL399	AAA (x3)	20m	1m	200 L	-	-	-
FL399RC	-	20m	1m	200 L	3 H - 5 L	-	-
FL577	AAA (x3)	78m	1m	100 H - 80 L	5.5 H - 13 L	1,507cd	1Px4 Rating









LK_ LIGHT OUTPUT		D PEAK BEAM	
110 lm	3.5hr	625cd	IP65





FL577 **PRO SERIES LED HEADLAMP**

- Low-profile anodized aluminium bezel for corrosion resistance and heat dissipation
- High-output LED is rated up to 100-Im and 100,000 hours of service life
- · Motion sensor switch allows on/off without touching the headlamp

INCLUDES:

• 3 x AAA Batteries



POWER TOOLS

CONTENTS:

	POWER TOOLS & ACCESSORIES
	AIR IMPACT WRENCHES
1	AIR RATCHETS
	AIR HAMMERS
	AIR DIE GRINDERS AND SANDERS
	BLOW GUNS
	POWER TOOL ACCESSORIES
	AIR HOSES AND COUPLERS

HOW TO NAVIGATE



BOOKMARK Click to go back to the beginning of the section

 $\label{eq:links} \textbf{LINKS} \ \textbf{Click the contents to move around the catalogue}$



MACTOOLS.CO.UK 0114 291 7266









TRIGGER ACTIVATED LED LIGHTING



FORWARD HANDLE DESIGN

control, and comfort



PROPRIETARY FORGED ANVIL Forward design with rubber over-mould delivers balance, Improved anvil life through new manufacturing process and materials

PRODUCT #	BREAKAWAY TORQUE FT. LBS. / NM	AIR Consumption CFM	IMPACTS PER Minute FWD / Rev	FREE SPEED RPMS REV / FRW 3 / FRW 2 / FRW 1	DESIRED AIR Pressure PSI	SOUND LEVEL DB[A]	VIBRATION Level M/S2	WEIGHT LBS. / Kg.	LENGTH In. / Mm.
MPF990501-XJ	1,400 / 1,898	5.9	1,100 / 1,200	6,500 / 5,500 / 4,500 / 2,200	90	94	6.4	4.8 / 2.2	6.4 / 162

MPF990501-XJ HIGH PERFORMANCE 1/2" DRIVE AIR IMPACT WRENCH

REVOLUTIONARY LIGHTING FEATURES:

9

- Industry-first lighting solution on a pneumatic tool
- Powerful removable dual LED ring illuminates work areas with minimal shadowing
- Easily charges via a supplied micro USB cable
- Glass filled nylon casing

364







HIGH PERFORMANCE BREAKAWAY TORQUE

1,898 Nm breakaway torque



INNOVATIVE VALVE DESIGN Innovative valve-lever designed for easy speed adjustment. Back cap grease fitting for ease of maintenance.









MPF980381 3/8" DRIVE AIR **IMPACT WRENCH**

					1 - 20 - X	1 A A			
PRODUCT #	BREAKAWAY TORQUE FT. LBS. / NM	AIR Consumption CFM	IMPACTS PER Minute FWD / Rev	FREE SPEED RPMS REV / FRW 3 / FRW 2 / FRW 1	DESIRED AIR Pressure psi	SOUND LEVEL DB[A]	VIBRATION Level M/S2	WEIGHT LBS. / KG.	LENGTH In. / Mm.
MPF980381-XJ	575 / 780	6.1	1,300 / 1,400	12,000 / 10,000 / 9,000 / 4,000	90	95	5.5	2.8 / 1.3	5.6 / 143
MPF980501-XJ	1,180 / 1,600	6.1	1,200 / 1,300	7,000 / 6,000 / 5,000 / 2,600	90	93	6.2	4.4 / 2	6.4 / 162



PRODUCT #	DRIVE SIZE	BREAKAWAY TORQUE FT. LBS. / NM	AIR CONSUMPTION CFM	AIR INLET NPT	IMPACTS P Minute
MPF970501	1/2"	1,100 / 1,490	5.2	3/8"	1,030 / 1,1



- Featherable variable speed trigger
- for optimal speed control

AWP075



AWD599A-6

1" DRIVE STRAIGHT ALUMINUM IMPACT WRENCH WITH 6" EXTENDED ANVIL

- Twin-hammer mechanism
- Aluminum housing
- · D-handle design for improved ergonomics
- Three-position power regulator

PRODUCT #	DRIVE SIZE	BREAKAWAY TORQUE FT. LBS. / NM	AIR CONSUMPTION CFM	AIR INLET NPT	IMPACTS PER Minute	FREE SPEED RPMS	MINIMUM HOSE Size ID	SOUND LEVEL DB[A]	VIBRATION LEVEL M/S2	WEIGHT LBS. / KG.
AWD599A-6	1"	3,000 / 4,068	8.6	1/2"	720	5,700	3/4"	102	15.2	24.2 / 11.0
AWP599A	1"	3,000 / 4,068	8.6	1/2"	720	4,400	3/4"	103.4	16.7	22.7 / 10.3





- Multi-position power regulator
- Variable-speed throttle

STPOWER LIGHTWEIGHT 3,390 NM. OF BREAKAWAY TORQUE

Optional thumb trigger included on D-handle units







BREAKAWAY

TORQUE

3,390 Nm for the most

demanding applications

TOOLS



COMFORT GRIP For low vibration

LIGHTWEIGHT Composite body for low weight resulting in less fatigue

PRODUCT #	DRIVE Size	BREAKAWAY Torque Ft. Lbs. / NM	AIR CONSUMPTION CFM	AIR INLET NPT	IMPACTS PER Minute	DESIRED AIR Pressure PSI
AWD099-6	1"	2,500 / 3,390	12	1/2"	1,000	90
AWP099	1"	2,500 / 3,390	12	1/2"	900	90





1" DRIVE AIR IMPACT FEATURES:

- Excellent power-to-weight ratio
- 3,390 Nm of Breakaway torque
- Easy access forward / reverse and regulator control
- Oversized D-handle allows use with gloves
- 2-Stage trigger for more control
- Comfort grip for low vibration

AWD099-6 **1" DRIVE D-HANDLE IMPACT WRENCH 6" EXTENDED ANVIL**

1" DRIVE IMPACT WRENCH





RUBBER BUMPER For durability



2-STAGE TRIGGER For more control

FREE SPEED RPMS	MINIMUM Hose size Id	SOUND Level DB[A]	VIBRATION Level M/S2	WEIGHT LBS. / KG.	LENGTH In. / Mm
5,000	3/4"	105	15.6	17.9/8.1	19.4 / 492.8
5,000	3/4"	100.9	6.87	16 / 7.3	9.6 / 243.8





GET INTO THOSE TOUGH-TO-REACH PLACES WITH THE MIGHTY

ST EN ENTIN

TOOLS

603 BREAKAWAY TORQUE

1

MINI IMPACT WRENCHES

SUB-COMPACT SIZE, BIG POWER!

1/4"

1,260

861 NM.

AWP050M

Variable-speed trigger for maximum operator control
One-hand power adjustment with three settings
One-hand forward/reverse system
Rubber grip that is resistant to automotive fluids
Anti-marring rubber bumpers for protection
Short 4.4" body to get in the tightest spots
861 Nm (AWP050M) of breakaway torque for most demanding applications



3

445 / 603

WP038M

3/8"





AWP038M 3/8" DRIVE MINI IMPACT

AWP050M 1/2" DRIVE MINI IMPACT

RED AIR Ssure 'Si	FREE SPEED RPMS	MINIMUM Hose size Id	SOUND LEVEL DB[A]	VIBRATION Level M/S2	WEIGHT Kg. / Lbs.	LENGTH In. / Mm
90	10,000	3/8"	108.1	9.57	1.3 / 2.8	4.4" / 112
90	6,000	3/8"	104.2	7.78	1.3 / 2.8	4.4" / 112



MPF59025

1/4" AND 3/8" DRIVE COMPACT AIR RATCHET

- · Compact sealed-head design allows for use in tight and restricted spaces
- Dual-drive system enables easy changing between 1/4" and 3/8" drive providing added versatility over traditional fixed-anvil designs · Forward / reverse lever positioned for ergonomic one-handed direction
- changes while in use

MPF59038

- 3/8" AND 1/2" DRIVE HIGH-POWER AIR RATCHET
- Dual-drive system enables easy changing between 3/8" and 1/2" drive providing added versatility over traditional fixed-anvil designs
- Withstands up to 237.3 Nm (175 ft/lbs.) of manually applied torque
- · Integrated clutch with two settings to enable control and reduce busted knuckles

0

• 300 RPM free speed for fast removal of fasteners

ARP538 3/8" DRIVE PALM **COMPOSITE AIR RATCHET**

- · Lightweight impact-resistant
- Composite body
- Cushion-grip to reduce vibration • Lever handle for throttle control
- Rotating air inlet
- Triple planetary gear design





3,100 MPH1931 Short Barrel

2,400 MPH1911 LONG BARREL

> MPH1931K SHORT BARREL AIR HAMMER AND CHISEL KIT

MPH1911K

LONG BARREL AIR HAMMER AND CHISEL KIT

PRODUCT #	AIR Consumption CFM	AIR INLET NPT	IMPACTS PER Minute	BORE Diameter In. / Mm	CHISEL SHANK Opening	STROKE LENGTH In. / MM	MINIMUM Hose size Id	VIBRATION LEVEL M/S2	WEIGHT LBS. / KG.	LENGTH IN. / MM
MPH1911	2.6	1/4	2,400	.83 / 21	.401	3-3/4" / 95.25	3/8	10.4 in	5.4 / 2.45	9-1/2" / 241.3
MPH1931	3.2	1/4	3,100	.83 / 21	.401	2-1/3" / 50.8	3/8	7.4 in	4.6 / 2.09	7-5/16" / 177.8

INE









- Quick-change retainer included for easy bit changes
- Variable-speed trigger for easy speed control Anti-vibration technology reduces shock and increases
- comfort during use Comfortable rubber grip absorbs
- vibration for increased comfort during use, and provides Maximum grip
- Forward handle design improves balance and ergonomics

INCLUDES:

•	1 x AH902P401 Shank Tail Pipe Cutter Air Hammer Bit 7"
•	1 x AH909P401 Shank Panel Cutter Air Hammer Bit 7"
•	1 x AH910P401 Shank Flat Chisel Standard Air Hammer Bit 7"
	1 x AH911P401 Shank Tapered Punch Air Hammer Bit 7"
•	1 x AH945P401 Shank Hammer Air Hammer Bit 4"







AG325AH90 1/4" DRIVE COLLET 0.3HP MOTOR 90° DIE GRINDER



AG325AH120 1/4" DRIVE COLLET 0.3HP MOTOR **120° DIE GRINDER**

	PRODUCT #	HORSE POWER Motor HP	COLLET	AIR Consumption CFM	AIR INLET NPT	FREE SPEED RPMS	MINIMUM HOSE Size Id	SOUND LEVEL DB[A]	VIBRATION LEVEL M/S2	WEIGHT LBS. / KG.	LENGTH In. / Mm
	AG325AH90	0.3	1/4"	2.7	1/4"	23,000	3/8"	85.9	4.54	1.2 / 0.54	6.5" / 165.1
1	AG325AH120	0.3	1/4"	2.7	1/4"	24,000	3/8"	84.8	5.22	1.2 / 0.54	7.5" / 190.5
	AG325S	0.3	1/4"	2.7	1/4"	30,000	3/8"	84.8	2.42	1 / .045	6.3" / 160
	AG325SE	0.3	1/4"	2.7	1/4"	28,000	3/8"	83.3	2.86	1.5 / 0.68	10.3" / 261.6





AG325S 1/4" DRIVE COLLET 0.3HP MOTOR **STRAIGHT DIE GRINDER**

AG325SE

POWER TOOLS **BLOW GUNS**

BG1211 **11 PIECE PISTOL-GRIP BLOW GUN KIT**

- Durable cast aluminum body
- High volume
- · Ergonomic comfort grip
- Large storage hook • Xtreme-Flo safety nozzle: Increase the velocity and volume of air exiting the
- nozzle while boosting the available thrust up to 250% Quiet-Flo safety nozzle: Increases thrust while
- decreasing the amount of compressed air used.
- This nozzle reduces noise levels 6-20 dB less than conventional open air nozzles while providing a focused air

stream

• Tri-Thrust safety nozzle: Provides a wider pattern ideal for cleaning a larger area of debris faster

- Needle tips (1"/2"/3"): Provide a precise, focused stream of air
- Rubber tip: For use around delicate surfaces which can be easily scratched or marred

INCLUDES:

- 1 x Xtreme-Flo Safety Nozzle
- 1 x Rubber Tip
- 3 x Needle Tips
- 2 x 12" Extensions
- 1 x Quiet-Flo Safety Nozzle 1 x Tri-Thrust Safety Nozzle
- 1 x Tip Adapter for ease of use
- Corrosion resistant metal tube
- *Warning: Per OSHA standard 29 CFR 1910.242(b), blow guns should be regulated as not to exceed 30 P.SI.to avoid possible injury





1/4" DRIVE COLLET 0.3HP MOTOR **EXTENDED DIE GRINDER**

• 4" Extended straight head for tough to reach applications





BG1201 **BLOW GUN WITH XTREME-FLO** SAFETY NOZZLE

OSHA

- Durable cast aluminum body
- Variable-flow trigger
- Ergonomic grip
- 1/4" NPT (female) inlet
- Large storage hook
- Xtreme-Flo safety nozzle increases the velocity and volume of air exiting the nozzle, while boosting the available thrust by up to 250%

BGB100 BLOWGUN 100MM - RED

- Variable control trigger
- Durable, impact resistant materials designed for the shop
- · Unique rear facing hanging hook for ease of use
- Corrosion resistant metal tube

BGB300 BENT PIPE BLOWGUN

- **300MM RED**
- Variable control trigger
- Durable, impact resistant materials designed for the shop
- Unique rear facing hanging hook
- for ease of use Corrosion resistant metal tube



BGBA100 ADJUSTABLE BLOWGUN

- Durable, impact resistant materials
- designed for the shop
- for ease of use
- · Corrosion resistant metal tube
- consistent air flow on every use





	A		
PRODUCT #	FOR USE WITH:	COLOUR	NOT SHOWN
PB760	AR760 Ratchet	Red	•
PB280Q	AW280Q / AW284Q Impact W.	Red	
PB3400R	AW3400Q Impact Wrench	Red	
PB4300	AW4300 Impact Wrench	Red	
PB850	AW850 Impact Wrench	Red	
PB038-050C-R	AWP038 / AWP050C Impact W.	Red	•
PB050-R	AWP050 Impact Wrench	Red	
PB075-R	AWP075 Impact Wrench	Red	
PB038M-050M-B	AWP038M / AWP050M Impact W.	Black	•
PB601G	12V Screwdriver	Green	
PB701G	12V Drill Driver	Green	
PB7010	12V Drill Driver	Orange	
PB801-901G	12V 1/4" Wrench / Driver	Green	•
PB801-9010	12V 1/4" Wrench / Driver	Orange	•
PB98-501G	MPF980 Impact Wrench	Green	•
PB98-5010	MPF980 Impact Wrench	Orange	
PB99-381G	MPF990381 / MPF990501C Impact W.	Green	•
PB99-3810	MPF990381 / MPF990501C Impact W.	Orange	•
PB99-501G	MPF990501-XJ Juggernaut	Green	
PB99-5010	MPF990501-XJ Juggernaut	Orange	
PBBWP038-B	BWP038 Impact Wrench	Black	•
PBBWP138-B	BWP138 / BWP150 Impact Wrench	Black	



P032 P04 1 QT. 4 OZ. PNEUMATIC AIR TOOL OIL

- · Long-life pneumatic oil for air tools · Metal adherence properties prevent
- lubrication loss from air pressure
- Protects neoprene O-rings
- and other plastic parts
- Available in 1 gt. (1.136 L) or 4 oz. (113.6 ml) sizes



*Warning: Per OSHA standard 29 CFR 1910.242(b), blow guns should be regulated so as not to exceed 30 RSI.to avoid possible injury



100MM - RED • Variable control trigger

- · Unique rear facing hanging hook
- · Adjustable flow knob for controlled,



PNG-4 **AIR TOOL GREASE**

- · Specially formulated for impact wrenches requiring grease Reduces noise levels greatly,
- inhibits rust, and protects against condensation

PB7010

AWGG234C **MINI GREASE GUN**

• Holds 3 oz. (85 ml) of light or heavy lubricant



ADG31M

3/8" MANDREL 1/4" SHANK

• For use with air tools to adapt them to a 3/8" hole



ADG32M 1/4" AND 3/8" MANDREL -1/4" SHANK



· For use with air tools to adapt them to a 1/4" or 3/8" hole cut-off wheel





TD13MS **13 PIECE TIP DRILL SET**

- Pin vise has magnetic cap with storage for bits
- Bits are extra long (1-7/8") Designed for drilling and cleaning fuel injectors, carburettor jets, water jets, welding and soldering tips, and electronics service/repairs
- Twelve high-speed steel twist drills (0.0225 to 0.063) and pin vise



VA502T **3 PIECE TITANIUM STEP DRILL SET**

- · Set drills twenty-eight holes from 1/8" to 3/4" diameter
- · Dual radial concave fluted, self-starting
- · Ideal for thin materials: sheet metal, plastic, and wood applications
- Includes three popular sizes in convenient storage pouch





PRODUCT #	DESCRIPTION	DRILL SIZE	DRILLS	INCREMENTS	SET
VA502T	3 Piece Titanium Step Dril	l Set			
VA1T	Titanium Step Drill - 1	1/4"	(12) Holes: 1/8" - 1/2"	1/32"	•
VA2T	Titanium Step Drill - 2	1/4"	(6) Holes: 3/16" - 1/2"	1/16"	•
VA3T	Titanium Step Drill - 3	3/8"	(9) Holes: 1/4" - 3/4"	1/16"	•

AH5512 .401 SHANK 1/2" DRIVE **AIR HAMMER SOCKET ADAPTER**




.401 SHANK 3/8" DRIVE **AIR HAMMER SOCKET ADAPTER**



AH2605 .401-SHANK QUICK-RELEASE **AIR HAMMER BIT RETAINER**

- · Precision ground hardened
- · Can be used with .401 shank tools
- steel components





POWER TOOLS

POWER TOOL ACCESSORIES

AH909P AH910NP

PRODUCT #	DESCRIPTION	BLADE SIZE MM / IN.	LENGTH MM / IN.	USES	SET
AHBK5P	Air Hammer Bit Kit		,		
AH8MP	Guide Driver Bit	6.4 / 1/4"	152.4 / 6"	_	
AH902P	Tail Pipe Cutter Bit	25.4 / 1"	177.8 / 7"	For Cutting Tail Pipes with Curved Surfaces	•
AH907P	Claw Ripper Edging Tool Bit	19.1 / 3/4"	139.7 / 5-1/2"	For Cutting Body Panels	•
AH908P	Muffler Cutter Bit	12.7 / 1/2"	190.5 / 7-1/2"	Removes Clamp Type Mufflers	
AH909P	Panel Cutter Bit	19.1 / 3/4"	177.8 / 7"	_	•
AH910NP	Flat Chisel with Narrow Blade Bit	12.7 / 1/2"	177.8 / 7"	_	
AH910P	Flat Chisel – Standard Bit	19.1 / 3/4"	177.8 / 7"	_	•
AH911P	Tapered Punch Bit	NA	177.8 / 7"	_	•
AH951P	Undercoat Scraper Bit	25.4 / 1"	171.5 / 6-3/4"	_	

.401 SHANK AIR HAMMER BITS

· Fully hardened and tempered shock resistant tool steel

· Black-oxide finish to prevent corrosion

PRODUCT #	DESCRIPTION
AH31960	.401 Shank Spot Weld Breaker Air Hammer Bit 6-1/4"
AH31962	.401 Shank Hammer Head Air Hammer Bit 1" x 8"
AH31964	.401 Shank Concave Hammer Air Hammer Bit 1" x 6"
AH31970	.401 Shank Scraping Air Hammer Bit 2" x 8-1/2"
AH31972	.401 Shank Cold Chisel Air Hammer Bit 5/8" x 6-1/4"
AH31975	.401 Shank Rivet / Bolt Cutting Air Hammer Bit 6-1/2"
AH31976	.401 Shank Scraper Air Hammer Bit 1-1/8" x 8"
AH31982	.401 Shank Hammer Head Air Hammer Bit 1" x 4-1/4"
AH31987	.401 Shank Hammer Air Hammer Bit 1" x 6"
AH32004	.401 Shank Ball Peen Hammer Air Hammer 1" x 6"
AH32008	.401 Shank U-Joint / Tie Rod Tool Air Hammer Bit 1" x 6"

AH31987







15

AH908P AH902P AH907F AH910P AH911P AH951P







AH32023 5 PIECE .401 SHANK AIR HAMMER BIT SET

Fully-hardened and tempered shock-resistant tool steel
Black-oxide finish to prevent corrosion



4 PIECE .401 SHANK Specialty Hammer Bit Set

AH32024

Fully-hardened and tempered shock-resistant tool steel
 Black-oxide finish to prevent corrosion



AH32025 4 PIECE .401 SHANK HAMMER HEAD BIT SET

• Fully-hardened and tempered shock-resistant tool steel

Black-oxide finish to prevent corrosion

PFK4150

5 PIECE STEPPED PICKLE FORK KIT

- Ideal kit for separating ball joints, steering dampeners, tie rods, Pitman arms, and other heavy-duty chassis and suspension applications
- Improved stepped fork design greatly reduce bounce back of the tool during heavy use
- Complete set includes three stepped forks and two handles; one for hammering and one for use in an air hammer (.401" shank)
- Heavy-duty steel alloy forks withstand abuse and can be sharpened over the life of the tool

PFK41510

HANDLE FOR 5 PIECE Stepped Pickle Fork Kit

PFK41520

PNEUMATIC DRIVER FOR 5 PIECE STEPPED PICKLE FORK KIT

AH32028 5 Piece .401 Shank Exhaust air hammer bit set

Fully-hardened and tempered shock-resistant tool steel
Black-oxide finish to prevent corrosion







WIRE END BRUSHES

- Adhere to the highest standards and specifications in the industry
 Used for heavy-duty cleaning of large or small metal surfaces, they will attack
- weld scaling and corrosion, and are very effective for cleaning prior to welding, rust and paint removal, steel tank cleaning, and many other cleaning and rust removal applications

DIAMETER X LENGTH	RPM	STYLE
1-1/8" x 1"	20000	Knotted on 1/4" Shaft
1/2" x 1-1/8"	20000	Crimped on 1/4" Shaft
1-3/4" x 3/4" Trim	4500	Crimped on 1/4" Shaft
1" x 1-1/8"	20000	Crimped on 1/4" Shaft
2-3/4" x 7/8" Trim	4500	Crimped on 1/4" Shaft
3/4" x 1"	20000	Crimped on 1/4" Shaft
	1-1/8" x 1" 1/2" x 1-1/8" 1-3/4" x 3/4" Trim 1" x 1-1/8" 2-3/4" x 7/8" Trim	1-1/8" x 1" 20000 1/2" x 1-1/8" 20000 1-3/4" x 3/4" Trim 4500 1" x 1-1/8" 20000 2-3/4" x 7/8" Trim 4500



VRSAW7

7 PIECE GRIND AND DEBURR STONE SET

- Assortment of aluminium-oxide grinding points
- Excellent for general grinding, polishing, and deburring
 1-1/2" Long x 1/4" diameter shanks
- •

INCLUDES	DIAMETER MM / IN.	THICKNESS MM / IN.	RPM	INCLUDES	DIAMETER MM / IN.	THICKNESS MM / IN.	RPM
Porting Wheel	19.1 / 3/4"	63.5 / 2-1/2"	19800	Porting Wheel	17.5 / 11/16"	31.8 / 1-1/4"	48000
Porting Wheel	19.1 / 3/4"	31.8 / 1-1/4"	48000	Mounted Point	9.5 / 3/8"	31.8 / 1-1/4"	45750
Mounted Point	9.5 / 3/8"	25.4 / 1"	55200	Mounted Point	15.9 / 5/8"	25.4 / 1"	35250
Mounted Point	12.7 / 1/2"	38.1 / 1-1/2"	30370	Mounted Point	19.1 / 3/4"	25.4 / 1"	34500
Mounted Point	17.46 / 11/16"	6.4 / 1/4"	48000	Mounted Point	19.1 / 3/4"	28.6 / 1-1/8"	45000
Mounted Point	25.4 / 1"	25.4 / 1"	34500	Mounted Point	25.4 / 1"	9.5 / 3/8"	38200
Mounted Point	31.8 / 1-1/4"	6.4 / 1/4"	30560	Mounted Point	25.4 / 1"	15.9 / 5/8"	38200
100				Mounted Point	25.4 / 1"	25.4 / 1"	34500
				Mounted Point	25.4 / 1"	25.4 / 1"	35620

1 1/8" PICKLE FORK HEAD 15/16"

380



PFK41530

and a line





VRSAW9 9 PIECE GENERAL PURPOSE COARSE STONE SET

Assortment of coarse 24-grit abrasive, multi-purpose grinding wheels
Fast stock removal; for mild steel and cast iron-high removal rate







CARBIDE BURRS

- For use with 1/4" high-speed grinders
- · Removes burrs from sheet metal or cast iron
- · Cleans up welding areas Maximum RPM rating of 30,000

PRODUCT #	FLUTE MM / IN.	HEAD MM / IN.	SHAPE		SET	
CB5S		neous Carbide Burr			351	
CB4S	4 Piece Miscellar	ieous Carbide Burr	Set			
CB3NFS	3 Piece Non-Ferr	ous Carbide Burr S	et			
CBA1	19.1 / 3/4"	6.4 / 1/4"	Cylindrical		•	•
CBA5	25.4 / 1"	12.7 / 1/2"	Cylindrical			
CBC3	19.1 / 3/4"	9.5 / 3/8"	Cylindrical / Radius End		•	
CBC5CS	6.4 / 1/4"	12.7 / 1/2"	90° Cone			•
CBC5NF	25.4 / 1"	12.7 / 1/2"	Cylindrical / Radius End	•		
CBD5NF	11.1 / 7/16"	12.7 / 1/2"	Ball	•		
CBF3	19.1 / 3/4"	9.5 / 3/8"	Tree / Radius End			
CBF5	25.4 / 1"	12.7 / 1/2"	Tree / Radius End		•	•
CBL3	27 / 1-1/16"	9.5 / 3/8"	Taper (14° Angle)		•	
CBL3NF	27 / 1-1/16"	9.5 / 3/8"	14° Taper	•		
CBR3D	19.1 / 3/4"	6.4 / 1/4"	Diamond Cut Fibreglass Router			•
CBR3FL	NA	6.4 / 1/4"	Carbide Router for Aluminium and Plexiglass			•

CB3L

CB3L CBC3L

CBE3L

3 PIECE LONG CARBIDE BURR SET

- · Precision shanks are a full 6" long
- Heavy-duty burr heads • Use with any of our 1/4" collet die grinders
- · Ideal for use in many aircraft applications · Removes burrs on most metals, cast iron, or welding areas

3/8"

3/8"

SET

.

PRODUCT # SHAPE 3 Piece Long Carbide Burr Set

Cylinder Radius End Burn

Oval Carbide Burr





1.00	AAL	1	
•	•)•	
		L	



TYPE 1 ALUMINIUM OXIDE CUT-OFF WHEELS

- · Double reinforced for durability
- these wheels work on 4" cut-off tools

• Designed to fit any air tool using a 2-7/8" - 3" wheel

· Double reinforced cut-off wheels

ALUMINIUM OXIDE

CUT-OFF WHEELS

provide long life

PRODUCT #	QUANTITY	GRIT	RPM	DIAMETER X THICKNESS X HOLE SIZE	TYPE
COW213238	10	60	25,000	2" x 1/32" x 3/8"	Aluminium Oxide
COWA3116ECON-50	50	54	25,000	3" x 1/16" x 3/8"	Aluminium Oxide
COW411638	10	46	21,000	4" x 1/16" x 3/8"	Type 1 Aluminium Oxide
COW413238	10	54	21,000	4" x 1/32" x 3/8"	Type 1 Aluminium Oxide

MINI GRINDING DISC

- · Aluminium-oxide mini grinding discs are perfect for all your grinding needs where space is an issue
- Available in 2" or 3" with a 3M[®] compatible button, they are
- a heavy resin fibre material for extra strength and durability

PRODUCT #	DIAMETER X HOLE	GRIT	RPM
MGDA0280	2" x Twist to Lock Button	Aluminium Oxide 80	25,000
MGDA0350	3" x Twist to Lock Button	Aluminium Oxide 50	20,000

DEPRESSED-CENTRE ALUMINIUM-OXIDE GRINDING WHEELS

- · For all your heavy-duty grinding needs
- · Made of reinforced aluminium oxide material

PRODUCT #	DIAMETER X THICKNESS X HOLE SIZE	GRIT	RPM
DCGD41458	4" x 1/4" x 5/8"	Aluminium Oxide 24	13,700
DCGD45145811NC	4-1/2" x 1/4" x 5/8"	Aluminium Oxide 24	11,900
DCGD451478	4-1/2" x 1/4" x 7/8"	Aluminium Oxide 24	11,900







• Available in various thicknesses and hole sizes,

MSD6057 **2" HOLDER PAD**

MSD6060 (NOT SHOWN) **3" HOLDER PAD**

- Highest quality rubber holder pads with the standard 1/4" shank drive
- Roloc[®] style receiver for sanding and surface conditioning discs





2" MINI GRINDING DISCS

- Reinforced for strong, durable long life usage
- They can get into small corners where others can't

PRODUCT #	DIAMETER X THICKNESS X HOLE SIZE	GRIT	RPM
DCAGD218120	2" x 1/8" x 3/8"	Aluminium Oxide 120	20,000
DCAGD21860	2" x 1/8" x 3/8"	Aluminium Oxide 60	20,000
DCAGD21880	2" x 1/8" x 3/8"	Aluminium Oxide 80	20,000









RP901375 REUSABLE SPLICER 3/8" FLEXZILLA® AIR HOSE · Reusable anodized aluminium hose splicer

· Easily repair hose using two wrenches

3/8" FLEXZILLA® AIR HOSES

and will not kink in cold weather

· Lightweight and easy to handle

· Reinforced bend restrictor

when dragged

PRODUCT #

HFZ3825YW2

HFZ3850YW2

· Made from engineered hybrid polymer to flex easily

· Excellent abrasion resistance to reduce damage

DIAMETER IN. / MM

3/8" / 9.5

3/8" / 9.5

LENGTH In. / Mm

25'/7.6

50' / 15.2

· Spiral bend restrictor increases hose flexibility

REUSABLE END

RP900375

· Easily repair hose using two wrenches



HFZ38250YW FLEXZILLA® BULK AIR HOSE

- · Extreme all-weather flexibility, even in sub-zero temperatures (-40 to 140° F)
 - · Lays flat, no memory
 - Superior bend radius
 - Kink-resistant under pressure
 - Maximum working pressure: 300 PSI • 3:1 Safety factor
 - · Excellent abrasion-resistant outer cover
 - · Made from premium hybrid polymer

DIAMETER IN. / MM	LENGTH IN. / MM
3/8" / 9.5	250' / 76.2



AV160G **AIR ADJUSTING VALVE**

- Designed for use with HVLP spray guns
- Large, easy to handle knob
- Full open-to-close with approximately four turns
- Precision tapered valve Infinitely adjustable

AR983

- **CLICK-TYPE MINI BRASS AIR REGULATOR**
- 1/4" Male x 1/4" female NPT








3" MEDIUM





REPLACEMENT PADS

AS6MS-JH-PAD

				and the second se
PRODUCT #	PAD FACE	PAD SIZE	PAD TYPE	USE WITH TOOL:
AS6MS-JH-PAD	J-Hook	6"	Tapered Edge Non-Vac	AS6MS
AS6MS-JHV-PAD	J-Hook	6"	Tapered Edge Vacuum	AS6MS
AS3MS-JH-PAD	J-Hook	3"	Tapered Edge Non-Vac	AS3MS
AS517-42	N/A	3'	N/A	AS517



· Designed to remove gaskets, sealants, and corrosion quickly without loading the disc's cutting surface

• Extremely durable and will fit all Roloc® style holder pads



ASB984A (ORDER IN PACKS OF 10) **32 TPI SUPER DUTY AIR SAW BLADE**







MSD0486 3" VERY FINE



AS517-42

AS6MS-JHV-PAD

AS3MS-IH-PAD





3/8" FLEXZILLA® AIR HOSE

· Reusable NPT anodized aluminium fitting



HFZP3806YW2B 3/8" X 6' BALL **SWIVEL WHIP HOSE**

Made from engineered hybrid polymer so it's easy to flex and will not kink in cold weather

15

- · Lightweight and easy to handle
- Excellent abrasion resistance to reduce damage when dragged
- · Reinforced bend restrictor



L8305FZ

3/8" X 50' FLEXZILLA® **AIR HOSE REEL**

- Unique winding system automatically layers hose ensuring that the hose is coiled smoothly, easily, and every time
- · Adjustable hose stopper increase or decrease the length of the hose that remains when hose is fully retracted
- 7-Position locking bracket can swivel freely on a mounting bracket up to 135°
- Latching mode switch latches hose every 3' or immediate automatic rewinding
- Extra large swivel a 3/4" swivel inlet reduces flow restrictions and allows for Maximum flow
- Freestanding base allows reel to rest on ground
- Kink-resistant under pressure
- Extreme all-weather flexibility, even in sub-zero temperatures (-40 to 140° F)
- · Maximum working pressure: 300 PSI
- 3:1 Safety factor
- · Excellent abrasion-resistant outer cover

DIAMETER IN. / MM	LENGTH IN. / MM
3/8" / 9.5	50' / 15.2

NOTES

NOTES

//	
	1
	-

TOOLS

	1 5
·····	
and the second	
······	



Part of the World's Largest Tool Company

StanleyBlack&Decker

