

# HAMMERS -PRY BARS -PUNCHES -CHISELS


### **CONTENTS:**

#### HAMMERS

ANTI-VIBE® HAMMERS AND SETS	â
COMPO-CAST® HAMMERS AND SETS	2
SOFT FACE HAMMERS	2
IMPACT DRIVERS	
PRY BARS	
STRIKE-THROUGH PRY BARS	2
PRY BARS	2
PUNCHES & CHISELS	
PUNCH AND CHISEL SETS	2

MACTOOLS.CO.UK 0114 291 7266





241

# HAMMERS ANTI-VIBE® HAMMERS AND SETS

PP RESERVED

## HAMMERS ANTI-VIBE® HAMMERS AND SETS

### ANTI-VIBE® TECHNOLOGY FEATURES:

- Superior vibration dampening over traditional single-piece steel forged hammers
- Four-part composite handle for comfortable, secure grip
- High-density polyethylene core dampens low level vibrations
- 24-Torque stabilizing bars minimizes torsional rotation
- Anti-Vibe® tuning fork disperses high level vibrations throughout the length of the handle greatly reducing kinetic energy transferred to the user's hand and wrist

#### **ANTI-VIBE® DRILLING HAMMERS**

Can be used for striking chisels, punches, or star-drills

#### ANTI-VIBE® **BLACKSMITH HAMMERS**

Can be used for striking un-hardened materials and bending and shaping metal

#### ANTI-VIBE® SLEDGE HAMMERS

• Wider face and longer handle provide the most amount of striking force to the largest possible area.

#### ANTI-VIBE® BALL PEEN HAMMERS

 Ideal for striking chisels, setting rivets, and bending and shaping metal

BHAAVS4 Piece Anti-Vibe® II Peen Hammer SetBH3AVS3 Piece Anti-Vibe® II Peen Hammer SetBH04AV40.917/21"2-8/17"10"BH04AV40.917/21"2-8/17"10"BH08AV481.232/33"3-3/25"11"BH12AV121.51-4/25"3-1/25"12-20/23"BH16AV0161.91-9/29"3-23/25"12-20/23"BH24AV242.51-11/25"4-1/3"13-3/4"BH32AV323.251-25/41"4-21/25"14-3/4"BH40AV404.31-18/25"5-16/41"15-1/4"	PRODUCT #	HEAD WEIGHT OZ.	OVERALL WEIGHT LBS.	HEAD DIAMETER	HEAD Length	OVERALL Length	S	ET
BH04AV         4         0.9         17/21"         2-8/17"         10"           BH08AV         8         1.2         32/33"         3-3/25"         11"           BH12AV         12         1.5         1-4/25"         3-12/25"         12-3/25"           BH16AV         16         1.9         1-9/29"         3-23/25"         12-20/23"           BH24AV         24         2.5         1-11/25"         4-1/3"         13-3/4"           BH32AV         32         3.25         1-25/41"         4-21/25"         14-3/4"	BH4AVS	4 Piece Anti-Vibe®	Ball Peen Hammer S	Set				
BH08AV         8         1.2         32/33"         3-3/25"         11"           BH12AV         12         1.5         1-4/25"         3-1/25"         12-3/25"           BH16AV         16         1.9         1-9/29"         3-23/25"         12-20/23"           BH24AV         24         2.5         1-11/25"         4-1/3"         13-3/4"           BH32AV         32         3.255         1-25/41"         4-21/25"         14-3/4"	BH3AVS	3 Piece Anti-Vibe®	<sup>®</sup> Ball Peen Hammer S	Set				
BH12AV         12         1.5         1-4/25"         3-12/25"         12-3/25"           BH16AV         16         1.9         1-9/29"         3-23/25"         12-20/23"           BH24AV         24         2.5         1-11/25"         4-1/3"         13-3/4"           BH32AV         32         3.25         1-25/41"         4-21/25"         14-3/4"	BH04AV	4	0.9	17/21"	2-8/17"	10"		
BH16AV         16         1.9         1-9/29"         3-23/25"         12-20/23"           BH24AV         24         2.5         1-11/25"         4-1/3"         13-3/4"           BH32AV         32         3.25         1-25/41"         4-21/25"         14-3/4"	BH08AV	8	1.2	32/33"	3-3/25"	11"		•
BH24AV         24         2.5         1-11/25"         4-1/3"         13-3/4"           BH32AV         32         3.25         1-25/41"         4-21/25"         14-3/4"	BH12AV	12	1.5	1-4/25"	3-12/25"	12-3/25"		•
BH32AV 32 3.25 1-25/41" 4-21/25" 14-3/4" •	BH16AV	16	1.9	1-9/29"	3-23/25"	12-20/23"		•
	BH24AV	24	2.5	1-11/25"	4-1/3"	13-3/4"		•
BH40AV         40         4.3         1-18/25"         5-16/41"         15-1/4"         •	BH32AV	32	3.25	1-25/41"	4-21/25"	14-3/4"	•	
	BH40AV	40	4.3	1-18/25"	5-16/41"	15-1/4"	•	
BH48AV 48 5.1 1-40/43" 5-20/27" 15-3/4" •	BH48AV	48	5.1	1-40/43"	5-20/27"	15-3/4"	•	

### **ANTI-VIBE® HAMMERS**

DH193AV

SH3AV

PRODUCT #	HEAD TYPE	HEAD WEIGHT OZ.	OVERALL WEIGHT LBS.	HEAD DIAMETER	HEAD Length	OVERALL Length		
SH2AV	Blacksmith	2	2 3.5 1-16/41"		5"	14"		
DH192AV	Drilling	2	2.7	1-11/29"	3-10/27"	10-1/2"		
DH193AV	Drilling	3	3.7	1-20/37"	4"	11"		
SH3AV	Sledge	3	4.2	1-20/37"	5"	14-20/23"		
SH4AV	Sledge	4	5.2	1-7/10"	5-10/27"	15-10/27"		

### MMOD-ST1KIT MAC HAMMER AND CHISEL FOAM MODULE KIT

#### INCLUDES:







#### **ANTI-VIBE® BALL PEEN HAMMER SETS**

• Module size: 188 x 418 x 45mm

• BH32AV - 32 Oz. Anti-Vibe One Piece Ball Pein Hammer • C50PDPT - 5 Piece Power Drive Cold Chisel Set • MMOD-ST1 - Mac Hammer and Chisel Foam Module

# HAMMERS COMPO-CAST® HAMMERS AND SETS



#### **COMPO-CAST® DEAD-BLOW** HAMMER SETS

- One-piece uni-cast construction • No exposed metal on handles or heads
- Dead-blow striking action

PRODUCT #	HEAD WEIGHT OZ.	HEAD Diameter	HEAD Length	OVERALL Length	SI	ET
CH3DSS	3 Piece Comp	o-Cast® Dead-Blow Hamn	ier Set			
CH2DSS	2 Piece Comp	o-Cast® Dead-Blow Hamn	ner Set			
CH15DSA	15	1" - 1-1/2"	3-20/27"	10-2/5"		•
CH21DSA	21	1-1/4" - 1-11/20"	4-9/17"	11-13/20"		•
CH50DSA	28	1-7/20" - 1-7/10"	5-7/50"	13-1/4"		•
CH54DSA	48	1-7/10" - 2-1/10"	5-4/5"	14-1/4"	•	
CH58DSA	56	1-19/20" - 2-4/10"	6-2/10"	15-19/20"	•	



### Top welded handle-to-head assembly adds extra durability and safety

the head; hundreds of steel shot combine to provide maximum. controlled striking force without rebound

Hot urethane Uni-Cast construction outlasts all other soft face striking tools and provides shape-retaining faces even after repeated striking on hard surfaces and sharp edges

Striking power is centred inside

Reinforced handle

with solid steel shaft

HAMMERS **IMPACT DRIVERS** 

#### CH24DFBA COMPO-CAST® SOFT FACE / **BRASS HEAD HAMMER**

• 24 oz. Compo-Cast® hammer available in brass with opposing soft face

PRODUCT #	HEAD TYPE	HEAD WEIGHT OZ.	HEAD Diameter	HEAD Length	OVERALL Length
CH24DFBA	Soft Face Brass	24	1-1/2"	4-1/4"	13-1/4"
CH24DFS	Soft Face Steel	24	1-1/2"	4-1/4"	13-1/4"
CHGOA	Sledge	88	2-3/4"	7"	20"
CH90A	Sledge	184	3-1/2"	8"	36"

#### CH24DFS COMPO-CAST® SOFT FACE / **STEEL HEAD HAMMER**

• 24 oz. Compo-Cast<sup>®</sup> hammer available in steel with opposing soft face



#### COMPO-CAST<sup>®</sup> **SLEDGE HAMMERS**

- One-piece uni-cast construction • Wide span of maximum
- hand tool tasks
- · Dead-blow self-standing heads



#### SID13BA **13 PIECE IMPACT DRIVER SET**

• Rugged driver includes 1/4" and 5/16" hex bit holders

#### INCLUDES:


- 1 x ID67MA Impact Driver
- 1 x XID106 5/16 Impact Driver Socket 1 x XID86 1/4 Impact Driver Socket
- 1 x ID10BIT-P1 #1 Phillips, 5/16" Hex
- 1 x ID10BIT-P2 #2 Phillips, 5/16" Hex
- 1 x ID10BIT-P3 #3 Phillips, 5/16" Hex
- 1 x ID10BIT-10 5/16 Slotted, 5/16" Hex

PRODI

### RM16A RM32A

244





- 1 x ID8BIT-P3 #3 Phillips, 1/4" Hex
- 1 x ID8BIT-6 3/16 Slotted, 1/4" Hex
- 1 x ID8BIT-9 9/32 Slotted, 1/4" Hex



#### **RUBBER MALLETS**

· High-quality rubber heads provide non-marring hammer action Sturdy wood handles

ICT #	HANDLE LENGTH In. / Mm	WEIGHT LBS.
	12" / 304.8	1
	15" / 381	2



#### **SXID9K** 1/2" HEAVY-DUTY IMPACT DRIVER

- · Loosens hard-to-turn screws, bolts, and nuts
- Handle design prevents possibility of hitting hand with hammer when striking impact driver

#### INCLUDES:

- 1 x SXID9K-4L 80mm
- (L) Phillips #2,#3 Slotted #8, #10
- 1 x SXID9K-4S 36mm
- (L) Phillips #2,#3 Slotted #8, #10





STRIKE-THROUGH

PRY BAR FEATURES:

Capped end allows user to strike the pry bar with a hammer without damaging the handle Two-piece composite handle for comfortable, secure grip

Tempered alloy steel the entire length

for superior strength and durability

PBS3C0

3 PIECE STRAIGHT HEAD PRY BAR SET PB58CR 58" CURVED CAPPED 3/4" Shaft PRY BAR

#### PB44CG 44" CURVED CAPPED 7/8" SHAFT PRY BAR

### COLOURWAY

Last letter of the product number represents the handle colour

PBS2(R,G,O) PBS2MR PB8C(R,G,O) PB12C(R,G,O) PB15C(R,G,O) PB17C(R,G,O) PB25C(R,G,O) PB31C(R,G,O) PB36C(R,G,O) PB42C(R,G,O) PB44C(R,G,O) PB58C(R,G,O) PB8S(R,G,O) PB17S(R,G,O) PB25S(R,G,O) PB31S(R,G,O) PB30MSR

PB30MRR

PRODUCT #
PBS4C(R,G,O)

PBS3C(R,G,O)

PBS3S(R,0)

PBS20 2 PIECE STRAIGHT AND CURVED HEAD PRY BARS

PBS4CG 4 PIECE CURVED HEAD PRY BAR SET

246





#### PB42CO 42" CURVED CAPPED 1/2" SHAFT PRY BAR

#### PBS2MR 2 PIECE 30" MODIFIED PRY BAR SET RED

BLADE Diameter	BLADE Length	HEAD Type	HANDLE Length	OVERALL LENGTH In. / Mm			SET		
4 Piece Curv	ed Head Pry Ba	ar Set							
3 Piece Curv	ed Head Pry Ba	ar Set							
3 Piece Strai	ght Head Pry B	lar Set							
2 Piece Strai	ght and Curveo	d Head Pry Bar	Set						
2 Piece Modi	fied Pry Bar Se	et							
1/4"	4"	Curved	4"	8" / 203.2		•			•
3/8"	6-1/2"	Curved	5-1/2"	12" / 304.8				•	
3/8"	9-1/2"	Curved	5-1/2"	15" / 381				•	
3/8"	11-1/2"	Curved	5-1/2"	17" / 431.8					•
1/2"	16"	Curved	9"	25" / 635					•
1/2"	22"	Curved	9"	31" / 787.4				•	
5/8"	27"	Curved	9"	36" / 914.4					•
5/8"	33"	Curved	9"	42" / 1,066					
7/8"	34"	Curved	10"	44" / 1,117					
3/4"	48"	Curved	10"	58" / 1,473					
1/4"	4"	Straight	4"	8" / 203.2		•			•
3/8"	11-1/2"	Straight	5-1/2"	17" / 431.8			•		
1/2"	16"	Straight	9"	25" / 635			•		
1/2"	22"	Straight	9"	31" / 787.4			•		
1/2"	21"	Modified	9"	30" / 762	•				
1/2"	21"	Modified	9"	30" / 762	•				



#### SPB3PT 3 PIECE LINE-UP PRY BAR SET IN PLASTIC TRAY

PRODUCT #	OVERALL LENGTH In. / Mm	STOCK SIZE	STYLE	SET
SPB3PT	3 Piece Line-Up Pry B	ar Set in Plastic	: Tray	
LF6	7" / 177.8	5/16"	80° Bent	
PB15	14" / 355.6	1/2"	Straight	•
PB15A	15" / 381	1/2"	90° Bent	•
PB22	22" / 558.8	5/8"	Straight	٠
PB30	30" / 762	7/8"	Straight	
PB38	38" / 965.2	7/8"	Straight	

SLF3 3 PIECE LADY FOOT LINE-UP

# BAR SET IN PLASTIC TRAY

PRODUCT #	IN. / MM	STOCK SIZE	SET
SLF3	3 Piece Lady Foot Line-Up Bar Set in	Plastic Tray	
LF12	12" / 304.8	1/2"	•
LF16	16" / 406.4	5/8"	•
LF21	21" / 533.4	3/4"	•



### PB44CG / PB44CO / PB44CR

### 44" CAPPED END PRY BAR

- Capped end allows user to strike the pry bar with a hammer without damaging the handle
- Two-piece composite handle for comfortable, secure grip
- Hardened and tempered the entire length for maximum durability
- Length 44"/1118mm
- Curved profile
- Bi-material comfort handle
- Available in Green, Orange and Red

PB44CR

#### METAL COMFORT-HANDLE INDEXABLE PRY BARS

 Pry bar head can be adjusted to multiple positions for over 180° of use
 The indexing feature allows the user to gain

more leverage in tight access applications

PRODUCT #	OVERALL LENGTH In. / MM
PB8I	8" / 203.2
PB16I	16" / 406.4
PB24I	24" / 609.6
PB36I	36" / 914.4

P	۱R	2	6	
	υ	J	υ	1

#### PB17 17" Modified Rolling Head PRY Bar

- Pry and aligning bar with a pointed taper and  $90^\circ$  rolling head for leverage
- High alloy steel is heat-treated the entire length and black oxide treated for added strength and durability

#### DB18 18" DIE SETTING BAR

 Designed for separating, scraping or prying
 Pointed end used to separate and curved end to help remove die blocks and plates

#### DB30 30" DIE SETTING BAR

Designed for separating, scraping or prying
Pointed end used to separate and curved end to help remove die blocks and plates





#### PBS3CG / PBS3CO / PBS3CR 3 PIECE COMFORT-HANDLE CURVED HEAD PRY BAR SET

- Capped end allows user to strike the pry bar with a hammer without damaging the handle
- Two-piece composite handle for comfortable, secure grip
- Hardened and tempered the entire length for maximum durability
- 3 lengths: 12"/305mm 15"/381mm -31"/787mm
- Straight profile
- Bi-material comfort handle
- Available in Green, Orange and Red

PBS3CF

#### PBS3I 3 PIECE INDEXABLE PRY BAR SET

- The head of each pry bar can be adjusted to multiple positions for over 180° of use
  The indexing feature allows the user to gain more leverage in tight access applications
- 3 lengths: 8"/203mm 12"/305mm 16"/406mm









	PRODUCT #	TYPE	POINT Size	EDGE WIDTH	OVERALL LENGTH In. / MM	STOCK Size				SET			
	PC25KSS	25 Piece Punch a	nd Chisel Se	t in Kit Bag									
	PC12PTSS	12 Piece Punch a		0	n Kit Bag								
	C70PTSS	7 Piece Flat Tip Cl		-	-								
	PP60KSS	6 Piece Pin Punch		-									
	SRPP6KSS	6 Piece Roll Pin P		0									
	SBP3PT	3 Piece Brass Pun	ich Set in Pla	astic Tray									
	SBPL3PT	3 Piece Brass Pun		-									
	BD6	Brass Drift	1/2"	_	8" / 203.2	1/2"		•					
IP TYPE	BD8	Brass Drift	3/4"	-	8" / 203.2	3/4"	•						
	BD12	Brass Drift	3/4"	-	12" / 304.8	3/4"	•						
	C10SS	Flat Tip	_	5/16"	4-1/2" / 114.3	1/4"					•	•	•
A CONTRACTOR OF A	C12SS	Flat Tip	_	3/8"	5" / 127	5/16"					•	•	•
	C14SS	Flat Tip	-	7/16"	5-1/2" / 139.7	3/8"					•		•
and the second second	C16SS	Flat Tip	_	1/2"	6" / 152.4	7/16"					•	•	
Action Contraction	C20SS	Flat Tip	_	5/8"	6-1/2" / 165.1	1/2"					•		
FLAT TIP	C24SS	Flat Tip	_	3/4"	7" / 177.8	5/8"					•		•
	C28SS	Flat Tip	_	7/8"	8" / 203.2	3/4"					•		
	CP1SS	Centre	- 1/8"	110	4-1/4" / 108	1/4"							
CENTRE	CP2SS			-									-
		Centre Centre	3/16" 1/4"	-	5" / 127 6" / 152.4	3/8"							•
	CP3SS DPC6SS	Diamond Point	1/4"	3/16"	5" / 152.4	3/8"							•
			-										
	FCC8SS	Flat Cape	-	1/4"	5" / 127	3/8"							•
	GC8SS	Gouge	-	1/4"	5" / 127	3/8"							•
	KS10B	Holder	-	-	-	-							•
	P34SS	Countersink	1/8"	-	4-7/8" / 123.8	1/2"							
	PP2.5SS	Pin	5/64"	-	4-1/4" / 108	1/4"							•
RAT PARE	PP3SS	Pin	3/32"	-	4-1/4" / 108	1/4"				•		•	•
	PP4SS	Pin	1/8"	-	4-3/4" / 120.7	5/16"				•		•	•
	PP5SS	Pin	5/32"	-	5" / 127	5/16"				•		•	
	PP6SS	Pin	3/16"	-	5-1/4" / 133.4	3/8"				•		•	•
A DUILT	PP7SS	Pin	7/32"	-	5-1/2" / 139.7	7/16"							
00001	PP8SS	Pin	1/4"	-	5-3/4" / 146.1	7/16"				•			•
	PP9SS	Pin	9/32"	-	6" / 152.4	1/2"							
	PP10SS	Pin	5/16"	-	6-1/4" / 158.8	1/2"				•			•
	PP12SS	Pin	3/8"	-	6-1/2" / 165.1	5/8"							
	PP4B	Brass Pin	1/4"	-	4" / 101.6	1/2"		٠					
	PP6B	Brass Pin	3/8"	-	6" / 152.4	1/2"		٠					
	RPP2.5SS	Roll Pin	5/64"	-	4-1/4" / 108	1/4"							
	RPP2SS	Roll Pin	1/16"	-	3-3/4" / 95.3	1/4"							
ROLL PIN	RPP3SS	Roll Pin	3/32"	-	4-1/4" / 108	1/4"			•				
	RPP4SS	Roll Pin	1/8"	-	4-3/4" / 120.7	5/16"			•				
	RPP5SS	Roll Pin	5/32"	-	5-1/4" / 133.4	5/16"			•				
	RPP6SS	Roll Pin	3/16"	-	5-7/16" / 138.1	3/8"			•				
TARTER / MACHINE	RPP7SS	Roll Pin	7/32"	-	5-7/8" / 149.2	3/8"							
	RPP8SS	Roll Pin	1/4"	-	5-7/16" / 138.1	7/16"			•				
Contraction of the local division of the loc	RPP10SS	Roll Pin	5/16"	-	6-7/8" / 174.6	1/2"			•				
ALC: NOT THE OWNER OF	SMP3SS	Starter/Machine	3/32"	-	4-1/2" / 114.3	1/4"						•	•
	SMP4SS	Starter/Machine	1/8"	-	4-3/4" / 120.7	5/16"						•	•
	SMP5SS	Starter/Machine	5/32"	-	5" / 127	3/8"						•	•
	SMP6SS	Starter/Machine	3/16"	-	5-1/2" / 139.7	7/16"						•	•
	SMP8SS	Starter/Machine	1/4"	_	6" / 152.4	1/2"							•
	SMP10SS	Starter/Machine	5/16"	_	7" / 177.8	5/8"							•
	SMP1055	Brass Starter	11/32"	-	10" / 254	3/4"	•						-



25	1
EJ	









### PUNCHES & CHISELS PUNCH AND CHISEL SETS

TIP TYP

Different ty of Chisel tip



			_			_		_		_	
	PRODUCT #	TYPE	POINT Size	EDGE WIDTH	OVERALL LENGTH IN. / MM	STOCK SIZE			SET		
F	PPL50KSS	5 Piece Long Pin I	Punch Set in	Kit Bag							
E	C50PDPT	5 Piece Chisel Set	t with Gauge	in Kit Bag							
pes	DPL50KSS	5 Piece Long Tape	ered Drift Pu	nch Set in Kit	Bag						
IS	DP40KSS	4 Piece Drift Punc	ch Set in Kit I	Bag							
	BRP4	4 Piece Bearing R	ace Punch S	et							
	BRP-1	Bearing Race	7/16"	-	6" / 152.4	7/16"	•				
	BRP-2	Bearing Race	1/2"	-	10" / 254	1/2"	•				
	BRP-3	Bearing Race	9/16"	-	14" / 355.6	9/16"	•				
NALL	BRP-4	Bearing Race	5/8"	-	20" / 508	5/8"	•				
	C12PD	Flat Tip	-	3/8"	6" / 165.1	-				•	
	C16PD	Flat Tip	-	1/2"	6-13/16" / 214.3	5/8"				•	
	C20PD	Flat Tip	-	5/8"	7-5/8" / 177.8	-				•	
	C24PD	Flat Tip	-	3/4"	8-7/16" / 234.9	-				•	
	C28PD	Flat Tip	-	7/8"	9-1/4" / 203.2	-				•	
	CP60	Automatic Centre	-	-	6" / 152.4	-					
	DP5SS	Drift/Punch	5/32"	-	8" / 203.2	3/8"		•			
UNCH	DP6SS	Drift/Punch	3/16"	-	9" / 228.6	1/2"		•			
	DP8SS	Drift/Punch	1/4"	-	10" / 254	9/16"		•			
	DP10SS	Drift/Punch	5/16"	-	11" / 279.4	5/8"		•			
	DPL3SS	Drift/Long Taper	3/32"	-	8" / 203.2	1/4"			•		
	DPL4SS	Drift/Long Taper	1/8"	-	10" / 254	5/16"			•		
G TAPER	DPL6SS	Drift/Long Taper	3/16"	-	12" / 304.8	3/8"			•		
	DPL8SS	Drift/Long Taper	1/4"	-	14" / 355.6	1/2"			•		
	DPL10SS	Drift/Long Taper	5/16"	-	16" / 406.4	5/8"			•		
	DPL12SS	Drift/Long Taper	3/8"	-	16" / 406.4	3/4"					
PIN	DPL16SS	Drift/Long Taper	1/2"	-	18" / 457.2	7/8"					
	PPL5SS	Long Pin	5/32"	-	8" / 203.2	3/8"					•
	PPL6SS	Long Pin	3/16"	-	8" / 203.2	3/8"					•
	PPL7SS	Long Pin	7/32"	-	8" / 203.2	7/16"					•
	PPL8SS	Long Pin	1/4"	-	8" / 203.2	1/2"					•
	PPL10SS	Long Pin	5/16"	-	8" / 203.2	1/2"					•

#### PCHG10SB

#### **10 PIECE MOULDED-GRIP PUNCH AND CHISEL SET**

- · Ergonomic design bi-material handles give a mo grip that protects your hand and cushions it fro
- Special grips provide added stability which ens accurate and powerful, aimed blow Precision machined heads hold to right dimensional
- tolerances · Very precise heat-treatment with different hardnesses at
- various points on the tool to achieve a hard tip yet maintain ductility of the shaft
- Made from chrome vanadium steel alloy · Internal notched design creates a mechanical lock between
- the handle and shank minimising handle slippage
- Packaged in a tray for tool drawer organisation

252







PRODUCT #	TIP TYPE	TIP DIMENSION IN.
MAY10213Z	Cold Chisel	3/4"
MAY21000Z	Pin Punch	1/16"

ore secure
om shock
sures a more

	PRODUCT #	TIP TYPE	TIP DIMENSION In.	SET
	PCHG10SB	10 Piece Moulded-	Grip Punch and Chisel	Set
1	CP6HGB	Centre Punch	3/16"	•
	PP3HGB	Pin Punch	3/32"	•
	PP5HGB	Pin Punch	5/32"	•
	SMP5HGB	Starter Punch	5/32"	•
2	SMP3HGB	Starter Punch	3/32"	•
	PP6HGB	Pin Punch	3/16"	•
	SMP6HGB	Starter Punch	3/16"	•
	C12HGB	Chisel Flat	3/8"	•
	C16HGB	Chisel Flat	1/2"	•
	C20HGB	Chisel Flat	5/8"	•







#### PCS12M 12 PIECE MINI CHISEL AND PUNCH SET

- Ergonomic design safety protective handle
   Double-locking ball detent to secure interchangeable punch and chisels
- Handle made of carbon steel for a long life
- Moulded carry case with see-through window

#### INCLUDES:

- 3 x Flat Chisels: 3/8", 1/2", and 5/8" Wide Blades
- 3 x Pin Punches: 1/8", 5/32", and 3/16"
- 3 x Tapered Punches: 1/16", 1/8", and 5/32"
- 2 x Centre Punches: 0, and 1/8"
- 1 x 5/32" Wide Blade Cape Chisel

PRODUCT #	ТҮРЕ	SET
PCS12M	12 Piece Mini Chisel and Punch Set	
PCS12M-1	Mini Interchangeable Tip Punch and Chisel Holder	•
PCS12M-2	Flat Chisel Bit 3/8"	•
PCS12M-3	Flat Chisel Bit 1/2"	•
PCS12M-4	Flat Chisel Bit 5/8"	•
PCS12M-5	Cape Chisel Bit 5/32"	•
PCS12M-6	Taper Punch Bit 1/16"	•
PCS12M-7	Taper Punch Bit 1/8"	•
PCS12M-8	Taper Punch Bit 5/32"	•
PCS12M-9	Pin Punch Bit 1/8"	•
PCS12M-10	Pin Punch Bit 5/32"	•
PCS12M-11	Pin Punch Bit 3/16"	•
PCS12M-12	Center Punch Bit 0"	•
PCS12M-13	Center Punch Bit 1/8"	•

#### PCS1000K 12 PIECE CHISEL AND PUNCH SET

- Quick-change button allows quick and easy replacement of punches and chisels
- Double-locking ball detent holds the punch or chisel securely in the driver handle
- or onloor occur
- INCLUDES:
- 5 x Flat Tip Chisels: 1/2", 5/8", 3/4", 7/8", and 1" Wide Blades
- 2 x Pin Punches: 3/16" and 1/4"
- 2 x Tapered Punches: 1/8" and 1/4"
- 2 x Centre Punches: 1/8" and 3/16"
- 1 x 1/4" Wide Blade Cape Chisel
- 1 x Carrying Case

	PRODUCT #	ТҮРЕ	
	PCS1000K	12 Piece Chisel and Punch Set	
	PCS1-1	Interchangeable Bit Punch and Chisel Handle	•
	PCS1-2	Flat Tip Chisel Bit 1/2"	•
	PCS1-3	Flat Tip Chisel Bit 5/8"	•
	PCS1-4	Flat Tip Chisel Bit 3/4"	•
	PCS1-5	Flat Tip Chisel Bit 7/8"	•
	PCS1-6	Flat Tip Chisel Bit 1"	•
	PCS1-7	Cape Chisel Bit 1/4"	•
	PCS1-8	Taper Punch Bit 1/8"	•
	PCS1-9	Taper Punch Bit 1/4"	•
	PCS1-10	Pin Punch Bit 3/16"	•
	PCS1-11	Pin Punch Bit 1/4"	•
	PCS1-12	Center Punch Bit 1/8"	•
	PCS1-13	Center Punch Bit 3/16"	•

#### CPS996 4 PIECE HAMMERLESS

### PUNCH SET

- Tools are in two parts connected by a powerful spring
- Constructed from hardened steel
- Ringed ends for sure grip

PRODUCT #	DESCRIPTION	SET
CPS996	4 Piece Hammerless Punc	h Set
CC44R10-1	Cold Chisel	•
CP28R45-1	Centre Punch	•
CP32R00-1	Prick and Centre Punch	•
CP38R04-1	Self-Centring Punch	•

#### NOTES



	09
/	
	and the second second
	100
	- 10 C

