

SCREWDRIVERS - KEY - BITS

CONTENTS:

SCREWDRIVERS

SOFT-GRIP™ SCREWDRIVERS
AND SETS 168

MAC-GRIP™ LONG
SCREWDRIVERS AND SETS 170

MACSIMIZER™ SCREWDRIVERS
AND SETS 172

SCREWDRIVERS AND SETS 174

PRECISION AND POCKET
SCREWDRIVERS 179

HEX BIT DRIVERS 181

BITS AND SETS 182

HEX BIT DRIVERS AND SETS 190

HEX & TORX KEYS

R.B.R.T.™ KEYS AND SETS 191

KEYS AND SETS 193

SPEED KEYS AND SETS 196


MASTER SETS 199

SOFT-GRIP™
SCREWDRIVER
FEATURES:

- Quad-lobular design provides superior handle ergonomics
- Precision grip zone provides additional comfort and control for fine torque applications
- 360° Chemical resistant textured grip provides maximum comfort and grip
- High torque zone provides increased ergonomic benefit for high torque applications
- Speed zone grip design provides increased speed and control
- Moulded tip ID and brand easily identify the type of tip

SOFT-GRIP™ COMBINATION SCREWDRIVER SETS

- 360° Ergonomic textured grip for maximum comfort for high torque applications
- Moulded slotted and Phillips® tip ID for easy recognition of tip type in the vertical position
- High-quality alloy-steel bar with hex bolster for additional torque application
- Nylon-alloy handle that's chemically resistant to gasoline, disk brake cleaner, brake fluid, motor oil, hydraulic fluid, ethylene glycol, and acetone
- Shot blasted tips for added protection against corrosion and improved gripping force




SDB12D0-S

SDB12DG-S

PRODUCT #	TIP TYPE	BOLSTER	TIP SIZE	TIP THICKNESS	SHANK	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	SETS
SDB12D(R,G,O)-S	12 Piece Mac-Grip™ Combination Screwdriver Set Soft Grip (Red, Green, Orange)							
SDB8D(R,G,O)-S	8 Piece Mac-Grip™ Combination Screwdriver Set Soft Grip (Red, Green, Orange)							
SDB6D(R,G,O)-S	6 Piece Mac-Grip™ Combination Screwdriver Set Soft Grip (Red, Green, Orange)							
PNR1D(R,G,O)	Keystone	•	1/4"	0.037"	Round	1-1/2" / 38	3-1/2" / 83	• • •
PHRB3D(R,G,O)-S	Keystone	•	3/16"	0.030"	Round	3" / 76	7-1/4" / 184	• • •
PNRB4D(R,G,O)-S	Keystone	•	1/4"	0.037"	Round	4" / 102	8-1/2" / 216	• • •
PJRB6D(R,G,O)-S	Keystone	•	5/16"	0.042"	Round	6" / 152	10-3/4" / 273	• • •
PKRB8D(R,G,O)-S	Keystone	•	3/8"	0.050"	Round	8" / 203	13" / 330	• • •
PKRB12D(R,G,O)-S	Keystone	•	3/8"	0.050"	Round	12" / 305	17" / 432	• • •
P3012D(R,G,O)	Phillips®	•	#2	-	Round	1-1/2" / 38	3-1/2" / 83	• • •
PB2031D(R,G,O)-S	Phillips®	•	#1	-	Round	3" / 76	7-1/4" / 184	• • •
PB2042D(R,G,O)-S	Phillips®	•	#2	-	Round	4" / 102	8-1/2" / 216	• • •
PB2063D(R,G,O)-S	Phillips®	•	#3	-	Round	6" / 152	10-3/4" / 273	• • •
PB2082D(R,G,O)-S	Phillips®	•	#2	-	Round	8" / 203	12-1/2" / 317.5	• • •
PB2084D(R,G,O)-S	Phillips®	•	#4	-	Round	8" / 203	13" / 330	• • •


SCREWDRIVERS
MAC-GRIP™ LONG SCREWDRIVERS AND SETS



SDL8D(R,G,O)-S
8 PIECE MAC-GRIP™ LONG COMBINATION
SCREWDRIVER SET SOFT GRIP™

PRODUCT #	TIP TYPE	BOLSTER	TIP SIZE	TIP THICKNESS	SHANK	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	SET
SDL8D(R,G,O)-S	8 Piece Mac-Grip™ Long Combination Screwdriver Set Soft-Grip™							
PH6D(R,G,O)-S	Cabinet		3/16"	0.030"	Round	6" / 152.4	10-1/4" / 260.35	•
PN12D(R,G,O)-S	Cabinet		1/4"	0.037"	Round	12" / 381	16-1/2" / 419.1	•
PH15D(R,G,O)-S	Cabinet		3/16"	0.030"	Round	15" / 304.8	19-1/4" / 488.95	•
PN18D(R,G,O)-S	Keystone		1/4"	0.037"	Round	18" / 457.2	22-1/2" / 533.81	•
PB2081D(R,G,O)-S	Phillips®	•	#1	—	Round	8" / 203.2	12-1/2" / 317.5	•
PB2082D(R,G,O)-S	Phillips®	•	#2	—	Round	8" / 203.2	12-1/2" / 317.5	•
P2122D(R,G,O)-S	Phillips®		#2	—	Round	12" / 304.8	16-1/2" / 419.1	•
P2182D(R,G,O)-S	Phillips®		#2	—	Round	18" / 457.2	22-1/2" / 533.81	•

Phillips® is a trademark of Phillips Screw Company | Pozidriv® is a trademark of Phillips Screw Company | Torx® is a trademark of Acument Intellectual Properties, LLC



SDL7TPR-S
7 PIECE MAC-GRIP™ TAMPER-RESISTANT
TORX® SCREWDRIVER SET SOFT-GRIP™

PRODUCT #	TIP TYPE	TIP SIZE	SHANK SHAPE	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	SET
SDL7TPR-S	7 Piece Mac-Grip™ Tamper-Resistant Torx® Screwdriver Set Soft-Grip™					
PLTP8CR-S	Tamper-Resistant Torx®	TP8	Round	8" / 203.2	12-1/4" / 311.5	•
PLTP10CR-S	Tamper-Resistant Torx®	TP10	Round	8" / 203.2	12-1/4" / 311.5	•
PLTP15CR-S	Tamper-Resistant Torx®	TP15	Round	8" / 203.2	12-1/4" / 311.5	•
PLTP20CR-S	Tamper-Resistant Torx®	TP20	Round	8" / 203.2	12-1/4" / 311.5	•
PLTP25CR-S	Tamper-Resistant Torx®	TP25	Round	8" / 203.2	12-1/4" / 311.5	•
PLTP27CR-S	Tamper-Resistant Torx®	TP27	Round	8" / 203.2	12-1/2" / 317.5	•
PLTP30CR-S	Tamper-Resistant Torx®	TP30	Round	8" / 203.2	12-1/2" / 317.5	•

SD9TDR-S
9 PIECE MAC-GRIP™ TORX®
SCREWDRIVER SET SOFT-GRIP™

PRODUCT #	TIP TYPE	TIP SIZE	SHANK SHAPE	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	SET
SD9TDR-S	9 Piece Mac-Grip™ Torx® Screwdriver Set Soft-Grip™					
PT8CR-S	Torx®	T8	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT10CR-S	Torx®	T10	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT15CR-S	Torx®	T15	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT20CR-S	Torx®	T20	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT25CR-S	Torx®	T25	Round	3-1/4" / 82.6	7-1/2" / 190.5	•
PT27CR-S	Torx®	T27	Round	4" / 101.6	8-1/2" / 215.9	•
PT30CR-S	Torx®	T30	Round	4" / 101.6	8-1/2" / 215.9	•
PT40CR-S	Torx®	T40	Round	6" / 152.4	10-3/4" / 273.1	•
PT45CR-S	Torx®	T45	Round	6" / 152.4	10-3/4" / 273.1	•



SCREWDRIVERS

MAC-GRIP™ SCREWDRIVERS AND SETS



SCREWDRIVERS

MACSIMIZER™ SCREWDRIVERS AND SETS

06



SNDF7DR-S
7 PIECE MAC-GRIP™ SAE NUT
DRIVER SET SOFT-GRIP™

PRODUCT #	TIP SIZE	SHANK SHAPE	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	COLOUR	SET
SNDF7DR-S	7 Piece Mac-Grip™ SAE Nut Driver Set Soft-Grip™					
PNDF14DR-S	1/4"	Deep	4" / 101.6	8-1/2" / 215.9	Red	•
PNDF932DR-S	9/32"	Deep	4" / 101.6	8-1/2" / 215.9	Orange	•
PNDF516DR-S	5/16"	Deep	4" / 101.6	8-3/4" / 222.3	Yellow	•
PNDF1132DR-S	11/32"	Deep	4" / 101.6	8-3/4" / 222.3	Green	•
PNDF38DR-S	3/8"	Deep	4" / 101.6	8-3/4" / 222.3	Blue	•
PNDF716DR-S	7/16"	Deep	4" / 101.6	9" / 228.6	Brown	•
PNDF12DR-S	1/2"	Deep	4" / 101.6	9" / 228.6	Red	•



SNDM9DR-S
9 PIECE MAC-GRIP™ METRIC NUT
DRIVER SET SOFT-GRIP™

PRODUCT #	TIP SIZE	SHANK SHAPE	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	COLOUR	SET
SNDM9DR-S	9 Piece Mac-Grip™ Metric Nut Driver Set Soft-Grip™					
PNDM4DR-S	4	Deep	4" / 101.6	8-1/2" / 215.9	Red	•
PNDM5DR-S	5	Deep	4" / 101.6	8-1/2" / 215.9	Black	•
PNDM55DR-S	5.5	Deep	4" / 101.6	8-1/2" / 215.9	Brown	•
PNDM7DR-S	7	Deep	4" / 101.6	8-1/2" / 215.9	Orange	•
PNDM8DR-S	8	Deep	4" / 101.6	8-3/4" / 222.3	Yellow	•
PNDM9DR-S	9	Deep	4" / 101.6	8-3/4" / 222.3	Green	•
PNDM10DR-S	10	Deep	4" / 101.6	9" / 228.6	Blue	•
PNDM11DR-S	11	Deep	4" / 101.6	9" / 228.6	Brown	•
PND12M-S	12	Deep	4" / 101.6	9" / 228.6	Red	•



SD9TDR-S
9-PIECE MAC-GRIP™ TORX™
SCREWDRIVER SET

- 360° Ergonomic textured grip for maximum comfort for high torque applications
- Moulded tip ID for easy recognition of tip type in the vertical position
- Nylon-alloy Soft-Grip™ handle is chemically resistant to gasoline, disk brake cleaner, brake fluid, motor oil, hydraulic fluid, ethylene glycol, and acetone
- Vapour-blasted tips for added protection against corrosion and improved gripping force
- High-quality alloy-steel bar
- Sizes: T8 – T45

PN24DR-S
MAC-GRIP™ KEYSTONE
SCREWDRIVER 24" x 1/4"



SDRM32IB



SDRM8IB



SSTM8IB

MACSIMIZER™ PRECISION SCREWDRIVER SETS

- Bi-material handle for comfortable non-slip grip
- Colour-coded handles for easy identification
- Overall length: 7" (177.8mm)

PRODUCT #	TIP TYPE	TIP SIZE	COLOUR	SET
SDRM32IB	32 Piece Macsimizer™ Precision Screwdriver Set			
SDRM8IB	8 Piece Macsimizer™ Precision Phillips®/Slotted Screwdriver Set			
SSTM8IB	8 Piece Macsimizer™ Precision Tamper-Resistant Torx® Screwdriver Set			
SDRM3I	Slotted	3/32"	Red	• •
SDRM4.5I	Slotted	9/64"	Red	• •
SDRM4I	Slotted	1/8"	Red	• •
SDRM5I	Slotted	5/32"	Red	• •
SDRM6I	Slotted	3/16"	Red	• •
SDRMHB1.5I	Speed Hex	3/64"	Yellow	•
SDRMHB2.5I	Speed Hex	5/64"	Yellow	•
SDRMHB2I	Speed Hex	1/16"	Yellow	•
SDRMHB3.5I	Speed Hex	7/64"	Yellow	•
SDRMHB3I	Speed Hex	3/32"	Yellow	•
SDRMHB4.5I	Speed Hex	9/64"	Yellow	•
SDRMHB4I	Speed Hex	1/8"	Yellow	•
SDRMHB5I	Speed Hex	5/32"	Yellow	•
SDRMND2.5I	Nut Driver	5/64"	Yellow	•
SDRMND3.5I	Nut Driver	7/64"	Yellow	•
SDRMND3I	Nut Driver	3/32"	Yellow	•
SDRMND4I	Nut Driver	1/8"	Yellow	•
SDRMND5I	Nut Driver	5/32"	Yellow	•
SDRMND6I	Nut Driver	3/16"	Yellow	•
SDRMND7I	Nut Driver	7/32"	Yellow	•
SDRMND8I	Nut Driver	1/4"	Yellow	•
SDRMP00I	Phillips®	#00	Blue	• •
SDRMP0I	Phillips®	#0	Blue	• •
SDRMP1I	Phillips®	#1	Blue	• •
SDRMT5HI	Torx®	T5	Green	• •
SDRMT6HI	Torx®	T6	Green	• •
SDRMT7HI	Torx®	T7	Green	• •
SDRMT8HI	Torx®	T8	Green	• •
SDRMT9HI	Torx®	T9	Green	• •
SDRMT10HI	Torx®	T10	Green	• •
SDRMT15HI	Torx®	T15	Green	• •
SDRMT20HI	Torx®	T20	Green	• •

Phillips® is a trademark of Phillips Screw Company | Pozidriv® is a trademark of Phillips Screw Company | Torx® is a trademark of Acument Intellectual Properties, LLC

Phillips® is a trademark of Phillips Screw Company | Pozidriv® is a trademark of Phillips Screw Company | Torx® is a trademark of Acument Intellectual Properties, LLC

SCREWDRIVERS

MACSIMIZER™ SCREWDRIVERS AND SETS

MACSIMIZER™ TORX® SCREWDRIVERS

PRODUCT #	TIP TYPE	TIP SIZE	TIP THICKNESS	SHANK	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM
ST10N(G,O)	Torx®	T10		Round	3" / 76.2	8" / 203.2
ST15N(G,O)	Torx®	T15		Round	3" / 76.2	8" / 203.2
ST20N(G,O)	Torx®	T20		Round	6" / 152.4	11" / 279.4
ST25NO	Torx®	T25		Round	6" / 152.4	11" / 279.4



ST10NG

SCREWDRIVERS

SCREWDRIVERS AND SETS

- Mac-Grip™ handle design allows for greater leverage and torque delivery
- Durable over-moulded bi-material handle resists most common garage solvents helping to ensure grip and control
- Premium alloy steel for reliable strength and durability
- High visibility handle for easy identification in low light situations
- Chrome plated bar with black oxide tip for enhanced durability and corrosion protection
- Available in Red, Neon Green and Neon Orange



PB2031NG



PHRB3NO



PT25CR-S

PHILLIPS SCREWDRIVERS

PRODUCT #	SIZE
PB2031(R,NG,NO)	PH1 x 3"
PB2061(R,NG,NO)	PH1 x 6"
PB3012(R,NG,NO)	PH2 x 1.5"
PB2042(R,NG,NO)	PH2 x 4"
PB2062(R,NG,NO)	PH2 x 6"
PB2082(R,NG,NO)	PH2 x 8"
PB2063(R,NG,NO)	PH3 x 6"
PB2064(R,NG,NO)	PH4 x 8"

SLOTTED SCREWDRIVERS

PRODUCT #	SIZE
PHRB3(R,NG,NO)	Slotted 7/32" x 3"
PJRB6(R,NG,NO)	Slotted 5/16" x 6"
PKRB8(R,NG,NO)	Slotted 3/8" x 8"
PKRB10(R,NG,NO)	Slotted 3/8" x 10"
PNRB1(R,NG,NO)	Slotted 1/4" x 1.5"
PNRB4(R,NG,NO)	Slotted 1/4" x 4"

TORX® SCREWDRIVERS

PRODUCT #	SIZE
PT8C(R,NG,NO)-S	T8 x 80mm
PT10C(R,NG,NO)-S	T10 x 80mm
PT15C(R,NG,NO)-S	T15 x 80mm
PT20C(R,NG,NO)-S	T20 x 80mm
PT25C(R,NG,NO)-S	T25 x 80mm
PT27C(R,NG,NO)-S	T27 x 100mm
PT30C(R,NG,NO)-S	T30 x 100mm
PT40C(R,NG,NO)-S	T40 x 150mm
PT45C(R,NG,NO)-S	T45 x 150mm

SCREWDRIVERS

SCREWDRIVERS AND SETS

06

SBD9RBRTD 9 PIECE STRIKABLE EXTRACTION MULTI-BIT SET


- R.B.R.T.™ extraction bit technology designed to help remove fasteners rounded up to 96%
- Steel strike cap and core for striking and driving into locked and rusted fasteners
- O-ring retention locks bit securely during use
- Lifetime warranty

INCLUDES:

- 8 x 7" Extraction Bits: Phillips® ACR Bit - #1, Phillips® ACR Bit - #2, Slotted ACR Bit - 1/4", Slotted ACR Bit - 9/32", R.B.R.T.™ Torx™ Bit - T20, R.B.R.T.™ Torx™ Bit - T25, R.B.R.T.™ Hex Bit - 1/4", 7" R.B.R.T.™ Hex Bit - 3/16"
- 1 x Strikable Multi-Bit Screwdriver,
- 1 x Storage Pouch Storage Box



SDRB12FNG



SDRB12F(R,NG,NO) 12 PIECE SCREWDRIVER SET IN FOAM

- Chrome plated bar with black oxide tip for enhanced durability and corrosion protection

INCLUDES:

- PH1 x 3", PH2 x 1.5", PH2 x 4", PH2 x 6", PH2 x 8", PH3 x 6" and PH4 x 8"
- SL 7/32" x 3", SL 1/4" x 1.5", SL 1/4" x 4", SL 5/16" x 6" and SL 3/8" x 10"

SDRB6FNO



SDRB6F(R,NG,NO) 6 PIECE SCREWDRIVER SET IN FOAM

- Chrome plated bar with black oxide tip for enhanced durability and corrosion protection

INCLUDES:

- PH1 x 3", PH2 x 4", PH2 x 8" and PH3 x 6"
- SL 1/4" x 4" and SL 5/16" x 6"

SDRB9FR



SDRB9F(R,NG,NO) 9 PIECE SCREWDRIVER SET IN FOAM

- Chrome plated bar with black oxide tip for enhanced durability and corrosion protection

INCLUDES:

- PH1 x 3", PH2 x 1.5", PH2 x 4" and PH3 x 6"
- SL 7/32" x 3", SL 1/4" x 1.5", SL 1/4" x 4", SL 5/16" x 6" and SL 3/8" x 8"

SCREWDRIVERS

SCREWDRIVERS AND SETS

SDRPBM6FNG



SDRPBM6F(R,NG,NO) 6 PIECE PHILLIPS® SCREWDRIVER SET IN FOAM

- Chrome bar and black oxide tip for added protection against corrosion and gripping strength
- Soft, tri-lobe, bi-material handle for better grip and transfer of torque fasteners
- Hex bolster for extra torque with wrench
- Durable, EVA foam tray for convenient storage

INCLUDES:

- PH1 x 3", PH1 x 6", PH2 x 4", PH2 x 8", PH3 x 6", and PH3 x 8"

SDRST7FNO




SDRST7F(R,NG,NO) 7 PIECE TORX® SCREWDRIVER SET IN FOAM

- Chrome bar and black oxide tip for added protection against corrosion and gripping strength
- Soft, tri-lobe, bi-material handle for better grip and transfer of torque fasteners
- Hex bolster for extra torque with wrench
- Durable, EVA foam tray for convenient storage

INCLUDES:

- T10 x 4", T15 x 4", T20 x 4", T25 x 4", T27 x 4", T30 x 4", and T40 x 6"



MMOD-SD1KIT MAC SCREWDRIVER FOAM MODULE KIT

- Module size: 568 x 418 x 45mm

INCLUDES:

- SDB12DR-S - 12 Piece Combination Screwdriver Set - Mac Grip
- SDP4DR - 4 Piece Mini Combination Screwdriver Set - Mac Grip
- SDL7TPR-S - 7 Piece Long Tamper Proof Torx Screwdriver Set - Mac Grip
- MMOD-SD1 - Mac Screwdriver Foam Module



MMOD-SD2KIT MAC TORX SCREWDRIVER FOAM MODULE KIT

- Module size: 188 x 418 x 45mm

INCLUDES:

- SD9TDR-S - 9 Piece Torx Screwdriver Set - Mac Grip
- MMOD-SD2 - Mac Torx Screwdriver Foam Module

SCREWDRIVERS

SCREWDRIVERS AND SETS

06

SBDR41SN

41 PIECE DUAL RATCHETING SCREW AND NUT DRIVER SET

- 3-in-1 screwdriver, T-Handle, and stubby for the ultimate in versatility
- Innovative dual ratcheting design delivers speed and power
- High-quality 45-tooth ratchet for strength and reliability
- Traditional ratcheting action for high-speed screw driving
- Use as power ratcheting T-handle for higher torque applications
- Use removable stubby cap when access is limited
- Lifetime warranty

INCLUDES:

- 10 x 7" Double Ended Blades: Phillips® - Ph1 + Ph2, Slotted - 3/16" + 1/4", Hex - 3/16" Standard + Ball, Hex - 5/32" Standard + Ball, Hex - 1/4" Standard + Ball, Hex - 4M Standard + Ball, Hex - 5M Standard + Ball, Hex - 6M Standard + Ball, Torx™ - T20 + T25, Torx™ - T30 + T40
- 10 x 1/4" Sockets + 2 x Adapters: 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, Short Drive Bit Adapter, Long Drive Bit Adapter
- 8 x 70mm Bits: Phillips® ACR Bit - #1, Phillips® ACR Bit - #2, Slotted ACR Bit - 1/4", Slotted ACR Bit - 3/16", Torx™ Bit 1" - T20, Torx™ Bit - T25, Square Bit - #1, Square Bit - #2
- Dual Ratcheting Screwdriver
- Storage Box



SBDR17SS

17 PIECE RATCHETING STUBBY SCREWDRIVER SET

- Compact ratcheting design helps improve access and drive speed
- High-quality 45-tooth ratchet offers strength and reliability
- Low-arc ratcheting makes driving screws easy in limited access situations
- Lifetime warranty

INCLUDES:

- (8) 67mm Double-Ended Bits: Phillips® ACR - #0 + #1, Phillips® ACR - #2 + #2, Slotted ACR - 1/8" + 5/32", Slotted ACR - 3/16" + 1/4", Torx™ - T10 + T15, Torx™ - T20 + T25, Hex - 1/8" + 5/32", Hex - 3/16" + 1/4"
- Ratcheting Stubby Screwdriver
- Storage Pouch



SBDR10

RATCHETING STUBBY SCREWDRIVER

SCREWDRIVERS

SCREWDRIVERS AND SETS

SBD4V6S

6 PIECE 4V CORDLESS SCREWDRIVER SET

- INCLUDES:**
- 1 x 4V Screwdriver
 - 1 x 1/4" Quick-Change Locking Bit Adapter
 - 6 x 1" Bits (Phillips®: Ph1, Ph2; Slotted: 3/16", 1/4"; Torx®: T15, T25)
 - 1 x USB-C Charging Cable (Wall Adapter Not Included)



SBD4V6S

SBD4V52S

52 PIECE 4V CORDLESS SCREWDRIVER SET

- INCLUDES:**
- 1 x 4V Screwdriver
 - 48 x 1" Premium S2 Steel Bits; Phillips®: Ph0, Ph1, Ph2, Ph3, Ph4; Pozidriv®: #1, #2, #3; Slotted: 1/8", 5/32", 3/16", 7/32", 1/4", 9/32"; Torx®: T6, T7, T8, T10, T15, T20, T25, T27, T30, T40, T45; Tamper Resistant Torx®: T20, T25; Tamper-Resistant Hex: SAE: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"; Metric: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm; Ball End-Hex: SAE:1/8", 3/16", 1/4"; Metric: 3mm, 4mm, 5mm; Square: #1, #2, #3
 - 3 x Bit Extenders Male Bit Adapter: 1", 2"; Female Bit Coupler
 - 1 x USB-C Charging Cable (Wall Adapter Not Included)



SBD4V52S

SBD4V (NOT SHOWN)

4V CORDLESS SCREWDRIVER


- 300 RPM for high-speed screw driving (up to 4x faster*)
- 70-minute quick charge
- IP54 for dust and water protection
- Forward/reverse push buttons
- 3-stage LED charge indicator / works with USB-C cables and connections**
- 5-LED workspace illumination
- Quick-change locking collet
- 0.9Nm/300 RPM
- 3-year warranty



SCREWDRIVERS

PRECISION AND POCKET SCREWDRIVERS

06



TIP DIMENSIONS

- A Tip Width
- B Tip Thickness
- C Shaft Length



SDP2DR

SDP4DR

MAC-GRIP™ PRECISION COMBINATION SCREWDRIVER SETS

- 360° Ergonomic textured grip for maximum comfort for high torque applications
- Moulded tip ID for easy recognition of tip type in the vertical position
- Nylon-alloy handle that is chemically resistant to gasoline, disk brake cleaner, brake fluid, motor oil, hydraulic fluid, ethylene glycol, acetone
- High-quality alloy-steel bar
- High-polished chrome finish

PRODUCT #	TIP TYPE	TIP SIZE	TIP THICKNESS	SHANK SHAPE	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	SET
SDP4DR	4 Piece Mac-Grip™ Precision Combination Screwdriver Set						
SDP2DR	2 Piece Mac-Grip™ Precision Combination Screwdriver Set						
PPG2DR	Cabinet	1/8"	0.020"	Round	2" / 50.8	5-1/4" / 133.35	•
PPG3DR	Cabinet	1/8"	0.020"	Round	3" / 76.2	6-1/4" / 158.75	•
PPH3DR	Cabinet	3/16"	0.030"	Round	3" / 76.2	6-1/4" / 158.75	•
PP3020DR	Phillips®	#0	—	Round	2" / 50.8	5-1/4" / 133.35	•
PP3030DR	Phillips®	#0	—	Round	3" / 76.2	6-1/4" / 158.75	•
PP2031DR	Phillips®	#1	—	Round	3" / 76.2	6-1/4" / 158.75	•

SCREWDRIVERS

PRECISION AND POCKET SCREWDRIVERS



SDP2(G,0)
2 PIECE 1/8" POCKET SCREWDRIVER SET

- Made of solid core Acetate plastic that is chemical resistant
- 4-Sided quad-lobular design with textured grip for comfort and torque

PRODUCT #	TIP TYPE	(A) TIP SIZE	TIP THICKNESS	SHANK SHAPE	BAR LENGTH IN. / MM	OVERALL LENGTH IN. / MM	SET					
SDP2	2 Piece 1/8" Pocket Screwdriver Set - Red											
SDP2G	2 Piece 1/8" Pocket Screwdriver Set - Green											
SDP20	2 Piece 1/8" Pocket Screwdriver Set - Orange											
PN2B(G,0)	Cabinet	1/8"	0.020"	Square	2" / 50.8	4-1/2" / 114.3	•	•	•			
PN2C(G,0)	Pry Bar	1/8"	0.020"	Square	2" / 50.8	4-1/2" / 114.3	•	•	•			



SCREWDRIVERS

HEX BIT DRIVERS



SBDT12
MAGNET T-HANDLE
1/4" HEX BIT DRIVER

- Overall length: 12"

SBDT5
MAC-GRIP™ T-HANDLE
1/4" HEX BIT DRIVER

- Length: 5-1/2"

SBDR2
MAC-GRIP™ STUBBY RATCHETING
1/4" HEX BIT SCREWDRIVER

- Screwdriver end cap with bit holder

SBD8
MAC-GRIP™ MAGNETIC
1/4" HEX BIT DRIVER

- Screwdriver end cap with bit holder

SBDR8
MAC-GRIP™ RATCHETING
1/4" HEX BIT 9" SCREWDRIVER

SBDR13
MAC-GRIP™ RATCHETING
1/4" HEX BIT 18" SCREWDRIVER


- 45-Tooth gear for precision ratcheting
- Forward-lock-reverse switch mechanism
- Four-sided ergonomic design handle with storage compartment at base of handle
- Screwdriver end cap with bit holder
- Bi-material non-slip grip
- Knurled chrome driver

PRODUCT #	3/16" SLOTTED BIT	1/4" SLOTTED BIT	1/4" SOCKET SQUARE DRIVE	#1 PHILLIPS® BIT	#2 PHILLIPS® BIT	T20 TORX® BIT	T25 TORX® BIT	LENGTH
SBDR2	1	1	1	1	1	1	1	3-1/2"
SBDR8	1	1	1	1	1	1	1	9"
SBDR13	1	1	1	1	1	1	1	18"
SBD8	1	1	1	1	1	1	1	8"

RBRT™ RATCHETING
SCREWDRIVER AND BIT SETS

- Magnetic drive end holds bit securely in place and holds ferrous fasteners to bit
- 45-Tooth gear for precision ratcheting
- Forward-lock-reverse switch mechanism
- Four-sided ergonomic design handle with storage compartment at base of handle
- Screwdriver end cap with bit holder
- Bi-material non-slip grip
- Knurled shaft for ease-of-use when trying to spin shaft by hand
- Bi-directional design allows removal and re-insertion of fasteners
- Anti-Slip design resists rounding of fasteners
- Unique geometry designed to insert and remove good or compromised/rounded fasteners
- Designed to replace standard hex drive tools
- Bits made from S2 steel, heat-treated for optimum strength and durability, and coated with zinc phosphate to prevent rust

SBD121RBRT
121 PIECE MAC-GRIP™ RBRT™
RATCHETING SCREWDRIVER
AND T-HANDLE DRIVER BIT SET



SBDB77RBRT
77 PIECE RBRT™ BIT SET

PRODUCT #	TIP TYPE	TIP SIZE	OVERALL LENGTH IN. / MM	SETS
SBD121RBRT	121 Piece Mac-Grip™ RBRT™ Ratcheting Screwdriver and T-Handle Driver Bit Set			
SBDB77RBRT	77 Piece RBRT™ Bit Set			
BHX1.5MRBRT	Hex	1.5	1" / 25	• •
BHX2MRBRT	Hex	2	1" / 25	• •
BHX2.5MRBRT	Hex	2.5	1" / 25	• •
BHX3MRBRT	Hex	3	1" / 25	• •
BHX4MRBRT	Hex	4	1" / 25	• •
BHX5MRBRT	Hex	5	1" / 25	• •
BHX5.5MRBRT	Hex	5.5	1" / 25	• •
BHX6MRBRT	Hex	6	1" / 25	• •
BHX8MRBRT	Hex	8	1" / 25	• •
BHX10MRBRT	Hex	10	1" / 2	• •
BHX564RBRT	Hex	5/64"	1" / 25	• •
BHX332RBRT	Hex	3/32"	1" / 25	• •
BHX764RBRT	Hex	7/64"	1" / 25	• •
BHX18RBRT	Hex	1/8"	1" / 25	• •
BHX532RBRT	Hex	5/32"	1" / 25	• •
BHX316RBRT	Hex	3/16"	1" / 25	• •
BHX732RBRT	Hex	7/32"	1" / 25	• •
BHX14RBRT	Hex	1/4"	1" / 25	• •
BTPHX2MRBRT	Security Hex	2	1" / 25	• •
BTPHX2.5MRBRT	Security Hex	2.5	1" / 25	• •
BTPHX3MRBRT	Security Hex	3	1" / 25	• •
BTPHX4MRBRT	Security Hex	4	1" / 25	• •
BTPHX5MRBRT	Security Hex	5	1" / 25	• •
BTPHX6MRBRT	Security Hex	6	1" / 25	• •
BTPHX564RBRT	Security Hex	5/64"	1" / 25	• •
BTPHX332RBRT	Security Hex	3/32"	1" / 25	• •
BTPHX764RBRT	Security Hex	7/64"	1" / 25	• •
BTPHX18RBRT	Security Hex	1/8"	1" / 25	• •
BTPHX532RBRT	Security Hex	5/32"	1" / 25	• •
BTPHX316RBRT	Security Hex	3/16"	1" / 25	• •
BTPHX732RBRT	Security Hex	7/32"	1" / 25	• •
BTPHX14RBRT	Security Hex	1/4"	1" / 25	• •
BTPHX516RBRT	Security Hex	5/16"	1" / 25	• •
BTPHX38RBRT	Security Hex	3/8"	1" / 25	• •
BSPHX4MRBRT	Ball Hex	4	1" / 25	• •
BSPHX5MRBRT	Ball Hex	5	1" / 25	• •
BSPHX5.5MRBRT	Ball Hex	5.5	1" / 25	• •
BSPHX6MRBRT	Ball Hex	6	1" / 25	• •
BSPHX2.5MRBRT	Ball Hex	2.5	1" / 25	• •
BSPHX3MRBRT	Ball Hex	3	1" / 25	• •
BSPHX18RBRT	Ball Hex	1/8"	1" / 25	• •
BSPHX532RBRT	Ball Hex	5/32"	1" / 25	• •
BSPHX316RBRT	Ball Hex	3/16"	1" / 25	• •
BSPHX732RBRT	Ball Hex	7/32"	1" / 25	• •
BSPHX14RBRT	Ball Hex	1/4"	1" / 25	• •
BSL18RBRT	ACR Slotted	1/8"	1" / 25	• •
BSL532RBRT	ACR Slotted	5/32"	1" / 25	• •
BSL316RBRT	ACR Slotted	3/16"	1" / 25	• •
BSL732RBRT	ACR Slotted	7/32"	1" / 25	• •
BSL14RBRT	ACR Slotted	1/4"	1" / 25	• •
BSL932RBRT	ACR Slotted	9/32"	1" / 25	• •
BSL3MRBRT	ACR Slotted	3	1" / 25	• •
BSL4MRBRT	ACR Slotted	4	1" / 25	• •
BSL4.5MRBRT	ACR Slotted	4.5	1" / 25	• •
BSL5MRBRT	ACR Slotted	5	1" / 25	• •
BSL5.5MRBRT	ACR Slotted	5.5	1" / 25	• •
BSL6MRBRT	ACR Slotted	6	1" / 25	• •
BSL6.5MRBRT	ACR Slotted	6.5	1" / 25	• •
BSL7MRBRT	ACR Slotted	7	1" / 25	• •
BSL8MRBRT	ACR Slotted	8	1" / 25	• •

PRODUCT #	TIP TYPE	TIP SIZE	OVERALL LENGTH IN. / MM	SETS
BPH0RBRT	ACR Phillips®	#0	1" / 25	•
BPH1RBRT	ACR Phillips®	#1	1" / 25	•
BPH2RBRT	ACR Phillips®	#2	1" / 25	•
BPH3RBRT	ACR Phillips®	#3	1" / 25	•
BPH4RBRT	ACR Phillips®	#4	1" / 25	•
BP20RBRT	ACR Pozidriv	#0	1" / 25	•
BP21RBRT	ACR Pozidriv	#1	1" / 25	•
BP22RBRT	ACR Pozidriv	#2	1" / 25	•
BP23RBRT	ACR Pozidriv	#3	1" / 25	•
BP24RBRT	ACR Pozidriv	#4	1" / 25	•
BTX6RBRT	Torx®	T6	1" / 25	• •
BTX8RBRT	Torx®	T8	1" / 25	• •
BTX10RBRT	Torx®	T10	1" / 25	• •
BTX15RBRT	Torx®	T15	1" / 25	• •
BTX20RBRT	Torx®	T20	1" / 25	• •
BTX25RBRT	Torx®	T25	1" / 25	• •
BTX27RBRT	Torx®	T27	1" / 25	• •
BTX30RBRT	Torx®	T30	1" / 25	• •
BTX40RBRT	Torx®	T40	1" / 25	• •
BTX45RBRT	Torx®	T45	1" / 25	• •
BTX50RBRT	Torx®	T50	1" / 25	• •
BTPTX8RBRT	Tamperproof Torx®	T8	1" / 25	• •
BTPTX20RBRT	Tamperproof Torx®	T20	1" / 25	• •
BTPTX25RBRT	Tamperproof Torx®	T25	1" / 25	• •
BTP8RBRT	Torx® Plus	IP8	1" / 25	• •
BTP10RBRT	Torx® Plus	IP10	1" / 25	• •
BTP15RBRT	Torx® Plus	IP15	1" / 25	• •
BTP20RBRT	Torx® Plus	IP20	1" / 25	• •
BTP25RBRT	Torx® Plus	IP25	1" / 25	• •
BTP27RBRT	Torx® Plus	IP27	1" / 25	• •
BTP30RBRT	Torx® Plus	IP30	1" / 25	• •
BTP40RBRT	Torx® Plus	IP40	1" / 25	• •
BTP45RBRT	Torx® Plus	IP45	1" / 25	• •
BSQ0RBRT	Square / Robertson	#0	1" / 25	• •
BSQ1RBRT	Square / Robertson	#1	1" / 25	• •
BSQ2RBRT	Square / Robertson	#2	1" / 25	• •
BSQ3RBRT	Square / Robertson	#3	1" / 25	• •
BSP4MRBRT	Spanner	4	1" / 25	•
BSP6MRBRT	Spanner	6	1" / 25	•
BSP8MRBRT	Spanner	8	1" / 25	•
BSP10MRBRT	Spanner	10	1" / 25	•
BHTORQ6MRBRT	Torq-Set	6	1" / 25	•
BHTORQ8MRBRT	Torq-Set	8	1" / 25	•
BHTORQ10MRBRT	Torq-Set	10	1" / 25	•
BTW1RBRT	Tri-Wing	#1	1" / 25	•
BTW2RBRT	Tri-Wing	#2	1" / 25	•
BTW3RBRT	Tri-Wing	#3	1" / 25	•
BTW4RBRT	Tri-Wing	#4	1" / 25	•
BCL532RBRT	Clutch	5/32"	1" / 25	•
BCL316RBRT	Clutch	3/16"	1" / 25	•
BCL14RBRT	Clutch	1/4"	1" / 25	•
BTS5MMRBRT	Triple Square	5	1" / 25	• •
BTS6MMRBRT	Triple Square	6	1" / 25	• •
BTS8MMRBRT	Triple Square	8	1" / 25	• •
BWNYRBRT	Wing Nut	1/4	—	•
BITCPLRBRT	Bit Coupler	1/4"	—	•
BADT1RBRT	1/4" Drive Adapter	25	—	•
BADT2RBRT	1/4" Drive Adapter	50	—	•
BQCCRRT	1/4" Quick Connect Chuck	60	—	•
SBD8	Ratcheting Screwdriver	1/4" 60-Tooth	—	•
SBDT5RBRT	T-Handle	1/4"	—	•

Phillips® is a trademark of Phillips Screw Company | Pozidriv® is a trademark of Phillips Screw Company | Torx® is a trademark of Acument Intellectual Properties, LLC

MAC-GRIP™ BIT SETS

- Mac-Grip™ handle magnetic screwdriver
- Bits made of S2 steel for long lasting durability
- Packaged in blow-moulded case for easy storage and organization



SBDR123SA



SBDR49SA



SBDR29SA

SBDR42SA

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SET			
SBDR123SA	123 Piece Mac-Grip™ Ratcheting 1/4" Hex Bit Driver Set							
SBDR49SA	49 Piece Mac-Grip™ Ratcheting 1/4" Hex Bit Screwdriver Set							
SBD29SA	29 Piece Mac-Grip™ 1/4" Hex Bit Driver Set							
SBDR42SA	42 Piece Mac-Grip™ Ratchet Precision Screwdriver Set							
BPH0	Phillips®	#0	1/4"	1"		•	•	•
BPH1	Phillips®	#1	1/4"	1"		•	•	•
BPH1L2	Phillips®	#1	1/4"	2"			•	
BPH1L6	Phillips®	#1	1/4"	6"			•	
BPH2	Phillips®	#2	1/4"	1"		•	•	•
BPH2L2	Phillips®	#2	1/4"	2"			•	
BPH2L6	Phillips®	#2	1/4"	6"			•	
BPH3	Phillips®	#3	1/4"	1"		•	•	•
BPH4	Phillips®	#4	1/4"	1"				•
BPPH000	Phillips®	#000	1/8"	1-1/8"	•			
BPPH00	Phillips®	#00	1/8"	1-1/8"	•			
BPPH0	Phillips®	#0	1/8"	1-1/8"	•			
BPPH1	Phillips®	#1	1/8"	1-1/8"	•			
BSL18	Slotted	1/8"	1/4"	1"			•	•
BSL532	Slotted	5/32"	1/4"	1"			•	•
BSL316	Slotted	3/16"	1/4"	1"			•	•
BSL316L2	Slotted	3/16"	1/4"	2"			•	
BSL732	Slotted	7/32"	1/4"	1"			•	•
BSL14	Slotted	1/4"	1/4"	1"			•	•
BSL14L2	Slotted	1/4"	1/4"	2"			•	
BSL14L6	Slotted	1/4"	1/4"	6"			•	
BSL932	Slotted	9/32"	1/4"	1"				•
BSL3M	Slotted	3mm	1/4"	1"		•		•
BSL4M	Slotted	4mm	1/4"	1"		•		•
BSL4.5MM	Slotted	4.5mm	1/4"	1"				•
BSL5M	Slotted	5mm	1/4"	1"		•		•
BSL5.5MM	Slotted	5.5mm	1/4"	1"				•
BSL6M	Slotted	6mm	1/4"	1"		•		•
BSL6.5MM	Slotted	6.5mm	1/4"	1"				•
BSL7MM	Slotted	7mm	1/4"	1"				•
BSL8M	Slotted	8mm	1/4"	1"		•		•
BPSL1MM	Slotted	1mm	1/4"	1-1/8"	•			
BPSL1.5MM	Slotted	1.5mm	1/4"	1-1/8"	•			
BPSL2MM	Slotted	2mm	1/4"	1-1/8"	•			
BPSL2.5MM	Slotted	2.5mm	1/4"	1-1/8"	•			
BPSL3MM	Slotted	3mm	1/4"	1-1/8"	•			
BPSL4MM	Slotted	4mm	1/4"	1-1/8"	•			
BPTX4	Torx®	T4	1/8"	1-1/8"	•			
BPTX5	Torx®	T5	1/8"	1-1/8"	•			
BPTX6	Torx®	T6	1/8"	1-1/8"	•			
BPTX7	Torx®	T7	1/8"	1-1/8"	•			
BPTX8	Torx®	T8	1/8"	1-1/8"	•			
BPTX9	Torx®	T9	1/8"	1-1/8"	•			
BPTX10	Torx®	T10	1/8"	1-1/8"	•			
BPTX15	Torx®	T15	1/8"	1-1/8"	•			
BPTX20	Torx®	T20	1/8"	1-1/8"	•			
BTX6	Torx®	T6	1/4"	1"	•			•
BTX7	Torx®	T7	1/4"	1"				•
BTX8	Torx®	T8	1/4"	1"				•
BTX10	Torx®	T10	1/4"	1"				•
BTX15	Torx®	T15	1/4"	1"				•
BTX20	Torx®	T20	1/4"	1"				•
BTX25	Torx®	T25	1/4"	1"				•
BTX25L6	Torx®	T25	1/4"	6"		•		
BTX27	Torx®	T27	1/4"	1"				•
BTX30	Torx®	T30	1/4"	1"				•
BTX40	Torx®	T40	1/4"	1"				•
BTX45	Torx®	T45	1/4"	1"				•
BTX50	Torx®	T50	1/4"	1"				•

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SET		
SBDR123SA	123 Piece Mac-Grip™ Ratcheting 1/4" Hex Bit Driver Set						
SBDR49SA	49 Piece Mac-Grip™ Ratcheting 1/4" Hex Bit Screwdriver Set						
SBD29SA	29 Piece Mac-Grip™ 1/4" Hex Bit Driver Set						
SBDR42SA	42 Piece Mac-Grip™ Ratchet Precision Screwdriver Set						
BSQ0	Square	#0	1/4"	1"	•	•	•
BSQ1	Square	#1	1/4"	1"	•	•	•
BSQ2	Square	#2	1/4"	1"	•	•	•
BSQ3	Square	#3	1/4"	1"	•	•	•
BDSQ3	Double Square	#2	1/4"	1"			
BSP4MM	Spanner	4mm	1/4"	1"			
BSP6MM	Spanner	6mm	1/4"	1"			
BSP8MM	Spanner	8mm	1/4"	1"			•
BSP10MM	Spanner	10mm	1/4"	1"			
BTPTX6	Tamper-Resistant Torx®	T6H	1/4"	1"			•
BTPTX7	Tamper-Resistant Torx®	T7H	1/4"	1"			•
BTPTX8	Tamper-Resistant Torx®	T8H	1/4"	1"			•
BTPTX9	Tamper-Resistant Torx®	T9H	1/4"	1"			•
BTPTX10	Tamper-Resistant Torx®	T10H	1/4"	1"	•	•	•
BTPTX15	Tamper-Resistant Torx®	T15H	1/4"	1"	•	•	•
BTPTX20	Tamper-Resistant Torx®	T20H	1/4"	1"	•	•	•
BTPTX25	Tamper-Resistant Torx®	T25H	1/4"	1"	•	•	•
BTPTX27	Tamper-Resistant Torx®	T27H	1/4"	1"		•	•
BTPTX30	Tamper-Resistant Torx®	T30H	1/4"	1"	•	•	•
BTPTX40	Tamper-Resistant Torx®	T40H	1/4"	1"	•	•	•
BTW1	Tri-Wing	#1	1/4"	1"			•
BTW2	Tri-Wing	#2	1/4"	1"			•
BTW3	Tri-Wing	#3	1/4"	1"			•
BTW4	Tri-Wing	#4	1/4"	1"			•
BHX564	Hex	5/64"	1/4"	1"	•	•	•
BHX332	Hex	3/32"	1/4"	1"	•	•	•
BHX764	Hex	7/64"	1/4"	1"	•	•	•
BHX18	Hex	1/8"	1/4"	1"	•	•	•
BHX964	Hex	9/64"	1/4"	1"	•	•	
BHX532	Hex	5/32"	1/4"	1"			•
BHX316	Hex	3/16"	1/4"	1"			•
BHX732	Hex	7/32"	1/4"	1"			•
BHX14	Hex	1/4"	1/4"	1"			•
BHX1.5MM	Hex	1.5mm	1/4"	1"			•
BHX2MM	Hex	2mm	1/4"	1"			•
BHX2.5MM	Hex	2.5mm	1/4"	1"			•
BHX3MM	Hex	3mm	1/4"	1"		•	•
BHX4MM	Hex	4mm	1/4"	1"		•	•
BHX5MM	Hex	5mm	1/4"	1"		•	•
BHX5.5MM	Hex	5.5mm	1/4"	1"			•
BHX6MM	Hex	6mm	1/4"	1"		•	•
BHX8MM	Hex	8mm	1/4"	1"			•
BHX10MM	Hex	10mm	1/4"	1"			•
BPHX0.7MM	Hex	0.7mm	1/8"	1-1/8"	•		
BPHX0.9MM	Hex	0.9mm	1/8"	1-1/8"	•		
BPHX1.3MM	Hex	1.3mm	1/8"	1-1/8"	•		
BPHX1.5MM	Hex	1.5mm	1/8"	1-1/8"	•		
BPHX2MM	Hex	2mm	1/8"	1-1/8"	•		
BPHX2.5MM	Hex	2.5mm	1/8"	1-1/8"	•		
BPHX3MM	Hex	3mm	1/8"	1-1/8"	•		
BPHX4MM	Hex	4mm	1/8"	1-1/8"	•		
BHTORQ6MM	Torq-Set®	6mm	1/4"	1"			•
BHTORQ8MM	Torq-Set®	8mm	1/4"	1"			•
BHTORQ10MM	Torq-Set®	10mm	1/4"	1"			•
BPPZ0	Pozidriv®	#0	1/8"	1-1/8"	•		
BPPZ1	Pozidriv®	#1	1/8"	1-1/8"	•		
BPZ0	Pozidriv®	#0	1/4"	1"		•	•
BPZ1	Pozidriv®	#1	1/4"	1"		•	•
BPZ2	Pozidriv®	#2	1/4"	1"			•
BPZ3	Pozidriv®	#3	1/4"	1"			•
BPZ4	Pozidriv®	#4	1/4"	1"			

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SET		
SBDR123SA	123 Piece Mac-Grip™ Ratcheting 1/4" Hex Bit Driver Set						
SBDR49SA	49 Piece Mac-Grip™ Ratcheting 1/4" Hex Bit Screwdriver Set						
SBDR29SA	29 Piece Mac-Grip™ 1/4" Hex Bit Driver Set						
SBDR42SA	42 Piece Mac-Grip™ Ratchet Precision Screwdriver Set						
BSPLM5	Spline	M5	1/4"	1"			•
BSPLM6	Spline	M6	1/4"	1"			•
BSPLM8	Spline	M8	1/4"	1"			•
BCL532	Clutch	5/32"	1/4"	1"			•
BCL316	Clutch	3/16"	1/4"	1"			•
BCL14	Clutch	1/4"	1/4"	1"			
BPND332	Nut	3/32"	1/8"	1-1/8"	•		
BPND18	Nut	1/8"	1/8"	1-1/8"	•		
BPND964	Nut	9/64"	1/8"	1-1/8"	•		
BPND532	Nut	5/32"	1/8"	1-1/8"	•		
BPND316	Nut	3/16"	1/8"	1-1/8"	•		
BPND2.5MM	Nut	2.5mm	1/8"	1-1/8"	•		
BPND3MM	Nut	3mm	1/8"	1-1/8"	•		
BPND3.5MM	Nut	3.5mm	1/8"	1-1/8"	•		
BPND4MM	Nut	4mm	1/8"	1-1/8"	•		
BPND4.5MM	Nut	4.5mm	1/8"	1-1/8"	•		
BPND5MM	Nut	5mm	1/8"	1-1/8"	•		
BSPHX18	Speed Hex	1/8"	1/4"	1"			•
BSPHX532	Speed Hex	5/32"	1/4"	1"			•
BSPHX316	Speed Hex	3/16"	1/4"	1"			•
BSPHX732	Speed Hex	7/32"	1/4"	1"			•
BSPHX14	Speed Hex	1/4"	1/4"	1"			•
BSPHX2.5MM	Speed Hex	2.5mm	1/4"	1"			•
BSPHX3MM	Speed Hex	3mm	1/4"	1"			•
BSPHX4MM	Speed Hex	4mm	1/4"	1"			•
BSPHX5MM	Speed Hex	5mm	1/4"	1"			•
BSPHX5.5MM	Speed Hex	5.5mm	1/4"	1"			•
BSPHX6MM	Speed Hex	6mm	1/4"	1"			•
BTPHX564	Tamper-Resistant Hex	5/64"	1/4"	1"			•
BTPHX332	Tamper-Resistant Hex	3/32"	1/4"	1"			•
BTPHX764	Tamper-Resistant Hex	7/64"	1/4"	1"			•
BTPHX18	Tamper-Resistant Hex	1/8"	1/4"	1"			•
BTPHX964	Tamper-Resistant Hex	9/64"	1/4"	1"			•
BTPHX532	Tamper-Resistant Hex	5/32"	1/4"	1"			•
BTPHX316	Tamper-Resistant Hex	3/16"	1/4"	1"			•
BTPHX732	Tamper-Resistant Hex	7/32"	1/4"	1"			•
BTPHX14	Tamper-Resistant Hex	1/4"	1/4"	1"			•
BTPHX932	Tamper-Resistant Hex	9/32"	1/4"	1"			•
BTPHX516	Tamper-Resistant Hex	5/16"	1/4"	1"			•
BTPHX38	Tamper-Resistant Hex	3/8"	1/4"	1"			•
BTPHX2MM	Tamper-Resistant Hex	2mm	1/4"	1"			•
BTPHX2.5MM	Tamper-Resistant Hex	2.5mm	1/4"	1"			•
BTPHX3MM	Tamper-Resistant Hex	3mm	1/4"	1"			•
BTPHX4MM	Tamper-Resistant Hex	4mm	1/4"	1"			•
BTPHX5MM	Tamper-Resistant Hex	5mm	1/4"	1"			•
BTPHX6MM	Tamper-Resistant Hex	6mm	1/4"	1"			•
BADT1	Bit Adapter	—	1/4"	1"	•	•	•
BADT2	Bit Adapter	—	1/4"	2"		•	•
BEXT2	Magnetic Bit Extension	—	1/4"	2"	•		
BPFLXT8	Flexible Extension	—	1/8"	8"	•		
BSKTADT14	Socket Adapter	—	1/4"	1"			•
BQCC	Quick Change Chuck	—	1/4"	2-10/27"		•	
BWNY	Wing Nut/Y	—	1/4"	1"			•
SBD8	Bit Screwdriver	—	1/4"	8"		•	
SBDR5	Bit Ratcheting Screwdriver	—	1/8"	5-1/4"	•		
SBDR8	Bit Ratcheting Screwdriver	—	1/4"	9"		•	•
SBDT5	Bit T-Handle Driver	—	1/4"	5-1/2"			

Phillips® is a trademark of Phillips Screw Company | Pozidriv® is a trademark of Phillips Screw Company | Torx® is a trademark of Acument Intellectual Properties, LLC

BIT DRIVER SETS

- Full-polish, mini-ratcheting bit driver included (MR5BD)
- 72-Tooth mini-ratchet ideal for work in tight places
- Wide range of bit styles included for multiple applications
- Five extended length bits included for greater access
- Magnetic bit holder included for added reach
- Blow-moulded case



SBDR32K



SBDR69K



SD33KL



SD60KL

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH		
SBDR69K	69 Piece Bit Driver Set					
SBDR32K	32 Piece Bit Driver Set					
BHX14	Hex	1/4"	1/4"	1" / 25	•	
BHX18	Hex	1/8"	1/4"	1" / 25	•	
BHX316	Hex	3/16"	1/4"	1" / 25	•	
BHX332	Hex	3/32"	1/4"	1" / 25	•	
BHX532	Hex	5/32"	1/4"	1" / 25	•	
BHX564	Hex	5/64"	1/4"	1" / 25	•	
BHX732	Hex	7/32"	1/4"	1" / 25	•	
BHX764	Hex	7/64"	1/4"	1" / 25	•	
BHX964	Hex	9/64"	1/4"	1" / 25	•	
BHX1.5MM	Hex	1.5mm	1/4"	1" / 25	•	
BHX2MM	Hex	2mm	1/4"	1" / 25	•	
BHX2.5MM	Hex	2.5mm	1/4"	1" / 25	•	•
BHX3MM	Hex	3mm	1/4"	1" / 25	•	•
BHX4MM	Hex	4mm	1/4"	1" / 25	•	•
BHX5MM	Hex	5mm	1/4"	1" / 25	•	•
BHX6MM	Hex	6mm	1/4"	1" / 25	•	•
BPH0	Phillips	#0	1/4"	1" / 25	•	•
BPH1	Phillips	#1	1/4"	1" / 25	•	•
BPH1L3	Phillips	#1	1/4"	3" / 75	•	•
BPH1L5	Phillips	#1	1/4"	5" / 125	•	•
BPH2	Phillips	#2	1/4"	1" / 25	•	•
BPH2L3	Phillips	#2	1/4"	3" / 75	•	•
BPH2L5	Phillips	#2	1/4"	5" / 125	•	•
BPH3	Phillips	#3	1/4"	1" / 25	•	•
BP20	Pozidriv	#0	1/4"	1" / 25	•	•
BP21	Pozidriv	#1	1/4"	1" / 25	•	•
BP22	Pozidriv	#2	1/4"	1" / 25	•	•
BP223L	Pozidriv	#2	1/4"	3" / 75	•	•
BP23	Pozidriv	#3	1/4"	1" / 25	•	•
BSL3M	Slotted	3mm	1/4"	1" / 25	•	•
BSL4M	Slotted	4mm	1/4"	1" / 25	•	•
BSL5M	Slotted	5mm	1/4"	1" / 25	•	•
BSL5M3	Slotted	5mm	1/4"	3" / 75	•	•
BSL5M5	Slotted	5mm	1/4"	5" / 125	•	•
BSL6M	Slotted	6mm	1/4"	1" / 25	•	•
BSL7MM	Slotted	7mm	1/4"	1" / 25	•	•
BSL8M	Slotted	8mm	1/4"	1" / 25	•	•

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SET
SBDR69K	69 Piece Bit Driver Set				
SBDR32K	32 Piece Bit Driver Set				
BSPLM5	Spline	M5	1/4"	1" / 25	•
BSPLM6	Spline	M6	1/4"	1" / 25	•
BSPLM8	Spline	M8	1/4"	1" / 25	•
BSQ0	Square	#0	1/4"	1" / 25	•
BSQ1	Square	#1	1/4"	1" / 25	•
BSQ2	Square	#2	1/4"	1" / 25	•
BSQ3	Square	#3	1/4"	1" / 25	•
BTPTX10	Tamper-Res. Star	T10	1/4"	1" / 25	•
BTPTX15	Tamper-Res. Star	T15	1/4"	1" / 25	•
BTPTX20	Tamper-Res. Star	T20	1/4"	1" / 25	•
BTPTX25	Tamper-Res. Star	T25	1/4"	1" / 25	•
BTPTX27	Tamper-Res. Star	T27	1/4"	1" / 25	•
BTPTX30	Tamper-Res. Star	T30	1/4"	1" / 25	•
BTPTX40	Tamper-Res. Star	T40	1/4"	1" / 25	•
BTPTX8	Tamper-Res. Star	T8	1/4"	1" / 25	•
BTX10	Star	T10	1/4"	1" / 25	•
BTX15	Star	T15	1/4"	1" / 25	•
BTX20	Star	T20	1/4"	1" / 25	•
BTX20L3	Star	T20	1/4"	3" / 75	•
BTX20L5	Star	T20	1/4"	5" / 125	•
BTX25	Star	T25	1/4"	1" / 25	•
BTX25L3	Star	T25	1/4"	3" / 75	•
BTX25L5	Star	T25	1/4"	5" / 125	•
BTX27	Star	T27	1/4"	1" / 25	•
BTX30	Star	T30	1/4"	1" / 25	•
BTX30L3	Star	T30	1/4"	3" / 75	•
BTX30L5	Star	T30	1/4"	5" / 125	•
BTX40	Star	T40	1/4"	1" / 25	•
BTX8	Star	T8	1/4"	1" / 25	•
MR5BD	Ratcheting Bit Driver			5" / 125	•
BADT1	Bit Adapter			1" / 25	•
BMBH	Magnetic Bit Holder			1/4" / 65	•

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SET
SD60KL	60 Piece Long Bit Driver Set				
SD33KL	33 Piece Long Bit Driver Set				
BHM2.5L3	Hex	2.5mm	1/4"	3" / 75	•
BHM3L3	Hex	3mm	1/4"	3" / 75	•
BHM4L3	Hex	4mm	1/4"	3" / 75	•
BHM5L3	Hex	5mm	1/4"	3" / 75	•
BHM6L3	Hex	6mm	1/4"	3" / 75	•
BHM8L3	Hex	8mm	1/4"	3" / 75	•
BHS3.5L3	Hex	7/64"	1/4"	3" / 75	•
BHS3L3	Hex	3/32"	1/4"	3" / 75	•
BHS4.5L3	Hex	9/64"	1/4"	3" / 75	•
BHS4L3	Hex	1/8"	1/4"	3" / 75	•
BHS5L3	Hex	5/32"	1/4"	3" / 75	•
BHS6L3	Hex	3/16"	1/4"	3" / 75	•
BHS8L3	Hex	1/4"	1/4"	3" / 75	•
BPH1L1	Phillips	#1	1/4"	1-1/4" / 32	•
BPH1L3	Phillips	#1	1/4"	3" / 75	•
BPH1L6-2	Phillips	#1	1/4"	6" / 150	•
BPH2L1	Phillips	#2	1/4"	1-1/4"	•
BPH2L3-2	Phillips	#2	1/4"	3" / 75	•
BPH2L6-2	Phillips	#2	1/4"	6" / 150	•
BPH3L1	Phillips	#3	1/4"	1-1/4"	•
BPH3L3	Phillips	#3	1/4"	3" / 75	•
BPH3L6	Phillips	#3	1/4"	6" / 150	•
BP21L3	Pozidriv	#1	1/4"	3" / 75	•
BP21L6	Pozidriv	#1	1/4"	6" / 150	•
BP22L3	Pozidriv	#2	1/4"	3" / 75	•
BP22L6	Pozidriv	#2	1/4"	6" / 150	•
BP23L3	Pozidriv	#3	1/4"	3" / 75	•
BP23L6	Pozidriv	#3	1/4"	6" / 150	•
BS0L3	Square	#0	1/4"	3" / 75	•
BS1L3	Square	#1	1/4"	3" / 75	•
BS2L3	Square	#2	1/4"	3" / 75	•

PRODUCT #	TIP TYPE	TIP SIZE	HEX SIZE	LENGTH	SET
SD60KL	60 Piece Long Bit Driver Set				
SD33KL	33 Piece Long Bit Driver Set				
BTX10L1	Star	T10	1/4"	1-1/4" / 32	•
BTX10L3	Star	T10	1/4"	3" / 75	•
BTX10L6	Star	T10	1/4"	6" / 150	•
BTX15L1	Star	T15	1/4"	1-1/4"	•
BTX15L3	Star	T15	1/4"	3" / 75	•
BTX15L6	Star	T15	1/4"	6" / 150	•
BTX20L1	Star	T20	1/4"	1-1/4"	•
BTX20L3-2	Star	T20	1/4"	3" / 75	•
BTX20L6	Star	T20	1/4"	6" / 150	•
BTX25L1	Star	T25	1/4"	1-1/4"	•
BTX25L3-2	Star	T25	1/4"	3" / 75	•
BTX25L6-2	Star	T25	1/4"	6" / 150	•
BTX27L1	Star	T27	1/4"	1-1/4"	•
BTX27L3	Star	T27	1/4"	3" / 75	•
BTX27L6	Star	T27	1/4"	6" / 150	•
BTX30L1	Star	T30	1/4"	1-1/4"	•
BTX30L3-2	Star	T30	1/4"	3" / 75	•
BTX30L6-2	Star	T30	1/4"	6" / 150	•
BTX40L1	Star	T40	1/4"	1-1/4" / 32	•
BTX40L3	Star	T40	1/4"	3" / 75	•
BTX40L6	Star	T40	1/4"	6" / 150	•
NSS8	Nut Setter	1/4"	1/4"	2" / 50	•
NSS10	Nut Setter	5/16"	1/4"	2" / 50	•
NSS12	Nut Setter	3/8"	1/4"	2" / 50	•
NSM8MM	Nut Setter	8mm	1/4"	2" / 50	•
NSM10MM	Nut Setter	10mm	1/4"	2" / 50	•
NSM12MM	Nut Setter	12mm	1/4"	2" / 50	•
BADIT2	Adapter			2" / 50	•
BADIT3	Adapter			2" / 50	•

Phillips® is a trademark of Phillips Screw Company | Pozidriv® is a trademark of Phillips Screw Company | Torx® is a trademark of Acument Intellectual Properties, LLC



SBR39SB



SD46K

SBR39SB
39 PIECE RATCHET AND STUBBY BIT SET

- Low profile, double ended mini ratchet wrench
- 8" Long with dual thumb wheels for ease of operation and close quarters work
- Works with all 1/4" and 5/16" hex bits and 1/4" square drive sockets
- Half-cut bits for increased strength
- Short 5/8" (16mm) bits made from S2 steel for strength
- Ideal for close quarters work

PRODUCT #	TIP TYPE	TIP SIZE	DRIVE SIZE	OVERALL LENGTH IN. / MM	SET
SBR39SB	39 Piece Ratchet and Stubby Bit Set				
BADT3	Hex / Square Adapter	5/16"	1/4"	5/8" / 16	•
BHX10MMSB	Hex	10mm	5/16"	5/8" / 16	•
BHX14SB	Hex	1/4"	1/4"	5/8" / 16	•
BHX18SB	Hex	1/8"	1/4"	5/8" / 16	•
BHX2.5MMSB	Hex	2.5mm	1/4"	5/8" / 16	•
BHX2MMSB	Hex	2mm	1/4"	5/8" / 16	•
BHX316SB	Hex	3/16"	1/4"	5/8" / 16	•
BHX38SB	Hex	3/8"	5/16"	5/8" / 16	•
BHX3MMSB	Hex	3mm	1/4"	5/8" / 16	•
BHX4MMSB	Hex	4mm	1/4"	5/8" / 16	•
BHX516SB	Hex	5/16"	5/16"	5/8" / 16	•
BHX532SB	Hex	5/32"	1/4"	5/8" / 16	•
BHX5MMSB	Hex	5mm	1/4"	5/8" / 16	•
BHX6MMSB	Hex	6mm	1/4"	5/8" / 16	•
BHX732SB	Hex	7/32"	1/4"	5/8" / 16	•
BHX7MMSB	Hex	7mm	5/16"	5/8" / 16	•
BHX8MMSB	Hex	8mm	5/16"	5/8" / 16	•
BHX964SB	Hex	9/64"	1/4"	5/8" / 16	•
BHX9MMSB	Hex	9mm	5/16"	5/8" / 16	•
BPH1SB	Phillips®	#1	1/4"	5/8" / 16	•
BPH2SB	Phillips®	#2	1/4"	5/8" / 16	•
BTX10SB	Torx®	T10	1/4"	5/8" / 16	•
BTX15SB	Torx®	T15	1/4"	5/8" / 16	•
BTX20SB	Torx®	T20	1/4"	5/8" / 16	•
BTX25SB	Torx®	T25	1/4"	5/8" / 16	•
BTX27SB	Torx®	T27	1/4"	5/8" / 16	•
BTX30SB	Torx®	T30	1/4"	5/8" / 16	•
BTX40SB	Torx®	T40	5/16"	5/8" / 16	•
BTX45SB	Torx®	T45	5/16"	5/8" / 16	•
BTX47SB	Torx®	T47	5/16"	5/8" / 16	•
BTX50SB	Torx®	T50	5/16"	5/8" / 16	•
BXZN10SB	Triple Square	10mm	5/16"	5/8" / 16	•
BXZN4SB	Triple Square	4mm	1/4"	5/8" / 16	•
BXZN5SB	Triple Square	5mm	1/4"	5/8" / 16	•
BXZN6SB	Triple Square	6mm	1/4"	5/8" / 16	•
BXZN7SB	Triple Square	7mm	1/4"	5/8" / 16	•
BXZN8SB	Triple Square	8mm	5/16"	5/8" / 16	•
BXZN9SB	Triple Square	9mm	5/16"	5/8" / 16	•
BW8SB	8" Bit Ratchet Wrench	1/4" & 5/16"	1/4"	8" / 200	•

SD46K
46 PIECE 1/4" HEX POWERBIT SET

- Bits made of S2 steel for long lasting durability

PRODUCT #	TIP TYPE	TIP SIZE	OVERALL LENGTH IN. / MM	SET
SD46K	46 Piece 1/4" Hex Powerbit Set			
BHX14	Hex	1/4"	1" / 25	•
BHX18	Hex	1/8"	1" / 25	•
BHX316	Hex	3/16"	1" / 25	•
BHX332	Hex	3/32"	1" / 25	•
BHX3MM	Hex	3mm	1" / 25	•
BHX4MM	Hex	4mm	1" / 25	•
BHX532	Hex	5/32"	1" / 25	•
BHX564	Hex	5/64"	1" / 25	•
BHX5MM	Hex	5mm	1" / 25	•
BHX6MM	Hex	6mm	1" / 25	•
BHX732	Hex	7/32"	1" / 25	•
BHX764	Hex	7/64"	1" / 25	•
BPH0	Phillips®	#0	1" / 25	•
BPH1	Phillips®	#1	1" / 25	•
BPH2	Phillips®	#2	1" / 25	•
BPH3	Phillips®	#3	1" / 25	•
BP20	Pozidriv®	#0	1" / 25	•
BP21	Pozidriv®	#1	1" / 25	•
BP22	Pozidriv®	#2	1" / 25	•
BP23	Pozidriv®	#3	1" / 25	•
BSL14	Slotted	1/4"	1" / 25	•
BSL18	Slotted	1/8"	1" / 25	•
BSL316	Slotted	3/16"	1" / 25	•
BSL532	Slotted	5/32"	1" / 25	•
BSL732	Slotted	7/32"	1" / 25	•
BSL932	Slotted	9/32"	1" / 25	•
BSQ0	Square	#0	1" / 25	•
BSQ1	Square	#1	1" / 25	•
BSQ2	Square	#2	1" / 25	•
BSQ3	Square	#3	1" / 25	•
BTPTX6	Tamper-Resistant Star	T6H	1" / 25	•
BTPTX7	Tamper-Resistant Star	T7H	1" / 25	•
BTPTX8	Tamper-Resistant Star	T8H	1" / 25	•
BTPTX9	Tamper-Resistant Star	T9H	1" / 25	•
BTPTX10	Tamper-Resistant Star	T10H	1" / 25	•
BTPTX15	Tamper-Resistant Star	T15H	1" / 25	•
BTPTX20	Tamper-Resistant Star	T20H	1" / 25	•
BTPTX25	Tamper-Resistant Star	T25H	1" / 25	•
BTPTX27	Tamper-Resistant Star	T27H	1" / 25	•
BTPTX30	Tamper-Resistant Star	T30H	1" / 25	•
BTPTX40	Tamper-Resistant Star	T40H	1" / 25	•
BADT2	1/4" Square Drive Male Bit Adapter		2" / 50	•
BQCC	Quick-Change Chuck		2-3/8" / 60	•



MAC100BIT
100 PIECE
SCREWDRIVER BIT SET

- All bits made from S2 quality steel
- Comprehensive 100 piece bit set gives the right fit for any job
- Includes multiple size bits in Slotted, Pozidriv, Phillips, Hex (metric & imperial), Tamper Proof Hex, Torx, Tamper Proof Torx, Spline, Butterfly, Tri-Wing, Square & a range of accessories

SCREWDRIVERS

HEX BIT DRIVERS AND SETS

SBD3S

3 PIECE RATCHETING BIT DRIVER SET

- Low profile
- 60-Tooth gear

PRODUCT #	DESCRIPTION	DRIVE SIZE	LENGTH	SET
SBD3S	3 Piece Ratcheting Bit Driver Set			
MBDE4	Knurled Extension	1/4" Hex	4"	•
MRBD4	Bit Ratchet	1/4" Hex	4-1/2"	•
MRBD4F	Flexible Bit Ratchet	1/4" Hex	5"	•



BWS7B

7 PIECE RATCHETING 1/4" HEX BIT SCREWDRIVER SET

- Three different angled ratcheting wrenches: flat, 65°, and 25° offsets
- Magnetic bit holder designed to fit any 1/4" hex bit

PRODUCT #	DESCRIPTION	SET
BWS7B	7 Piece Ratcheting 1/4" Hex Bit Screwdriver Set	
BWS7BF	1/4" Flat Fine Tooth Wrench	•
BWS7B0	1/4" Offset Fine Tooth Wrench	•
BWS7BR0	1/4" Reverse Offset Fine Tooth Wrench	•
BWS7B-670	#1 Phillips® Bit	•
BWS7B-671	#2 Phillips® Bit	•
BWS7B-674	6 – 8 Slotted 1/4" Bit	•
BWS7B-675	8 – 10 Slotted 9/32" Bit	•

BD908-03

3 PIECE 1/4" HEX BIT DRIVER SET

- Allows easy access in tight areas
- Heavy-duty mini driver uses 1/4" drive and generates substantial torque
- Slotted and Phillips® head bits



SBW9K

9 PIECE 1/4" HEX BIT FLEX SQUARE DRIVER SET

- Unique flex-square hinge design provides double offset at hinge
- 72-Tooth drive gear provides 5° arc swing
- Lightweight aluminium handle helps reduce fatigue
- 1/4" Hex Right-angle drive works great for those confined spaces

INCLUDES:

- 7 x Bits: 1/8", 1/4", 5/16", P1, P2, P3, and T15
- 1 x 1/4" Square Drive Adapter

SHMB25-R

1/4" BIT - MAGNETIC SOCKET HOLDER

- Holds thirty-six different bits and one socket driver
- Red



HEX & TORX® KEYS

R.B.R.T.™ KEYS AND SETS

06



SHKT7RBRT

7 PIECE R.B.R.T.™ TORX® T-HANDLE SET

PRODUCT #	SIZE	SET
SHKT7RBRT	7 Piece R.B.R.T.™ Torx® T-Handle Set	
HKT10RBRT	T10	•
HKT15RBRT	T15	•
HKT20RBRT	T20	•
HKT25RBRT	T25	•
HKT27RBRT	T27	•
HKT30RBRT	T30	•
HKT40RBRT	T40	•

SHKTM8RBRT (NOT SHOWN)

8 PIECE R.B.R.T.™ METRIC HEX T-HANDLE SET

PRODUCT #	SIZE	SET
SHKTM8RBRT	8 Piece R.B.R.T.™ Metric Hex T-Handle Set	
HKT2MMRBRT	2mm	•
HKT2.5MMRBRT	2.5mm	•
HKT3MMRBRT	3mm	•
HKT4MMRBRT	4mm	•
HKT5MMRBRT	5mm	•
HKT6MMRBRT	6mm	•
HKT8MMRBRT	8mm	•
HKT10MMRBRT	10mm	•

R.B.R.T.™ KEYS FEATURES:

- Rounded Bolt Removal Technology (R.B.R.T.™) designed to prevent the rounding of star fasteners
- Anti-slip dual-directional star driver is effective at removing compromised star fasteners
- S2 tool steel bars are precision machined for use on standard or compromised star fasteners
- Bi-directional: works for both loosening and tightening star fasteners
- Meets or exceeds ANSI specifications
- Single piece bar (through the T-Handle) for superior strength
- Ergonomic bi-material handle for better comfort and grip
- Hang hole for better storage
- Short end driver for high-torque applications, and long end or easy access in tight areas
- Zinc-oxide coating for superior rust resistance
- Large size markings for easy identification



SHKL13RBRT

13 PIECE R.B.R.T.™ SAE HEX L-KEY SET

PRODUCT #	SIZE	SET
SHKL13RBRT	13 Piece R.B.R.T.™ SAE Hex L-Key Set	
HKL3RBRT	.05"	•
HKL4RBRT	1/16"	•
HKL5RBRT	5/64"	•
HKL6RBRT	3/32"	•
HKL7RBRT	7/64"	•
HKL8RBRT	1/8"	•
HKL9RBRT	9/64"	•
HKL10RBRT	5/32"	•
HKL11RBRT	3/16"	•
HKL12RBRT	7/32"	•
HKL13RBRT	1/4"	•
HKL14RBRT	5/16"	•
HKL15RBRT	3/8"	•

HEX & TORX® KEYS

R.B.R.T.™ KEYS AND SETS

HEX KEY WRENCH FEATURES:

- Chamfered tips for faster insertion and full tool engagement in the screw head
- Made with Protanium® steel which is heat-treated for up to 20% more strength and twice the durability over standard grades of steel



SHKML9RBRT
9 PIECE R.B.R.T.™
METRIC HEX L-KEY SET

PRODUCT #	SIZE	SET
SHKML9RBRT	9 Piece R.B.R.T.™ Metric Hex L-Key Set	
HKLM1.5RBRT	1.5mm	•
HKLM2RBRT	2mm	•
HKLM2.5RBRT	2.5mm	•
HKLM3RBRT	3mm	•
HKLM4RBRT	4mm	•
HKLM5RBRT	5mm	•
HKLM6RBRT	6mm	•
HKLM8RBRT	8mm	•
HKLM10RBRT	10mm	•

SHKTBM8RBRT (NOT SHOWN)
8 PIECE R.B.R.T.™ METRIC
HEX T-HANDLE SET

PRODUCT #	SIZE	SET
SHKTBM8RBRT	8 Piece R.B.R.T.™ Metric Hex T-Handle Set	
HKT82MMRBRT	2mm	•
HKT82.5MMRBRT	2.5mm	•
HKT83MMRBRT	3mm	•
HKT84MMRBRT	4mm	•
HKT85MMRBRT	5mm	•
HKT86MMRBRT	6mm	•
HKT88MMRBRT	8mm	•
HKT810MMRBRT	10mm	•



SHKM9ABA
9 PIECE METRIC SHORT ARM
HEX L-KEY WRENCH SET

- Black finish
- Size stamped on each part
- Two working ends with short and long shank for versatility
- Manufactured from special steel to rigid specifications
- Comes in convenient pouch

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
SHKM9APA	9 Piece Metric Short Arm Hex Key Wrench Set in Pouch		
HKM1.5B	1.5mm	1-3/4" / 44.5	•
HKM2B	2mm	2" / 50.8	•
HKM2.5B	2.5mm	2-1/4" / 57.15	•
HKM3B	3mm	2-1/2" / 63.5	•
HKM4B	4mm	2-3/4" / 69.85	•
HKM5B	5mm	3-1/8" / 79.38	•
HKM6B	6mm	3-1/2" / 88.9	•
HKM8B	8mm	4" / 101.6	•
HKM10B	10mm	4-3/8" / 111.13	•



SHKL13APA
13 PIECE SAE LONG ARM
HEX KEY WRENCH SETS

SHKML9APA
9 PIECE METRIC LONG ARM
HEX KEY WRENCH SETS

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
SHKL13APA	13 Piece SAE Long Arm Hex Key Set with Case		
HKL3B	3/64"	2-13/16" / 72	•
HKL4B	1/16"	3-1/16" / 77.8	•
HKL5B	5/64"	3-3/16" / 81	•
HKL6B	3/32"	3-3/8" / 85.7	•
HKL7B	7/64"	3-1/2" / 88.9	•
HKL8B	1/8"	3-3/4" / 95.3	•
HKL9B	9/64"	3-7/8" / 98.4	•
HKL10B	5/32"	4-1/8" / 104.8	•
HKL11B	3/16"	4-1/2" / 114.3	•
HKL12B	7/32"	4-7/8" / 123.8	•
HKL13B	1/4"	5-1/4" / 133.4	•
HKL14B	5/16"	6" / 152.4	•
HKL15B	3/8"	6-3/4" / 171.5	•
HKL16B	7/16"	7-1/2" / 190.5	•
HKL17B	1/2"	8-1/4" / 209.6	•

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
SHKML9APA	9 Piece Metric Long Arm Hex Key Set with Case		
HKLM1.5B	1.5mm	3" / 76.2	•
HKLM2B	2mm	3-1/8" / 79.4	•
HKLM2.5B	2.5mm	3-1/2" / 88.9	•
HKLM3B	3mm	4" / 101.6	•
HKLM4B	4mm	4-1/8" / 104.8	•
HKLM5B	5mm	4-1/2" / 114.3	•
HKLM6B	6mm	5-1/2" / 139.7	•
HKLM8B	8mm	6-1/4" / 158.8	•
HKLM10B	10mm	6-3/4" / 171.5	•
HKLM12B	12mm	8-3/8" / 212.7	•

HEX & TORX® KEYS

KEYS AND SETS

06



STKL6PA
8 PIECE LONG ARM TORX®
KEY SET WITH CASE

- Size stamped on each part
- Two working ends with short and long shank for versatility

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
STKL6PA	8 Piece Long Arm Torx® Key Set with Case		
TKLT9	T9	3" / 76.2	•
TKLT10	T10	3-1/4" / 82.6	•
TKLT15	T15	3-1/2" / 88.9	•
TKLT20	T20	3-3/4" / 95.3	•
TKLT25	T25	4" / 101.6	•
TKLT27	T27	4-3/8" / 111.1	•
TKLT30	T30	4-3/4" / 120.7	•
TKLT40	T40	5-1/8" / 130.2	•



STK10PA
10-PIECE SHORT ARM
TORX® KEY SET

- Size stamped on each part
- Two working ends with short and long shank for versatility

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
STK10PA	10 Piece Short Arm Torx® Key Set in Plastic Pouch		
TK10A	T10	2-1/8" / 54	•
TK15A	T15	2-1/4" / 57.2	•
TK20A	T20	2-7/16" / 61.9	•
TK25A	T25	2-9/16" / 65.1	•
TK27A	T27	2-11/16" / 68.3	•
TK30A	T30	2-15/16" / 74.6	•
TK40A	T40	3-1/4" / 82.6	•
TK45A	T45	3-9/16" / 90.5	•
TK50A*	T50	4-1/8" / 104.8	•
TK55A	T55	4-11/16" / 119.1	•

* Not available as an individual SKU.

HEX & TORX® KEYS

KEYS AND SETS



CHROME TORX® KEY SETS

- Pivot-head Torx® wrenches allow user to pivot around obstacles without removing tool from socket
- Heat-treated high quality industrial tool steel
- Long handles for extra reach

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
SHKTX7WR	7 Piece Torx® Wrench Set T20-T50		
TK20WR	T-20	3.6 / 92	•
TK25WR	T-25	3.6 / 92	•
TK27WR	T-27	3.6 / 92	•
TK30WR	T-30	3.6 / 92	•
TK40WR	T-40	4.2 / 107	•
TK45WR	T-45	4.9 / 124	•
TK50WR	T-50	4.9 / 124	•



SHKSMF34

34 PIECE SAE AND METRIC HEX SET

- Keys can be inserted in a socket screw at up to a 20° angle without binding
- Ergonomic design comfortable grip
- Composite handle
- Extra torque 8650 chrome nickel alloy steel
- Finished set to resist rust

PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	SET
SHKSMF34	34 Piece SAE and Metric Hex Set		
HKS0EA	0.05"	3-1/4" / 82.6	•
HKS1EA	1/16"	3-1/4" / 82.6	•
HKS2EA	5/64"	3-1/4" / 82.6	•
HKS2.2EA	3/32"	3-1/2" / 88.9	•
HKS7EA	7/64"	3-5/8" / 92.1	•
HKS8EA	1/8"	3-7/8" / 98.4	•
HKS9EA	9/64"	4" / 101.6	•
HKS10EA	5/32"	4-1/4" / 108	•
HKS11EA	3/16"	4-3/4" / 120.7	•
HKS12EA	7/32"	4-7/8" / 123.8	•
HKS13WA	1/4"	5" / 127	•
HKS14EA	5/16"	6-1/2" / 165.1	•
HKS15EA	3/8"	7" / 177.8	•
HKS1.5MMEA	1.5mm	3-1/4" / 82.6	•
HKS2MMEA	2mm	3-1/4" / 82.6	•
HKS2.5MMEA	2.5mm	3-1/2" / 88.9	•
HKS3MMEA	3mm	4" / 101.6	•
HKS4MMEA	4mm	4-1/4" / 108	•
HKS5MMEA	5mm	4-7/8" / 123.8	•
HKS6MMEA	6mm	5-1/2" / 139.7	•
HKS8MMEA	8mm	6-1/2" / 165.1	•
HKS10MMEA	10mm	7" / 177.8	•

HEX & TORX® KEYS

KEYS AND SETS

06

T-HANDLE METRIC HEX KEYS

- Cushioned, curved handle increases comfort and reduces fatigue
- Handle is welded directly to blade for a tool that will last a lifetime
- Handles are designed to match torque capacity of blade
- The slight downward angle of the handles is ergonomically superior to a straight T-Handle for comfort and functionality
- The mass of the T-Handle enables a flywheel affect, allowing screws to be quickly spun in or out

PRODUCT #	SIZE
HKT2MMA	2mm
HKT2.5MMA	2.5mm
HKT3MMA	3mm
HKT4MMA	4mm
HKT5MMA	5mm
HKT6MMA	6mm
HKT8MMA	8mm
HKT10MMA	10mm



BI-MATERIAL T-HANDLE SAE HEX KEYS

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility

PRODUCT #	SIZE
HKT2.5A	5/64"
HKT3A	3/32"
HKT4A	1/8"
HKT5A	5/32"
HKT6A	3/16"
HKT7A	7/32"
HKT8A	1/4"
HKT10A	5/16"
HKT12A	3/8"

BI-MATERIAL T-HANDLE METRIC HEX KEYS

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility

PRODUCT #	SIZE
HKTCG2MM	2mm
HKTCG2.5MM	2.5mm
HKTCG3MM	3mm
HKTCG4MM	4mm
HKTCG5MM	5mm
HKTCG6MM	6mm



HEX & TORX® KEYS

KEYS AND SETS

FOLD-UP HEX AND TORX® KEY SETS

- Ergonomic design comfortable grip
- Composite handle
- Extra torque 8650 chrome nickel alloy steel
- Finished set to resist rust



SHKT8
8 PIECE FOLD UP
TORX® SET

- T9 – T40



SHKM7
7 PIECE FOLD UP
HEX KEY SET

- 1.5mm – 6mm

HEX & TORX® KEYS

SPEED KEYS AND SETS

SPEED HEX KEY SETS

- Lighter inside radius than standard hex keys
- This one tool works in regular as well as tight clearance applications
- Ball-end of tools work up to a 25° angle
- World's best corrosion protection - ProGuard™ Dry Surface Technology
- Chamfered tool tips



PRODUCT #	SIZE	OVERALL LENGTH IN. / MM	
SHKSM15C	15 Piece Metric Ball-End L-Wrench Set		
HKS1.27MMEA	1.27	2.8" / 72	•
HKS1.5MMEA	1.5	3" / 77	•
HKS2.0MMEA	2	3.2" / 82	•
HKS2.5MMEA	2.5	3.5" / 88	•
HKS3MMEA	3	3.9" / 98	•
HKS3.5MMEA	3.5	3.9" / 100	•
HKS4MMEA	4	4.3" / 110	•
HKS4.5MMEA	4.5	4.5" / 114	•
HKS5MMEA	5	4.7" / 119	•
HKS5.5MMEA	5.5	4.9" / 124	•
HKS6MMEA	6	5.5" / 139	•
HKS7MMEA	7	5.5" / 140	•
HKS8MMEA	8	6" / 152	•
HKS9MMEA	9	6.2" / 159	•
HKS10MMEA	10	6.7" / 171	•
HKS13EA	1/4"	5" / 127	

Torx® is a trademark of Acument Intellectual Properties, LLC

HEX & TORX® KEYS

SPEED KEYS AND SETS

BI-MATERIAL T-HANDLE BALL-END METRIC SPEED HEX KEYS

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility
- Ball-End hex design puts ball end at the end of shaft for access to fastener which is restricted to offset angle


PRODUCT #	SIZE
HKT2MMAB	2mm
HKT2.5MMAB	2.5mm
HKT3MMAB	3mm
HKT4MMAB	4mm
HKT5MMAB	5mm
HKT6MMAB	6mm
HKT8MMAB	8mm
HKT10MMAB	10mm



BI-MATERIAL T-HANDLE SAE SPEED HEX KEYS

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility

PRODUCT #	SIZE
HKT2.5AB	5/64"
HKT3AB	3/32"
HKT4AB	1/8"
HKT5AB	5/32"
HKT6AB	3/16"
HKT7AB	7/32"
HKT8AB	1/4"
HKT12AB	3/8"




HEX & TORX® KEYS

SPEED KEYS AND SETS



SHKML9PH 9 PIECE METRIC PROHOLD® BALL L-KEY SETS

- Prohold® screw holding technology
- Non-metallic button located on flat of tool
- Superior Ball-end strength and working angle (Ball-end tools)
- Ball-end of tools work up to a 25° angle
- Chamfered tool tips
- Non-magnetic technology



SHKTT7PT 7 PIECE T-HANDLE TORX® KEY SET

- Comfortable, bi-material handle provides a non-slip grip
- Each size T-handle includes Torx® (short shaft) and tamper-proof Torx® (long shaft) tips



SHKML9PH 9 PIECE METRIC STUBBY DOUBLE-BALL HEX L-KEY SET

- Black finish
- Size stamped on each part
- Two working ends with short and long shank for versatility
- Ball end on both sides for use in hard-to-reach areas with limited straight-on access

SAE DOUBLE-BALL-END STUBBY HEX L-KEYS

- Black finish
- Size stamped on each part
- Two working ends with short and long shank for versatility
- Ball end on both sides for use in hard-to-reach areas with limited straight-on access

PRODUCT #	SIZE
HKL11DB	3/16"
HKL15DB	3/8"
HKL3DB	3/64"
HKL4DB	1/16"
HKL5DB	5/64"
HKL7DB	7/64"

SHKL13SDB 13 PIECE SAE STUBBY DOUBLE-BALL HEX L-KEY SET

- Black finish
- Size stamped on each part
- Two working ends with short and long shank for versatility
- Ball end on both sides for use in hard-to-reach areas with limited straight-on access




HEX & TORX® KEYS

MASTER SETS

06

SHKT9PT 9 PIECE SAE T-HANDLE HEX KEY SET

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility
- Sizes: 5/64", 3/32", 5/32", 7/32", 3/16", 5/16, 1/8", 1/4" and 3/8"



SHKTB9PT 9 PIECE SAE BI-MATERIAL T-HANDLE BALL-END HEX KEY SET

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility
- Sizes: 5/64", 3/32", 5/32", 7/32", 3/16", 5/16, 1/8", 1/4" and 3/8"



SHKTM8PT 8 PIECE METRIC T-HANDLE HEX KEY SET 2 - 10MM

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility
- Sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm and 10mm



SHKTB8PT 8 PIECE METRIC BI-MATERIAL T-HANDLE BALL-END HEX KEY SET

- Comfortable, bi-material handle provides a non-slip grip
- Dual drive ends on end of shaft and side of handle for maximum versatility
- Ball-End hex design puts ball end at the end of shaft for access to fastener which is restricted to offset angle
- Sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm and 10mm



SHKTM8CGPA 8 PIECE CUSHION GRIP T-HANDLE HEX KEY SET

- Cushioned, curved handle increases comfort and reduces fatigue
- Handle is welded directly to blade for a tool that will last a lifetime
- Handles are designed to match torque capacity of blade
- The slight downward angle of the handles is ergonomically superior to a straight T-Handle for comfort and functionality
- The mass of the T-Handle enables a flywheel affect, allowing screws to be quickly spun in or out
- Sizes: 2mm - 10mm

